

Oral Health in Burlington District Office and Vermont



Preventive and Access to Care, Risk Factors, and Outcomes

- Unless stated otherwise, all data are calculated for residents living within the area served by Burlington District Office, including:
 - Bolton, Burlington, Charlotte, Colchester, Essex, Hinesburg, Huntington, Jericho, Milton, Richmond, St. George, Shelburne, South Burlington, Underhill, Westford, Williston, Winooski.

Preventive and Access to Care: How many

Burlington area residents are accessing oral health care? How many dentists are in the area? What percentage of the population on public water systems have fluoridated water?

Risk Factors: How many Burlington area high school students have an increased risk of oral health problems due to risky behaviors?

Oral Health Outcomes: How are Burlington area residents doing in terms of oral health outcomes?

Preventive and Access to Care

Indicators	Data Sources
 Dental visits Number of dental providers 	 Behavioral Risk Factor Surveillance Survey (BRFSS)
Dental insurance	Medicaid data
Community water	2013 Dentist Survey
fluoridation	 Water Fluoridation Reporting System (WFRS)

Behavioral Risk Factor Surveillance Survey (BRFSS)


Telephone survey of adults

- Typically between 6,000 and 7,000 Vermont adults (18 or older) are interviewed as part of the Vermont BRFSS each year.
- Self-reported data
- Conducted by the Vermont Department of Health in collaboration with the Centers for Disease Control and Prevention (CDC)
- Additional information can be found on the VDH and CDC websites:
 - http://healthvermont.gov/research/brfss.aspx
 - http://www.cdc.gov/brfss/

Access to Care – Dental Visits Among Adults (BRFSS)

In 2012 and 2014 (combined average), 77% of Burlington area adults saw their dentist for any reason during the previous year. This is significantly better than the state percentage.

The Healthy Vermonters 2020 goal is 85%.



Percent of Adults Who Visited the Dentist in the Last Year (2012 and 2014 Combined Average)

Data Source: Behavioral Risk Factor Surveillance System (BRFSS) *Significantly different from Vermont.

Age-adjusted based on the proportional age breakdowns of the U.S. population in 2000.


- 44% of Vermont adults reported they did not have dental insurance in 2012 (BRFSS).
- Some variation exists by district office, but there are not large differences.

Medicaid Claims Data

- These data are not representative of all Burlington area residents.
 - These data only include those who sought care, and does not include those who needed care but did not seek care.
 - These data do not include those who have commercial insurance or do not have dental insurance.

Access to Care: Dental Services Among Medicaid-Eligible Children by 18 Months of Age


26% of Burlington Medicaideligible children born in 2012 received any dental services by a dental provider by 18 Months of Age, compared to the state percentage of 22%.



Access to Care: Dental Services Among Medicaid-Eligible Children Aged 1-5

Half of all Burlington Medicaideligible children aged 1-5 received any dental services by a dental provider in 2014.






Access to Care: Dental Services Among Medicaid-Eligible Children Aged 6-18

66% of Burlington Medicaid-eligible children aged 6-18 received any dental services by a dental provider in 2014.

The Healthy Vermonters 2020 goal for the percent of people in grades K-12 who use the dental care system each year is 85%.

Percent of Medicaid-Eligible Vermonters Aged 6-18 Receiving Preventive Dental Services and Any Dental Services in 2014




Access to Care: Dental Services Among Medicaid-Eligible Adults Aged 19-64

31% of Burlington Medicaid-eligible adults aged 19-64 received any dental services by a dental provider in 2014.

The Healthy Vermonters 2020 goal for the percent of people age 18+ who use the dental care system each year is 85%.

Percent of Medicaid-Eligible Vermonters Aged 19-64 Receiving Preventive Dental Services and Any Dental Services in 2014




- Completed by most dentists online with the license renewal in late summer 2013.
- □ Self-reported data.
- □ Followed-up via mail and phone calls.
- \square The final response rate was 99.5%.
- Included in this report are dentists who provide patient care in Vermont.
- Ten dentists who reported fewer than 2 patient care hours per week on the average were excluded.


Access to Care – Oral Health Care Providers

In 2013 in Burlington, there were 73.8 fulltime equivalent primary care dentists and 22.6 full-time equivalent specialists.


- Primary care dentists include general practice and pediatric dentistry.
- Specialist dentists include oral surgery, endodontics, orthodontics, periodontics, prosthodontics, and other specialties.

Full-Time Equivalent Dentists by Specialty and Age in Burlington (2013)






Access to Care – Oral Health Care Providers



Access to Care – Primary Care Dentists Accepting New Patients

- In 2013, 96% of primary care dentists in Burlington were accepting new non-Medicaid patients and 67% were accepting new Medicaid patient.
- In 2013, 85% of primary care dentists in Burlington were accepting 5 or more new non-Medicaid patients a month, but only 37% were accepting 5 or more new Medicaid patients a month.
- The Community Health Centers of Burlington do provide dental care.



Non-Medicaid

Accepts 5+ New Patients/Month

Percent of Primary Care Dentists Accepting New Patients in 2013

Data Source: 2013 Dentist Survey

Accepts any new Patients

Medicaid


Non-Medicaid

0%

Medicaid

Access to Care – Specialist Dentists Accepting New Patients

- In 2013, 95% of specialist dentists in Burlington were accepting new non-Medicaid patients and 84% were accepting new Medicaid patients.
- In 2013, 89% of specialist dentists in Burlington were accepting 5 or more new non-Medicaid patients a month and 68% were accepting 5 or more new Medicaid patients a month.



Percent of Specialist Dentists Accepting New


Data Source: 2013 Dentist Survey

Water Fluoridation Reporting System (WFRS)

- An online tool that helps states manage the quality of their water fluoridation programs.
- Helps describe the percentage of the U.S. population on community water systems who receive 0.70 ppm optimally fluoridated drinking water.
 - A community water system is a public water system that supplies water to the same population year-round.
- WFRS monitors the number and quality of water fluoridation systems, as well as the state population on public water supply systems.
- This system was developed by CDC in partnership with the Association of State and Territorial Dental Directors (ASTDD).


Community Water Fluoridation

Percent of the Population Served by Community Public Water Systems that Have Optimally Fluoridated Water (2015)



Data source: Water Fluoridation Reporting System

96% of Chittenden County's population served by community public water systems have optimally fluoridated water. Chittenden exceeds Vermont's percentage and the Healthy Vermonters 2020 goal of 65%.



Vermont Towns:

Fluoridation Status (Jan. 2015)



Community Water Fluoridation



No Community Water Fluoridation

Risk Factors	
Indicators	Data Sources
Sugar-sweetened beverages	 Youth Risk Behavior Survey (YRBS)
Use of snuff/dip	


Youth Risk Behavior Survey (YRBS)

- A paper survey administered in Vermont middle and high schools every two years since 1993.
- The YRBS measures the prevalence of behaviors that contribute to the leading causes of death, disease, and injury among youth.
- Vermont surveys over 30,000 students at each administration.
- Weighted data is compiled to generate a representative state sample.

Risk Factors – Sugar-sweetened Beverage Consumption Among High School Students (YRBS)

12% of Burlington area students in grades 9-12 drank at least one soda daily. This is significantly lower than the percentage for Vermont.

> Percent of Students in Grades 9-12 who Reported Drinking at Least One Can, Bottle, or Glass of Soda or Pop Every Day in the Past 7 days (2013)




*Significantly different from Vermont.

NOTE: The question instructed students not to include diet soda or pop.

14% of Burlington area students in grades 9-12 drank at least one sugar-sweetened beverage daily (not including soda). This is significantly lower than the percentage for Vermont.

Percent of Students in Grades 9-12 who Drank a Can, Bottle or Glass of a Sugarsweetened Beverage (Not including Soda) Every Day in the past 7 Days (2013)




Data Source: Youth Risk Behavior Survey (YRBS)

*Significantly different from Vermont.

NOTE: The question instructed students not to include soda or pop, diet drinks, or 100% fruit juice.

Risk Factors – Snuff/dip Use Among High School Students (YRBS)

6% of Burlington area students in grades 9-12 reported using chewing tobacco, snuff, or dip during the past 30 days. This is significantly lower than the percentage for Vermont.




Data Source: Youth Risk Behavior Survey (YRBS) *Significantly different from Vermont.

Oral Health Outcomes

Indicators	Data Sources
Tooth loss	Behavioral Risk Factor
Treated for	Surveillance Survey
extractions,	(BRFSS)
endodontics or	Medicaid claims
restorations	Vermont Uniform
Emergency Department	Hospital Discharge
visits	Data Set (VUHDDS)

Oral Health Outcomes: No Teeth Lost Among Adults Aged 18-64 (BRFSS)

76% of **Burlington area** adults aged 18-64 did not have any tooth loss due to tooth decay or gum disease, in 2012 and 2014 (combined average). This is significantly better than the state percentage.




Percent of Adults Aged 18-64 With No Teeth Lost (2012

Data Source: Behavioral Risk Factor Surveillance System (BRFSS) *Significantly different from Vermont.

Healthy Vermonters 2020 Goal: Tooth Loss Among Adults Aged 45-64 (BRFSS)


- 38% of Burlington area adults aged 45-64 have had a tooth extracted due to tooth decay or gum disease, in 2012 and 2014 (combined average).
 - Burlington is significantly better than Vermont.
- The Healthy Vermonters 2020 goal for the percent of adults age 45-64 who have ever had a tooth extracted because of dental caries or periodontal disease is 45%.



Data Source: Behavioral Risk Factor Surveillance System (BRFSS) *Significantly different from Vermont.

Oral Health Outcomes: Six or More Teeth Lost Among Adults Aged >=65 years (BRFSS)

29% of Burlington area adults 65 and older have lost six or more teeth due to tooth decay or gum disease. This is significantly better than the state percentage.



Adults 65 and older who have lost six or more teeth


Data Source: Behavioral Risk Factor Surveillance System (BRFSS) *Significantly different from Vermont.

Oral Health Outcomes: Medicaid-Eligible Children Aged 1-5 Treated for Extractions, Endodontics or Restorations

For Burlington area children, in 2014, 346 (10%) Medicaid-eligible children aged 1-5 years were treated for extractions, endodontics or restorations. Of those children, 17% were treated in a hospital setting for a total of \$297,811 paid claims and an average of \$4,882 per visit.

Number and Percent of Medicaid-Eligible Burlington-Area Children Aged 1-5 Treated for Extractions, Endodontics or Restorations by Setting, including Amount Paid, in 2014

Setting	# of Children	% of Medicaid- Eligible Children	Total Amount Paid	Average Paid per Child
Office	295	8%	\$140,226	\$475
Hospital	61	2%	\$297,811	\$4,882
Any	346	10%	\$438,036	\$1,266




Oral Health Outcomes: Medicaid-Eligible Children Aged 6-18 Treated for Extractions, Endodontics or Restorations


For Burlington area children, in 2014, 2,179 (26%) Medicaid-eligible children aged

6-18 years were treated for extractions, endodontics or restorations.

Number and Percent of Medicaid-Eligible Burlington Area Children Aged 6-18 Treated for Extractions, Endodontics or Restorations by Setting, including Amount Paid, in 2014

Setting	# of Children	% of Medicaid -Eligible Children	Total Amount Paid	Average Paid per Child
Office	2,154	26 %	\$1,026,018	\$476
Hospital	42	1%	\$ 107,629	\$2,563
Any	2,179	26 %	\$1,133,646	\$520





Data Source: Medicaid Claims Data


Oral Health Outcomes: Medicaid-Eligible Adults Aged 19-64 Treated for Extractions, Endodontics or Restorations

For Burlington area adults, in 2014, 3,272 (18%) Medicaid-eligible adults aged 19-64 years were treated for extractions, endodontics or restorations.

Number and Percent of Medicaid-Eligible Burlington Area Children Aged 19-64 Treated for Extractions, Endodontics or Restorations by Setting, including Amount Paid, in 2014

Setting	# of Adults	% of Medicaid- Eligible Adults	Total Amount Paid	Average Paid per Adult
Office	3,219	17%	\$1,161,134	\$361
Hospital	96	0.5%	\$78,491	\$818
Any	3,272	18%	\$1,239,625	\$379

Percent of Medicaid-Eligible Vermonters Aged 19-64 Treated for Extractions, Endodontics or Restorations by Setting in 2014



Data Source: Medicaid Claims Data

Data Source: Medicaid Claims Data

March 2016

Oral Health Outcomes: General Assistance Vouchers

 In State Fiscal Year 2015, 196 Burlington area residents utilized General Assistance Vouchers for dental services, for a total of \$127,342.

> Number of Individuals who Utilized General Assistance (GA) Vouchers for Dental Services, including Amount Paid, in State Fiscal Year 2015

	Number of Individuals	Total Amount Paid	Average Paid per Individual
Burlington	196	\$127,342	\$650
Vermont	1,392	\$933,695	\$671

Vermont Uniform Hospital Discharge Data Set (VUHDDS)

- VUHDDS includes hospital discharge data from hospitals in Vermont, New Hampshire, Massachusetts, and New York. However, New Hampshire data for 2010-2013 were not available at the time of this report.
 - Historically, the percent of CCS 136 Emergency Department visits that occurred in New Hampshire hospitals was 10% for all Vermonters and 0% for Burlington area residents (based on the average percentage from 2005-2009).
- VUHDDS data are based on visits and not people. A person who is seen in the emergency department for disorders of teeth and jaw more than once in a year will be counted each time as a separate visit.
- These data only include those who sought care, and does not include those who needed care but did not seek care.

Oral Health Outcomes: Emergency Department Visits


70

For Emergency Department Visits for Disorders of Teeth and Jaw:

- The rate of visits has remained fairly steady for all Vermonters, including Burlington-area residents.
- Burlington had a lower rate (5 visits per 1,000 residents) than Vermont (10 visits per 1,000 residents) in 2013.


	Number of Visits				
	2005 2009 2013				
Burlington	1,001	1,086	786		
Vermont	5,903	6,944	6,155		

Rate of Emergency Department Visits for Disorders of Teeth and Jaw per 1,000 Residents (2005, 2009, 2013)*



* New Hampshire data for 2010-2013 are not available at the time of this report.

Oral Health Outcomes: Emergency Department Visits



Emergency Department Visits for Disorders of Teeth and Jaw per 1,000 Residents by Age Group (2013)*

Data Source: Vermont Uniform Hospital Discharge Data Set

* New Hampshire data for 2010-2013 are not available at the time of this report.

Vermont Department of Health

The rate of Emergency Department visits for Disorders of Teeth and Jaw per 1,000 residents are highest for 25-34 year-olds. The second highest rate for Burlington residents is 35-49 year olds, while the second highest rate for Vermonters is 18-24 year-olds.

Visits by 25-34 year-olds comprised 42% of all ED visits for disorders of Teeth and Jaw for Burlington area residents, but this age group represents only 14% of **Burlington's** population.

Number and Percent of Emergency Department Visits for Disorders of Teeth and Jaw by Age Group for Burlington Area Residents (2013)*


	•	% of Total Emergency Department Visits for Disorders of Teeth and	% of
Age Group	Burlington Area Residents	Jaw for Burlington Area Residents	population in this age group
		Area Residents	mis age group
18-24	113	14%	16%
25-34	332	42%	14%
35-49	226	29%	19%
0-17 or 50+	115	15%	52%
Total	786	100%	100%

Data Source: Vermont Uniform Hospital Discharge Data Set

* New Hampshire data for 2010-2013 are not available at the time of this report.

Oral Health Outcomes: Emergency Department Visits

From 2005 to 2013, the rate of Emergency Department visits for Disorders of Teeth and Jaw per 1,000 Burlington area residents decreased for 18-24 yearolds.




Data Source: Vermont Uniform Hospital Discharge Data Set

* New Hampshire data for 2010-2013 are not available at the time of this report.

Oral Health Outcomes: Emergency Department Visits

For Emergency Department Visits for Disorders of Teeth and Jaw, the percent of visits where Medicaid was listed as their primary payer has increased from 2005 to 2013 in Vermont, but has remained below 50% for **Burlington** area residents.

Percent of Emergency Department Visits for Disorders of Teeth and Jaw with Primary Payer listed as Medicaid (2005, 2009, 2013)



Data Source: Vermont Uniform Hospital Discharge Data Set

* New Hampshire data for 2010-2013 are not available at the time of this report.



Preventive and Access to Care

- The percent of Burlington area adults who report visiting the dentist in the last year is significantly better than the state percentage.
 - The majority of Burlington area adults report visiting the dentist in the last year, but Medicaid claims show only 31% of Medicaid-eligible Burlington area have seen a dentist in the last year.
- A low percentage of Medicaid-eligible Burlington area residents received dental care in 2014, especially those under 19 months, under 6, and adults.

Preventive and Access to Care

- In 2013, Burlington had a higher ratio of primary care dentists and specialists per residents, compared to the state ratio.
- A higher percentage of Burlington dentists were accepting new non-Medicaid than Medicaid patients, following a similar pattern as the state's percentages. The same pattern holds for accepting 5 or more new patients a month.

Preventive and Access to Care

The percent of Burlington District Office's population served by community public water systems who have optimally fluoridated water is higher than Vermont and the Healthy Vermonters 2020 goal.

- The percent of Burlington area high school students participating in the following risky behaviors is significantly lower than all Vermont high school students:
 - 1. consuming at least one soda daily
 - consuming at least one other type of sugar-sweetened beverage daily
 - 3. using snuff/dip

Oral Health Outcomes

- Similar to all Vermonters, Medicaid-eligible Burlington area residents are receiving treatment for extractions, endodontics, or restorations, including:
 - 10% of children aged 1-5 (17% of these in the hospital).
 - 26% of children aged 6-18.
 - 18% of adults aged 19-64.
 - a total amount paid for all of these visits for all ages of \$2,811,308.
- In State Fiscal Year 2015, 196 Burlington area residents utilized General Assistance Vouchers for dental services, for a total of \$127,342.

Oral Health Outcomes

- The percent of Burlington area adults who have lost teeth is significantly better than the percent of all Vermonters.
- The rate of Emergency Department visits for disorders of teeth and jaw per 1,000 residents is lower for Burlington area residents than all Vermonters.
- Visits by 25-34 year-olds comprised 42% of all ED visits for disorders of Teeth and Jaw for Burlington area residents.

Questions?

- For more information about the Oral Health Program at the Vermont Department of Health,
 - please go to: <u>http://healthvermont.gov/family/dental/services.aspx</u>,
 - or contact Robin Miller, RDH, MPH at <u>Robin.N.Miller@vermont.gov</u>.
- For more information about Oral Health data in Vermont, please contact:
 - Denise Kall, PhD at <u>Denise.Kall@vermont.gov</u>.

Data Notes - BRFSS

- Behavioral Risk Factor Surveillance System (BRFSS) Survey Questions used in the above analyses included:
- "How long has it been since you last visited a dentist or a dental clinic for any reason? Include visits to dental specialists, such as orthodontics.
 [Responses: Within the past year (anytime less than 12 months), Within the past 2 years (1 year but less than 2 years), Within the past 5 years (2 years but less than 5 years ago), 5 or more years ago, and Never]"
- How many of your teeth have been removed because of tooth decay or gum disease? Include teeth lost to infection, but do not include teeth lost for other reasons, such as injury or orthodontics. [Responses:1 to 5, 6 or more but not all, All, and None]"
- For more information on the Behavioral Risk Factor Survey (BRFSS), please see: <u>http://healthvermont.gov/research/brfss/brfss.aspx</u>.

Data Notes - BRFSS

Confidence Intervals were used for statistical comparisons between the state and the various sub-geographies. A confidence interval represents the range in which a parameter estimate would fall, which is calculated based on the observed data. For this analysis, we used a 95% confidence interval, meaning that we are 95% confident that the true value of the parameter being examined falls within the specified confidence interval. Statistical significance is assessed by comparing the confidence intervals of different groups. If the confidence intervals from two groups, such as that for the state and a specific county, do not overlap we consider the estimates to be significantly different from one another.

Data Notes - BRFSS

- In U.S. data, age adjustment is used for comparison of regions with varying age breakdowns. In order to remain consistent with the methods of comparison at a national level, statistics in Vermont were age adjusted. The estimates were adjusted based on the proportional age breakdowns of the standard U.S. population in 2000. For more detailed information on age adjustment visit <u>http://www.cdc.gov/nchs/data/statnt/statnt20.pdf</u>.
- Note that beginning in 2011 the CDC implemented changes to the BRFSS weighting methodology in order to more accurately represent the adult population. In 2011 and later, weights are calculated using an iterative proportional fitting (or "raking") methodology. This allows the weights to be calculated using a smaller sample size, adjusts for more demographic variables, and incorporates cell phone interview data into estimates. While these adjustments make the calculations more representative of the population, the changes in methodology also limit the ability to compare results from 2011 forward with those from previous years. The Vermont Department of Health recommends that comparisons between BRFSS data from 2011 forward and earlier years be made with caution. Statistical differences may be due to methodological changes, rather than changes in opinion or behavior.

Data Notes – Medicaid Claims Data

- This analysis was conducted using Vermont's Medicaid data, accessed through
 Vermont Healthcare Claims Uniform Reporting and Evaluating System (VHCURES).
- District office is based on the recipient's county of residence as of their last month of Medicaid eligibility within the timeframe
- For the analysis of those born in 2012 who received any dental services by a dental provider by 18 months of age:
 - This included only Vermonters who were Medicaid-eligible (including Medicaid Managed Care and Traditional Medicaid aid categories) and were enrolled in Medicaid for 95% or more of their lifetimes.
 - age was calculated as of date of service.
- □ For all other analyses using Medicaid Claims Data:
 - Vermonters who were Medicaid-eligible (including Medicaid Managed Care and Traditional Medicaid aid categories) and have been continuously enrolled in Medicaid for three consecutive months were included in the analysis.
 - Age was calculated as of December 31, 2014.

Data Notes – Medicaid Claims Data

Vermonters can appear in more than one of these numbers.			
% of Medicaid-eligible Vermonters who had a preventive visit	This includes Vermonters who had paid claims for any one of the following preventive procedure codes (CPT between D1000 and D1999). If a Vermonter received one of these procedures more than once in this timeframe, he/she only appears in the number once.		
% of Medicaid-eligible Vermonters who received any dental services by a dental provider	This includes Vermonters who had paid dental claims for any one of the following dental procedure codes (CPT between D0120 and D9999) filed on a dental claim form (claim type L). If a Vermonter received one of these procedures more than once in this timeframe, he/she only appears in the number once.		
% of Medicaid-eligible Vermonters treated for extractions, endodontics or restorations	This includes Vermonters who had paid claims for any one of the following procedures: dental restorations (CPT between D2000 and D2999), endodontic procedures (CPT between D3000 and D3999), or dental extractions (CPT between D7111 and D7250). preventive visits are not included. If a Vermonter received one of these procedures more than once in this timeframe, he/she only appears in the number once. A Vermonter can appear in both the office percentage and the hospital percentage for dental treatment. Each visit is counted as hospital or office visit, but never both for the same date of service.		
Number of Individuals who Utilized General Assistance (GA) Vouchers for Dental Services	This includes Vermonters who had claims for a State Category of Service Code for Dental between '0801' and '0899' and a funding source code C (General Assistance (GA) OVHA).		

Data Notes - Emergency Department Visits for Disorders of Teeth and Jaw for Vermont Residents from 2009 and 2013, by Principal Diagnosis

The Primary Diagnosis Clinical Classification Software (CCS) Category 136, Disorders of Teeth and Jaw, includes the following diagnoses:

Principal Diagnosis	2009		2013*
520: Diseases of tooth development and eruption		9 7 6 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	67
521: Diseases of hard tissue of teeth			1,138
522: Diseases of pulp and periapical tissues		avai	2,026
523: Gingival and periodontal diseases		not e	126
524: Dentofacial anomalies, including malocclusion		are	133
525: Other diseases and conditions of the teeth and supporting structures		2013	2,529
526: Diseases of the jaw		ı for	38
78492: Jaw pain		H data	99
Total	6,944	НZ	6,156
Data Source: Vermont Uniform Hospital Discharge Data Set			

* New Hampshire data for 2010-2013 are not available at the time of this report. Historically, the percent of CCS 136 Emergency Department visits that occurred in New Hampshire hospitals was 10% for all Vermonters (based on the average percentage from 2005-2009), but varied by District Office.

Data Notes - Additional Information

- For more information on the Dental Provider Survey, see: <u>http://healthvermont.gov/research/HlthCarePrvSrvys/HealthCareProviderSurveys.aspx</u>
- For more information on the Youth Risk Behavior Survey, see: <u>http://healthvermont.gov/research/yrbs.aspx</u>
- For more information on the Vermont Uniform Hospital Discharge Data Set, see: <u>http://healthvermont.gov/research/hospital-utilization/</u>