## **STATEWIDE**

| Reported Behavior   | Racial or ethnic<br>minority<br>weighted n=1,167 | White non-Hispanic weighted n=14,937 |
|---|--|--------------------------------------|
| Safety belt use (never, rarely, or sometimes)*                                      | 8%   | 4%                                   |
| <b>Skipped meals to lose weight</b> (during the past 30 days)                       | 22%  | 17%                                  |
| Skipped school due to feeling unsafe on route to or at school (during past 30 days) | 8%   | 7%                                   |
| Was bullied (during past 30 days)   | 31%  | 29%                                  |
| Physical fighting (ever)*   | 58%  | 49%                                  |
| Smoked cigarettes (during past 30 days)   | 5%   | 3%                                   |
| Binge drinking (during past 30 days)  | 6%   | 3%                                   |
| Marijuana use (during past 30 days)   | 7%   | 4%                                   |
| Misuse Prescription Drugs (ever)*   | 7%   | 4%                                   |
| Attempted suicide (ever)  | 8%   | 5%                                   |

Statewide, compared to white non-Hispanic students, those in a racial or ethnic minority group reported statistically higher rates of:

- Wearing a safety belt never, rarely, or sometimes
- Being in a physical fight ever
- Misusing prescription drugs ever

<sup>\*</sup> Statistically different

## **ADDISON COUNTY**

| Reported Behavior   | Racial or<br>ethnic<br>minority<br>n=103 | White non-<br>Hispanic<br>n=540 |
|---|--|---------------------------------|
| Safety belt use (never, rarely, or sometimes)                                       | 21%                                      | 10%                             |
| Skipped meals to lose weight (during the past 30 days)                              | 23%                                      | 20%                             |
| Skipped school due to feeling unsafe on route to or at school (during past 30 days) |  | 6%                              |
| Was bullied (during past 30 days)   | 27%                                      | 31%                             |
| Physical fighting (ever)  | 59%                                      | 46%                             |
| Smoked cigarettes (during past 30 days)   |  |                                 |
| Binge drinking (during past 30 days)  |  | 3%                              |
| Marijuana use (during past 30 days)   |  |                                 |
| Misuse Prescription Drugs (ever)  |  |                                 |
| Attempted suicide (ever)  |  | 3%                              |

In Addison County, compared to white non-Hispanic students, those in a racial or ethnic minority group did not report statistically different rates of any of the 10 behaviors reported above.

-- indicates that the percent was suppressed because fewer than 15 students responded "yes"

## **BENNINGTON COUNTY**

| Reported Behavior   | Racial or<br>ethnic<br>minority<br>n=94 | White non-<br>Hispanic<br>n=670 |
|---|---|---------------------------------|
| Safety belt use (never, rarely, or sometimes)                                       |   | 10%                             |
| <b>Skipped meals to lose weight</b> (during the past 30 days)                       | 29%                                     | 19%                             |
| Skipped school due to feeling unsafe on route to or at school (during past 30 days) |   | 8%                              |
| Was bullied (during past 30 days) Physical fighting (ever)                          | 22%<br>49%                              | 28%<br>49%                      |
| Smoked cigarettes (during past 30 days)   |   | 4%                              |
| Binge drinking (during past 30 days)  |   | 4%                              |
| Marijuana use (during past 30 days)   |   | 5%                              |
| Misuse Prescription Drugs (ever)  |   | 3%                              |
| Attempted suicide (ever)  |   | 6%                              |

In Bennington County, compared to white non-Hispanic students, those in a racial or ethnic minority group did not report statistically different rates of any of the 10 behaviors reported above.

-- indicates that the percent was suppressed because fewer than 15 students responded "yes"

## **CALEDONIA AND ESSEX COUNTIES**

| Reported Behavior   | Racial or<br>ethnic<br>minority<br>n=86 | White non-<br>Hispanic<br>n=446 |
|---|---|---------------------------------|
| Safety belt use (never, rarely, or sometimes)                                       |   | 13%                             |
| Skipped meals to lose weight (during the past 30 days)                              | 25%                                     | 13%                             |
| Skipped school due to feeling unsafe on route to or at school (during past 30 days) |   | 7%                              |
| Was bullied (during past 30 days)   | 33%                                     | 32%                             |
| Physical fighting (during past 12 months)   | 62%                                     | 52%                             |
| Smoked cigarettes (during past 30 days)   |   | 5%                              |
| Binge drinking (during past 30 days)  |   | 4%                              |
| Marijuana use (during past 30 days)   |   | 5%                              |
| Misuse Prescription Drugs (ever)  |   | 4%                              |
| Attempted suicide (during past 12 months)   |   | 4%                              |

In Caledonia and Essex Counties, compared to white non-Hispanic students, those in a racial or ethnic minority group did not report statistically different rates of any of the 10 behaviors reported above.

-- indicates that the percent was suppressed because fewer than 15 students responded "yes"

# **CHITTENDEN COUNTY**

| Reported Behavior  | Racial or<br>ethnic<br>minority<br>n=594 | White non-<br>Hispanic<br>n=2,691 |
|--|--|-----------------------------------|
| Safety belt use (never, rarely, or sometimes)*                                       | 13%                                      | 5%                                |
| Skipped meals to lose weight (during the past 30 days)                               | 15%                                      | 14%                               |
| Skipped school due to feeling unsafe on route to or at school (during past 30 days)* | 9%                                       | 4%                                |
| Was bullied (during past 30 days)*   | 29%                                      | 23%                               |
| Physical fighting (ever)*  | 52%                                      | 43%                               |
| Smoked cigarettes (during past 30 days)*   | 3%                                       | 1%                                |
| Binge drinking (during past 30 days)*  | 4%                                       | 2%                                |
| Marijuana use (during past 30 days)  | 4%                                       | 3%                                |
| Misuse Prescription Drugs (ever)*  | 5%                                       | 2%                                |
| Attempted suicide (ever)*  | 7%                                       | 3%                                |

In Chittenden County, compared to white non-Hispanic students, those in a racial or ethnic minority group reported statistically higher rates of:

- Wearing a safety belt never, rarely, or sometimes
- Skipping school because they felt unsafe in school or getting to school in the past 30 days
- Being bullied in the past 30 days
- Being in a physical fight ever
- Smoking cigarettes in the past 30 days
- Binge drinking in the past 30 days
- Misusing prescription drugs ever
- Attempting suicide ever

## \*Statistically different

## FRANKLIN AND GRAND ISLE COUNTIES

| Reported Behavior  | Racial or<br>ethnic<br>minority<br>n=201 | White non-<br>Hispanic<br>n=996 |
|--|--|---------------------------------|
| Safety belt use (never, rarely, or sometimes)  | 13%                                      | 10%                             |
| Skipped meals to lose weight (during the past 30 days)*  | 28%                                      | 18%                             |
| Skipped school due to feeling unsafe on route to or at school (during past 30 days)  Was bullied (during past 30 days) | 10%<br>29%                               | 6%<br>29%                       |
| Physical fighting (ever)*  | 61%                                      | 48%                             |
| Smoked cigarettes (during past 30 days)  |  | 2%                              |
| Binge drinking (during past 30 days)*  | 8%                                       | 3%                              |
| Marijuana use (during past 30 days)  |  | 2%                              |
| Misuse Prescription Drugs (ever)   |  | 2%                              |
| Attempted suicide (ever)   | 9%                                       | 5%                              |

In Franklin and Grand Isle Counties, which were combined due to sample size, compared to white non-Hispanic students, those in a racial or ethnic minority group reported statistically higher rates of:

- Skipping a meal to lose weight or stop gaining weight in the past 30 days
- Being in a physical fight ever
- Binge drinking in the past 30 days

## \*Statistically different

## **LAMOILLE COUNTY**

| Reported Behavior  | Racial or<br>ethnic<br>minority<br>n=87 | White non-<br>Hispanic<br>n=468 |
|--|---|---------------------------------|
| Safety belt use (never, rarely, or sometimes)  |   | 13%                             |
| Skipped meals to lose weight (during the past 30 days)   |   | 18%                             |
| Skipped school due to feeling unsafe on route to or at school (during past 30 days)  Was bullied (during past 30 days) | <br>43%                                 | 6%<br>29%                       |
| Physical fighting (ever)*  | 70%                                     | 48%                             |
| Smoked cigarettes (during past 30 days)  |   | 6%                              |
| Binge drinking (during past 30 days)   |   | 6%                              |
| Marijuana use (during past 30 days)  |   | 7%                              |
| Misuse Prescription Drugs (ever)   |   |                                 |
| Attempted suicide (ever)   |   | 4%                              |

In Lamoille County, compared to white non-Hispanic students, those in a racial or ethnic minority group reported statistically higher rates of:

Being in a physical fight ever

-- indicates that the percent was suppressed because fewer than 15 students responded "yes"

<sup>\*</sup>Statistically different

## **ORANGE COUNTY**

| Reported Behavior   | Racial or<br>ethnic<br>minority<br>n=103 | White non-<br>Hispanic<br>n=523 |
|---|--|---------------------------------|
| Safety belt use (never, rarely, or sometimes)                                       |  | 10%                             |
| <b>Skipped meals to lose weight</b> (during the past 30 days)                       | 21%                                      | 17%                             |
| Skipped school due to feeling unsafe on route to or at school (during past 30 days) | <del></del>                              | 5%                              |
| Was bullied (during past 30 days)*  | 46%                                      | 30%                             |
| Physical fighting (ever)  | 55%                                      | 46%                             |
| Smoked cigarettes (during past 30 days)   |  | 4%                              |
| Binge drinking (during past 30 days)  |  | 3%                              |
| Marijuana use (during past 30 days)   |  | 3%                              |
| Misuse Prescription Drugs (ever)  |  | 3%                              |
| Attempted suicide (ever)  |  | 5%                              |

In Orange County, compared to white non-Hispanic students, those in a racial or ethnic minority group reported statistically higher rates of:

• Being bullied in the past 30 days

-- indicates that the percent was suppressed because fewer than 15 students responded "yes"

<sup>\*</sup>Statistically different

## **ORLEANS COUNTY**

| Reported Behavior   | Racial or<br>ethnic<br>minority<br>n=84 | White non-<br>Hispanic<br>n=473 |
|---|---|---------------------------------|
| Safety belt use (never, rarely, or sometimes)                                       | 28%                                     | 17%                             |
| Skipped meals to lose weight (during the past 30 days)                              | 20%                                     | 17%                             |
| Skipped school due to feeling unsafe on route to or at school (during past 30 days) |   | 4%                              |
| Was bullied (during past 30 days)   | 31%                                     | 31%                             |
| Physical fighting (ever)  | 66%                                     | 55%                             |
| Smoked cigarettes (during past 30 days)   |   | 5%                              |
| Binge drinking (during past 30 days)  |   | 7%                              |
| Marijuana use (during past 30 days)   |   | 4%                              |
| Misuse Prescription Drugs (ever)  |   | 3%                              |
| Attempted suicide (ever)  |   | 5%                              |

In Orleans County, compared to white non-Hispanic students, those in a racial or ethnic minority group did not report statistically different rates of any of the 10 behaviors reported above.

-- indicates that the percent was suppressed because fewer than 15 students responded "yes"

## **RUTLAND COUNTY**

| Reported Behavior  | Racial or<br>ethnic<br>minority<br>n=133 | White non-<br>Hispanic<br>n=773 |
|--|--|---------------------------------|
| Safety belt use (never, rarely, or sometimes)*   | 20%                                      | 9%                              |
| <b>Skipped meals to lose weight</b> (during the past 30 days)  | 25%                                      | 19%                             |
| Skipped school due to feeling unsafe on route to or at school (during past 30 days)  Was bullied (during past 30 days) | <br>29%                                  | 7%<br>28%                       |
| Physical fighting (ever)*  | 57%                                      | 44%                             |
| Smoked cigarettes (during past 30 days)  |  | 4%                              |
| Binge drinking (during past 30 days)   |  | 3%                              |
| Marijuana use (during past 30 days)  |  | 5%                              |
| Misuse Prescription Drugs (ever)   |  | 5%                              |
| Attempted suicide (ever)*  | 13%                                      | 5%                              |

In Rutland County, compared to white non-Hispanic students, those in a racial or ethnic minority group reported statistically higher rates of:

- Wearing a safety belt never, rarely, or sometimes
- Being in a physical fight ever
- Attempting suicide ever

<sup>\*</sup>Statistically different

# **WASHINGTON COUNTY**

| Reported Behavior  | Racial or<br>ethnic<br>minority<br>n=196 | White non-<br>Hispanic<br>n=1,044 |
|--|--|-----------------------------------|
| Safety belt use (never, rarely, or sometimes)  | 13%                                      | 8%                                |
| <b>Skipped meals to lose weight</b> (during the past 30 days)  | 17%                                      | 15%                               |
| Skipped school due to feeling unsafe on route to or at school (during past 30 days)  Was bullied (during past 30 days) | 12%<br>32%                               | 6%<br>27%                         |
| Physical fighting (ever)   | 60%                                      | 50%                               |
| Smoked cigarettes (during past 30 days)  |  | 3%                                |
| Binge drinking (during past 30 days)   |  | 5%                                |
| Marijuana use (during past 30 days)  |  | 4%                                |
| Misuse Prescription Drugs (ever)   |  | 3%                                |
| Attempted suicide (ever)   | 8%                                       | 4%                                |

In Washington County, compared to white non-Hispanic students, those in a racial or ethnic minority group did not report statistically different rates of any of the 10 behaviors reported above.

## **WINDHAM COUNTY**

| Reported Behavior   | Racial or<br>ethnic<br>minority<br>n=163 | White non-<br>Hispanic<br>n=728 |
|---|--|---------------------------------|
| Safety belt use (never, rarely, or sometimes)*                                      | 19%                                      | 11%                             |
| Skipped meals to lose weight (during the past 30 days)                              | 23%                                      | 16%                             |
| Skipped school due to feeling unsafe on route to or at school (during past 30 days) | 11%                                      | 6%                              |
| Was bullied (during past 30 days)   | 29%                                      | 27%                             |
| Physical fighting (ever)*   | 63%                                      | 52%                             |
| Smoked cigarettes (during past 30 days)   |  | 4%                              |
| Binge drinking (during past 30 days)  |  | 4%                              |
| Marijuana use (during past 30 days)*  | 12%                                      | 4%                              |
| Misuse Prescription Drugs (ever)  |  | 5%                              |
| Attempted suicide (ever)  |  | 5%                              |

In Windham County, compared to white non-Hispanic students, those in a racial or ethnic minority group reported statistically higher rates of:

- Wearing a safety belt never, rarely, or sometimes
- Being in a physical fight ever
- Smoking marijuana in the past 30 days

# \*Statistically different

## **WINDSOR COUNTY**

| Reported Behavior   | Racial or<br>ethnic<br>minority<br>n=205 | White non-<br>Hispanic<br>n=977 |
|---|--|---------------------------------|
| Safety belt use (never, rarely, or sometimes)*                                      | 20%                                      | 8%                              |
| Skipped meals to lose weight (during the past 30 days)                              | 21%                                      | 16%                             |
| Skipped school due to feeling unsafe on route to or at school (during past 30 days) |  | 4%                              |
| Was bullied (during past 30 days)   | 30%                                      | 26%                             |
| Physical fighting (ever)*   | 60%                                      | 44%                             |
| Smoked cigarettes (during past 30 days)*  | 9%                                       | 3%                              |
| Binge drinking (during past 30 days)*   | 8%                                       | 2%                              |
| Marijuana use (during past 30 days)*  | 10%                                      | 4%                              |
| Misuse Prescription Drugs (ever)*   | 9%                                       | 3%                              |
| Attempted suicide (ever)*   | 10%                                      | 4%                              |

In Windsor County, compared to white non-Hispanic students, those in a racial or ethnic minority group reported statistically higher rates of:

- Wearing a safety belt never, rarely, or sometimes
- Being in a physical fight ever
- Smoking cigarettes in the past 30 days
- Binge drinking in the past 30 days
- Smoking marijuana in the past 30 days
- Misusing prescription drugs ever
- Attempting suicide ever

<sup>\*</sup>Statistically different