

VERMONT

2022 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Physical education and physical activity	69.1	67.1 - 71.1	26	50.7	49.4 - 52.0	71	70.2	68.2 - 72.1	27	58.8	57.9 - 59.8	124
b. Nutrition	57.8	55.7 - 59.9	26	49.9	48.5 - 51.2	70	55.6	53.4 - 57.6	27	52.8	51.8 - 53.8	123
c. Tobacco-use prevention	72.4	70.4 - 74.3	25	49.9	48.6 - 51.2	68	77.3	75.5 - 79.0	27	60.7	59.7 - 61.7	120
d. Alcohol- and other drug-use prevention	76.5	74.6 - 78.3	25	49.1	47.8 - 50.4	69	77.3	75.5 - 79.0	27	61.1	60.1 - 62.0	121
e. Chronic health conditions (e.g., asthma, food allergies)	32.1	30.1 - 34.2	25	34.9	33.7 - 36.2	69	46.6	44.4 - 48.7	26	36.8	35.8 - 37.8	120
f. Unintentional injury and violence prevention (safety)	44.4	42.2 - 46.6	25	33.5	32.2 - 34.7	69	48.5	46.4 - 50.6	27	39.1	38.1 - 40.0	121
g. Sexual health, including HIV, other STD, and pregnancy prevention	60.2	58.0 - 62.3	25	37.6	36.3 - 38.9	69	63.1	61.1 - 65.1	27	47.9	47.0 - 48.9	121

VERMONT
2022 School Health Profiles Report
Weighted Principal Survey Results

2. Percentage of schools that did the following activities during the past year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Reviewed district's local wellness policy	80.9	79.1 - 82.5	26	73.2	72.0 - 74.3	73	74.6	72.7 - 76.4	27	75.1	74.3 - 75.9	126
b. Helped revise district's local wellness policy	23.0	21.3 - 24.9	26	37.7	36.4 - 38.9	72	38.0	36.0 - 40.1	27	34.6	33.7 - 35.5	125
c. Communicated to school staff about district's local wellness policy	69.6	67.6 - 71.5	26	64.7	63.4 - 65.9	73	85.3	83.7 - 86.7	27	70.0	69.1 - 70.9	126
d. Communicated to parents and families about district's local wellness policy	53.9	51.8 - 56.1	26	45.8	44.5 - 47.1	72	43.7	41.6 - 45.8	27	47.1	46.1 - 48.1	125
e. Communicated to students about district's local wellness policy	61.8	59.6 - 63.8	26	44.3	43.0 - 45.6	73	58.9	56.8 - 61.0	27	51.1	50.1 - 52.0	126
f. Measured school's compliance with district's local wellness policy	43.9	41.7 - 46.1	25	34.1	32.9 - 35.4	73	35.2	33.2 - 37.3	26	36.4	35.5 - 37.4	124
g. Developed an action plan that describes steps to meet requirements of district's local wellness policy	30.4	28.5 - 32.4	26	32.1	30.9 - 33.3	72	39.1	37.0 - 41.3	26	33.2	32.2 - 34.1	124

VERMONT

**2022 School Health Profiles Report
Weighted Principal Survey Results**

3. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
92.5	91.3 - 93.5	27	80.7	79.7 - 81.7	73	79.5	77.8 - 81.1	28	83.0	82.3 - 83.8	128

VERMONT

**2022 School Health Profiles Report
Weighted Principal Survey Results**

4. Percentage of schools that have one or more than one group (e.g., school health council, committee, team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
92.9	91.8 - 93.9	27	61.8	60.5 - 63.0	73	68.3	66.3 - 70.2	28	70.0	69.1 - 70.8	128

VERMONT
2022 School Health Profiles Report
Weighted Principal Survey Results

5. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Identified student health needs based on a review of relevant data	88.3	86.8 - 89.6	25	72.8	71.4 - 74.3	45	94.7	93.4 - 95.7	18	81.7	80.8 - 82.6	88
b. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	68.5	66.4 - 70.5	25	66.2	64.6 - 67.7	45	84.1	82.1 - 85.8	18	70.4	69.3 - 71.5	88
c. Sought funding or leveraged resources to support health and safety priorities for students and staff	83.8	82.1 - 85.3	25	75.4	74.0 - 76.8	45	88.6	86.9 - 90.2	18	80.5	79.5 - 81.4	88
d. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	83.8	82.1 - 85.3	25	79.7	78.3 - 81.0	45	88.6	86.9 - 90.2	18	82.6	81.7 - 83.5	88
e. Reviewed health-related curricula or instructional materials	84.3	82.6 - 85.8	25	84.2	82.9 - 85.3	45	100.0	†	18	87.3	86.5 - 88.1	88

*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

VERMONT

**2022 School Health Profiles Report
Weighted Principal Survey Results**

6. Percentage of schools that use the following types of security staff during the regular school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Security guards (private or school employees/contractors)	18.9	17.3 - 20.6	27	3.6	3.2 - 4.1	74	0.0	†	28	6.2	5.7 - 6.6	129
b. School resource officers (SROs)	41.0	39.0 - 43.1	27	24.2	23.1 - 25.3	73	25.4	23.6 - 27.2	28	28.1	27.3 - 29.0	128
c. Police officers other than SROs (i.e., county or local law enforcement)	15.1	13.6 - 16.7	27	12.0	11.2 - 12.9	74	7.3	6.3 - 8.5	28	11.7	11.1 - 12.3	129

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2022 School Health Profiles Report
Weighted Principal Survey Results

7. Percentage of schools that have taken any of the following actions related to before- or after-school programs.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Included before- or after-school settings as part of the School Improvement Plan	42.2	40.1 - 44.3	26	46.7	45.4 - 48.0	73	63.4	61.4 - 65.4	28	49.3	48.3 - 50.3	127
b. Encouraged before- or after-school program staff or leaders to participate in school health council, committee, or team meetings	36.8	34.8 - 38.9	27	37.8	36.6 - 39.1	73	48.7	46.6 - 50.8	27	39.8	38.9 - 40.8	127
c. Partnered with community-based organizations (e.g., Boys & Girls Clubs, YMCA, 4H Clubs) to provide students with before- or after-school programming	36.8	34.8 - 38.9	27	49.7	48.4 - 51.0	74	45.9	43.8 - 47.9	28	46.1	45.1 - 47.1	129

VERMONT

**2022 School Health Profiles Report
Weighted Principal Survey Results**

8. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
95.7	94.7 - 96.6	24	59.6	58.2 - 60.9	66	82.9	81.3 - 84.4	28	72.6	71.7 - 73.5	118

VERMONT

2022 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	100.0	†	27	89.1	88.3 - 89.9	74	100.0	†	28	93.8	93.3 - 94.2	129
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	100.0	†	27	98.6	98.2 - 98.9	73	100.0	†	28	99.2	99.0 - 99.4	128
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	100.0	†	27	98.6	98.3 - 98.9	74	96.6	95.8 - 97.2	28	98.5	98.2 - 98.7	129
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	96.2	95.3 - 97.0	27	62.3	61.1 - 63.6	73	85.8	84.3 - 87.2	28	74.7	73.9 - 75.6	128
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	100.0	†	27	73.6	72.4 - 74.7	73	96.1	95.2 - 96.9	28	84.1	83.4 - 84.8	128

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

**2022 School Health Profiles Report
Weighted Principal Survey Results**

10. Percentage of schools in which all staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression, during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
85.4	83.8 - 86.8	27	91.8	91.0 - 92.4	74	89.3	88.0 - 90.5	27	89.9	89.3 - 90.4	128

VERMONT

2022 School Health Profiles Report
Weighted Principal Survey Results

11. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
100.0	†	27	100.0	†	74	100.0	†	28	100.0	†	129

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2022 School Health Profiles Report
Weighted Principal Survey Results

12. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
96.2	95.3 - 97.0	27	98.6	98.3 - 98.9	74	100.0	†	28	98.4	98.1 - 98.6	129

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT
2022 School Health Profiles Report
Weighted Principal Survey Results

13. Percentage of schools that have written protocols for the following suicide prevention practices.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Assessing student suicide risk	96.7	95.9 - 97.3	27	81.8	80.8 - 82.8	73	89.7	88.4 - 90.9	28	86.7	86.1 - 87.4	128
b. Notifying parents when a student is at risk for suicide	92.9	91.8 - 93.9	27	83.3	82.3 - 84.2	73	100.0	†	28	88.9	88.3 - 89.5	128
c. Referring students at risk for suicide to mental health services	92.9	91.8 - 93.9	27	83.3	82.3 - 84.2	73	100.0	†	28	88.9	88.3 - 89.5	128
d. Responding to a suicide attempt at school	92.9	91.8 - 93.9	27	70.8	69.6 - 72.0	73	89.7	88.4 - 90.9	28	79.7	78.9 - 80.4	128
e. Supporting students returning to school after a suicide attempt	92.9	91.8 - 93.9	27	61.3	60.0 - 62.5	73	89.7	88.4 - 90.9	28	74.2	73.4 - 75.1	128
f. Responding to the death of a student or staff member from suicide	81.6	79.9 - 83.2	27	66.9	65.6 - 68.1	73	82.9	81.3 - 84.4	28	73.5	72.6 - 74.3	128

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2022 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools that taught a required physical education course in each of the following grades.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Grade 6	§	§	§	100.0	†	70	100.0	†	13	100.0	†	83
b. Grade 7	§	§	§	100.0	†	73	100.0	†	27	100.0	†	100
c. Grade 8	§	§	§	100.0	†	74	100.0	†	27	100.0	†	101
d. Grade 9	96.2	95.3 - 97.0	27	-	-	0	100.0	†	26	98.0	97.5 - 98.4	53
e. Grade 10	77.0	75.1 - 78.7	26	§	§	§	85.2	83.7 - 86.7	26	81.0	79.7 - 82.1	52
f. Grade 11	56.1	53.9 - 58.3	25	§	§	§	63.0	60.9 - 65.2	24	59.4	57.9 - 60.9	49
g. Grade 12	54.3	52.0 - 56.5	24	§	§	§	56.8	54.6 - 59.0	25	55.5	53.9 - 57.1	49

*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

VERMONT

**2022 School Health Profiles Report
Weighted Principal Survey Results**

15. Percentage of schools in which any physical education teachers or specialists received professional development on physical education or physical activity during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
84.8	83.2 - 86.3	26	84.1	83.2 - 85.1	70	96.5	95.6 - 97.1	27	86.9	86.2 - 87.6	123

VERMONT
2022 School Health Profiles Report
Weighted Principal Survey Results

16. Percentage of schools that engage in the following physical education practices.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Provide physical education teachers with a written physical education curriculum that aligns with national standards for physical education	77.8	76.0 - 79.5	27	75.6	74.5 - 76.7	73	81.7	80.0 - 83.3	27	77.3	76.5 - 78.1	127
b. Require physical education teachers to follow a written physical education curriculum	68.4	66.3 - 70.4	25	61.5	60.3 - 62.8	73	74.6	72.7 - 76.4	27	65.7	64.7 - 66.6	125
c. Allow the use of waivers, exemptions, or substitutions for physical education requirements for one grading period or longer	64.7	62.6 - 66.8	26	24.2	23.1 - 25.3	73	49.8	47.7 - 51.8	28	38.2	37.3 - 39.2	127
d. Allow teachers to exclude students from physical education to punish them for inappropriate behavior or failure to complete class work in another class	3.8	3.0 - 4.7	27	2.7	2.4 - 3.2	73	7.3	6.3 - 8.5	28	3.9	3.6 - 4.3	128
e. Require physical education teachers to be certified, licensed, or endorsed by the state in physical education	92.5	91.3 - 93.5	27	100.0	†	74	100.0	†	28	98.4	98.1 - 98.6	129
f. Limit physical education class sizes so that they are the same size as other subject areas	81.4	79.6 - 83.0	26	78.0	77.0 - 79.1	73	67.8	65.8 - 69.7	28	76.6	75.7 - 77.4	127
g. Have a dedicated budget for physical education materials and equipment	100.0	†	27	98.6	98.3 - 98.9	73	100.0	†	28	99.2	99.0 - 99.4	128
h. Provide adapted physical education (i.e., special courses separate from regular PE courses) for students with disabilities as appropriate	88.8	87.4 - 90.0	26	79.2	78.2 - 80.2	73	71.0	69.1 - 72.9	27	79.6	78.8 - 80.4	126
i. Include students with disabilities in regular physical education courses as appropriate	100.0	†	27	100.0	†	72	100.0	†	28	100.0	†	127

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

**2022 School Health Profiles Report
Weighted Principal Survey Results**

17. Percentage of schools in which students participate in physical activity in classrooms during the school day outside of physical education.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
57.4	55.2 - 59.5	26	92.1	91.4 - 92.8	74	67.8	65.8 - 69.7	28	79.6	78.9 - 80.4	128

VERMONT

**2022 School Health Profiles Report
Weighted Principal Survey Results**

18. Percentage of schools that offer opportunities for all students to be physically active during the school day, such as recess, lunchtime intramural activities, or physical activity clubs.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
81.1	79.4 - 82.7	27	97.4	97.0 - 97.8	74	82.0	80.3 - 83.5	28	90.6	90.1 - 91.2	129

*Not including physical education and classroom physical activity.
N = Unweighted number of observations

VERMONT

**2022 School Health Profiles Report
Weighted Principal Survey Results**

19. Percentage of schools that offer interscholastic sports to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
96.2	95.3 - 97.0	27	93.2	92.6 - 93.8	74	93.2	92.1 - 94.1	28	93.9	93.4 - 94.3	129

VERMONT

**2022 School Health Profiles Report
Weighted Principal Survey Results**

20. Percentage of schools that offer opportunities for students to participate in physical activity through organized physical activities or access to facilities or equipment for physical activity during the following times.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Before the school day	63.2	61.1 - 65.2	27	22.5	21.4 - 23.6	70	33.8	31.8 - 35.9	27	34.1	33.1 - 35.0	124
b. After the school day	96.7	95.9 - 97.3	27	89.3	88.5 - 90.1	74	96.6	95.8 - 97.2	28	92.4	91.9 - 92.9	129

VERMONT

**2022 School Health Profiles Report
Weighted Principal Survey Results**

21. Percentage of schools that have a joint use agreement for shared use of the following school or community facilities.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Physical activity or sports facilities	59.0	56.9 - 61.0	27	61.0	59.8 - 62.3	73	68.8	66.8 - 70.6	28	62.2	61.3 - 63.2	128
b. Kitchen facilities and equipment	29.7	27.8 - 31.7	27	39.6	38.4 - 40.9	73	32.2	30.3 - 34.2	28	35.9	34.9 - 36.8	128
c. Gardens (e.g., herb or vegetable plots)	14.6	13.2 - 16.2	27	29.5	28.3 - 30.7	72	32.7	30.7 - 34.6	28	26.9	26.1 - 27.8	127

VERMONT

**2022 School Health Profiles Report
Weighted Principal Survey Results**

22. Percentage of schools that have a written plan for providing opportunities for students to be physically active before, during, and after school.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
11.7	10.4 - 13.2	25	15.4	14.5 - 16.4	72	23.3	21.5 - 25.2	27	16.3	15.6 - 17.0	124

VERMONT

**2022 School Health Profiles Report
Weighted Principal Survey Results**

23. Percentage of schools that have assessed opportunities available to students to be physically active before, during, or after school.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
61.3	59.2 - 63.4	26	42.3	41.0 - 43.6	73	50.2	48.2 - 52.3	28	48.0	47.0 - 49.0	127

VERMONT

2022 School Health Profiles Report
Weighted Principal Survey Results

24. Percentage of schools that have adopted a policy prohibiting tobacco use.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
100.0	†	27	100.0	†	73	100.0	†	28	100.0	†	128

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2022 School Health Profiles Report
Weighted Principal Survey Results

25A. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	100.0	†	27	97.1	96.7 - 97.6	72	100.0	†	28	98.4	98.1 - 98.6	127
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	93.4	92.3 - 94.3	27	95.8	95.2 - 96.3	72	100.0	†	28	96.1	95.7 - 96.5	127
c. Cigars	89.6	88.3 - 90.8	27	95.8	95.2 - 96.3	72	96.6	95.8 - 97.2	28	94.6	94.1 - 95.0	127
d. Pipes	89.6	88.3 - 90.8	27	95.8	95.2 - 96.3	72	96.6	95.8 - 97.2	28	94.6	94.1 - 95.0	127
e. Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL)	100.0	†	27	97.1	96.7 - 97.6	72	100.0	†	28	98.4	98.1 - 98.6	127

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2022 School Health Profiles Report Weighted Principal Survey Results

25B. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	96.7	95.9 - 97.3	27	97.1	96.7 - 97.6	72	100.0	†	28	97.7	97.3 - 97.9	127
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	93.4	92.3 - 94.3	27	95.8	95.2 - 96.3	72	100.0	†	28	96.1	95.7 - 96.5	127
c. Cigars	89.6	88.3 - 90.8	27	95.8	95.2 - 96.3	72	96.5	95.6 - 97.1	27	94.5	94.1 - 95.0	126
d. Pipes	89.6	88.3 - 90.8	27	95.8	95.2 - 96.3	72	96.6	95.8 - 97.2	28	94.6	94.1 - 95.0	127
e. Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL)	100.0	†	27	97.1	96.7 - 97.6	72	100.0	†	28	98.4	98.1 - 98.6	127

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2022 School Health Profiles Report Weighted Principal Survey Results

25C. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	96.7	95.9 - 97.3	27	97.1	96.7 - 97.6	72	100.0	†	28	97.7	97.3 - 97.9	127
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	93.4	92.3 - 94.3	27	95.7	95.1 - 96.2	71	100.0	†	28	96.1	95.7 - 96.5	126
c. Cigars	89.6	88.3 - 90.8	27	95.8	95.2 - 96.3	72	96.6	95.8 - 97.2	28	94.6	94.1 - 95.0	127
d. Pipes	89.6	88.3 - 90.8	27	95.7	95.1 - 96.2	71	96.6	95.8 - 97.2	28	94.5	94.1 - 95.0	126
e. Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL)	100.0	†	27	97.1	96.6 - 97.5	71	100.0	†	27	98.4	98.1 - 98.6	125

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2022 School Health Profiles Report
Weighted Principal Survey Results

26A. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. During school hours	100.0	†	26	98.6	98.2 - 98.8	71	100.0	†	28	99.2	99.0 - 99.3	125
b. During non-school hours	96.1	95.1 - 96.8	26	92.8	92.1 - 93.4	70	100.0	†	28	95.1	94.6 - 95.5	124

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2022 School Health Profiles Report
Weighted Principal Survey Results

26B. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	100.0	†	26	97.1	96.7 - 97.5	71	100.0	†	28	98.4	98.1 - 98.6	125
b. During non-school hours	96.1	95.1 - 96.8	26	87.0	86.1 - 87.9	70	89.7	88.4 - 90.9	28	89.6	89.0 - 90.2	124

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2022 School Health Profiles Report
Weighted Principal Survey Results

26C. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	100.0	†	26	95.9	95.3 - 96.4	71	100.0	†	28	97.7	97.4 - 97.9	125
b. During non-school hours	96.1	95.1 - 96.8	26	87.0	86.1 - 87.9	70	89.7	88.4 - 90.9	28	89.6	89.0 - 90.2	124

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

**2022 School Health Profiles Report
Weighted Principal Survey Results**

27A. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. In school buildings	100.0	†	27	100.0	†	71	100.0	†	28	100.0	†	126
b. Outside on school grounds, including parking lots and playing fields	100.0	†	27	100.0	†	71	100.0	†	28	100.0	†	126
c. On school buses or other vehicles used to transport students	100.0	†	27	98.6	98.2 - 98.8	71	96.6	95.8 - 97.2	28	98.5	98.2 - 98.7	126
d. At off-campus, school-sponsored events	100.0	†	27	98.6	98.2 - 98.8	71	96.6	95.8 - 97.2	28	98.5	98.2 - 98.7	126

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT
2022 School Health Profiles Report
Weighted Principal Survey Results

27B. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. In school buildings	100.0	†	27	98.6	98.2 - 98.8	71	100.0	†	28	99.2	99.0 - 99.3	126
b. Outside on school grounds, including parking lots and playing fields	100.0	†	27	98.6	98.2 - 98.8	71	100.0	†	28	99.2	99.0 - 99.3	126
c. On school buses or other vehicles used to transport students	100.0	†	27	98.6	98.2 - 98.8	71	96.6	95.8 - 97.2	28	98.5	98.2 - 98.7	126
d. At off-campus, school-sponsored events	96.2	95.3 - 97.0	27	94.4	93.8 - 95.0	71	96.5	95.6 - 97.1	27	95.2	94.8 - 95.6	125

† Confidence intervals not applicable for 0 percent or 100 percent.
 N = Unweighted number of observations

VERMONT

2022 School Health Profiles Report
Weighted Principal Survey Results

27C. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. In school buildings	100.0	†	27	98.6	98.2 - 98.8	71	100.0	†	28	99.2	99.0 - 99.3	126
b. Outside on school grounds, including parking lots and playing fields	100.0	†	27	98.6	98.2 - 98.8	71	100.0	†	28	99.2	99.0 - 99.3	126
c. On school buses or other vehicles used to transport students	96.2	95.3 - 97.0	27	98.6	98.2 - 98.8	71	92.7	91.5 - 93.7	28	96.8	96.4 - 97.1	126
d. At off-campus, school-sponsored events	85.4	83.8 - 86.8	27	91.5	90.8 - 92.2	71	81.8	80.1 - 83.4	27	88.1	87.5 - 88.7	125

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

**2022 School Health Profiles Report
Weighted Principal Survey Results**

27N. Percentage of schools that follow a policy that mandates a "tobacco-free environment." A "tobacco-free environment" is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
77.4	75.6 - 79.2	26	73.8	72.7 - 75.0	69	71.2	69.3 - 73.0	27	74.1	73.2 - 74.9	122

VERMONT

**2022 School Health Profiles Report
Weighted Principal Survey Results**

TOBVAP. Percentage of schools that follow a policy that mandates a "tobacco-free environment" including prohibiting electronic vapor products (EVPs). A "tobacco-free environment" is one that prohibits tobacco and EVP use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
77.4	75.6 - 79.2	26	73.8	72.7 - 75.0	69	71.2	69.3 - 73.0	27	74.1	73.2 - 74.9	122

VERMONT

2022 School Health Profiles Report Weighted Principal Survey Results

28_1. (Never) Percentage of schools that never take the following actions when students are caught using electronic vapor products.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Issue a warning to the student	7.5	6.5 - 8.7	27	22.7	21.6 - 23.8	72	22.2	20.5 - 24.0	27	19.2	18.5 - 20.0	126
b. Confiscate product	0.0	†	27	7.0	6.4 - 7.7	73	0.0	†	28	4.0	3.6 - 4.4	128
c. Notify parents or guardians	0.0	†	27	7.2	6.6 - 8.0	71	0.0	†	28	4.1	3.7 - 4.5	126
d. Develop a behavior contract with the student	0.0	†	27	10.0	9.2 - 10.8	72	3.4	2.8 - 4.2	28	6.4	5.9 - 6.9	127
e. Refer to a school counselor	0.0	†	27	7.0	6.4 - 7.7	73	0.0	†	28	4.0	3.6 - 4.4	128
f. Refer to a school administrator	0.0	†	27	7.0	6.4 - 7.7	73	3.9	3.1 - 4.8	28	4.8	4.4 - 5.3	128
g. Refer to an assistance, education, or cessation program	3.8	3.0 - 4.7	27	14.1	13.2 - 15.0	73	3.4	2.8 - 4.2	28	9.6	9.0 - 10.1	128
h. Refer to legal authorities (e.g., school resource officer)	7.8	6.7 - 9.1	26	31.0	29.9 - 32.3	72	10.3	9.1 - 11.6	28	21.6	20.8 - 22.4	126
i. Issue an in-school suspension (half day or full day)	17.9	16.4 - 19.6	27	15.8	14.8 - 16.7	71	0.0	†	28	12.8	12.2 - 13.5	126
j. Issue an after-school or weekend detention	64.7	62.6 - 66.8	26	72.5	71.3 - 73.6	72	49.3	47.2 - 51.4	28	65.8	64.9 - 66.7	126
k. Issue an out-of-school suspension	18.4	16.8 - 20.1	27	40.4	39.1 - 41.7	72	3.4	2.8 - 4.2	28	27.6	26.8 - 28.5	127
l. Expel from school	84.9	83.3 - 86.4	27	90.2	89.4 - 91.0	72	74.2	72.3 - 76.0	28	85.6	84.9 - 86.3	127

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT
2022 School Health Profiles Report
Weighted Principal Survey Results

28_2. (Rarely) Percentage of schools that rarely take the following actions when students are caught using electronic vapor products.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Issue a warning to the student	15.1	13.6 - 16.7	27	5.7	5.1 - 6.3	72	0.0	†	27	6.6	6.1 - 7.1	126
b. Confiscate product	0.0	†	27	0.0	†	73	0.0	†	28	0.0	†	128
c. Notify parents or guardians	0.0	†	27	0.0	†	71	0.0	†	28	0.0	†	126
d. Develop a behavior contract with the student	10.9	9.6 - 12.2	27	8.4	7.7 - 9.1	72	6.8	5.9 - 7.9	28	8.6	8.1 - 9.1	127
e. Refer to a school counselor	0.0	†	27	1.2	1.0 - 1.5	73	0.0	†	28	0.7	0.6 - 0.9	128
f. Refer to a school administrator	0.0	†	27	1.4	1.1 - 1.8	73	0.0	†	28	0.8	0.6 - 1.0	128
g. Refer to an assistance, education, or cessation program	7.5	6.5 - 8.7	27	16.5	15.5 - 17.4	73	3.4	2.8 - 4.2	28	11.7	11.1 - 12.4	128
h. Refer to legal authorities (e.g., school resource officer)	27.0	25.1 - 28.9	26	24.8	23.7 - 25.9	72	25.4	23.6 - 27.2	28	25.4	24.5 - 26.2	126
i. Issue an in-school suspension (half day or full day)	22.2	20.5 - 24.0	27	21.0	20.0 - 22.1	71	11.2	9.9 - 12.6	28	19.1	18.4 - 19.9	126
j. Issue an after-school or weekend detention	15.7	14.2 - 17.3	26	9.6	8.8 - 10.3	72	7.3	6.3 - 8.5	28	10.4	9.8 - 11.0	126
k. Issue an out-of-school suspension	41.0	39.0 - 43.1	27	20.9	19.8 - 22.0	72	36.1	34.1 - 38.1	28	28.6	27.7 - 29.5	127
l. Expel from school	11.3	10.0 - 12.7	27	8.5	7.8 - 9.3	72	25.8	24.0 - 27.7	28	12.8	12.2 - 13.5	127

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2022 School Health Profiles Report Weighted Principal Survey Results

28_3. (Sometimes) Percentage of schools that sometimes take the following actions when students are caught using electronic vapor products.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Issue a warning to the student	11.3	10.0 - 12.7	27	8.1	7.4 - 8.8	72	7.1	6.1 - 8.2	27	8.6	8.1 - 9.2	126
b. Confiscate product	0.0	†	27	1.4	1.1 - 1.7	73	0.0	†	28	0.8	0.6 - 1.0	128
c. Notify parents or guardians	0.0	†	27	0.0	†	71	3.4	2.8 - 4.2	28	0.7	0.6 - 0.9	126
d. Develop a behavior contract with the student	63.2	61.1 - 65.2	27	42.4	41.2 - 43.7	72	64.9	62.9 - 66.8	28	51.8	50.8 - 52.8	127
e. Refer to a school counselor	49.0	46.9 - 51.1	27	20.3	19.2 - 21.3	73	39.0	37.0 - 41.1	28	30.5	29.6 - 31.4	128
f. Refer to a school administrator	7.5	6.5 - 8.7	27	0.0	†	73	3.4	2.8 - 4.2	28	2.4	2.1 - 2.7	128
g. Refer to an assistance, education, or cessation program	40.6	38.5 - 42.7	27	31.1	29.9 - 32.3	73	54.1	52.1 - 56.2	28	38.1	37.1 - 39.0	128
h. Refer to legal authorities (e.g., school resource officer)	42.2	40.1 - 44.3	26	27.5	26.4 - 28.7	72	42.9	40.9 - 45.0	28	34.0	33.0 - 34.9	126
i. Issue an in-school suspension (half day or full day)	33.5	31.5 - 35.5	27	47.8	46.5 - 49.1	71	78.1	76.3 - 79.7	28	51.2	50.2 - 52.1	126
j. Issue an after-school or weekend detention	15.7	14.2 - 17.3	26	16.6	15.6 - 17.5	72	36.1	34.1 - 38.1	28	20.6	19.8 - 21.4	126
k. Issue an out-of-school suspension	30.2	28.3 - 32.2	27	30.5	29.3 - 31.7	72	53.7	51.6 - 55.7	28	35.4	34.5 - 36.3	127
l. Expel from school	3.8	3.0 - 4.7	27	1.2	1.0 - 1.5	72	0.0	†	28	1.5	1.3 - 1.8	127

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2022 School Health Profiles Report Weighted Principal Survey Results

28_4. (Always or almost always) Percentage of schools that always or almost always take the following actions when students are caught using electronic vapor products.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Issue a warning to the student	66.1	64.0 - 68.0	27	63.5	62.3 - 64.8	72	70.7	68.7 - 72.6	27	65.6	64.6 - 66.5	126
b. Confiscate product	100.0	†	27	91.6	90.8 - 92.3	73	100.0	†	28	95.2	94.8 - 95.6	128
c. Notify parents or guardians	100.0	†	27	92.8	92.0 - 93.4	71	96.6	95.8 - 97.2	28	95.2	94.8 - 95.6	126
d. Develop a behavior contract with the student	25.9	24.1 - 27.8	27	39.2	37.9 - 40.5	72	24.9	23.1 - 26.7	28	33.2	32.3 - 34.1	127
e. Refer to a school counselor	51.0	48.9 - 53.1	27	71.5	70.3 - 72.6	73	61.0	58.9 - 63.0	28	64.8	63.8 - 65.7	128
f. Refer to a school administrator	92.5	91.3 - 93.5	27	91.5	90.8 - 92.2	73	92.7	91.5 - 93.7	28	92.0	91.4 - 92.5	128
g. Refer to an assistance, education, or cessation program	48.1	46.0 - 50.2	27	38.4	37.1 - 39.6	73	39.0	37.0 - 41.1	28	40.6	39.7 - 41.6	128
h. Refer to legal authorities (e.g., school resource officer)	23.0	21.3 - 24.9	26	16.7	15.8 - 17.7	72	21.5	19.8 - 23.2	28	19.1	18.3 - 19.9	126
i. Issue an in-school suspension (half day or full day)	26.4	24.6 - 28.3	27	15.4	14.5 - 16.4	71	10.7	9.5 - 12.1	28	16.9	16.1 - 17.6	126
j. Issue an after-school or weekend detention	3.9	3.2 - 4.9	26	1.4	1.1 - 1.8	72	7.3	6.3 - 8.5	28	3.2	2.9 - 3.6	126
k. Issue an out-of-school suspension	10.4	9.2 - 11.7	27	8.2	7.5 - 8.9	72	6.8	5.9 - 7.9	28	8.4	7.9 - 8.9	127
l. Expel from school	0.0	†	27	0.0	†	72	0.0	†	28	0.0	†	127

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2022 School Health Profiles Report
Weighted Principal Survey Results

29. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruits or non-fried vegetables at school celebrations when foods or beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Foods or beverages are not offered at school celebrations	7.1	6.1 - 8.2	27	4.1	3.7 - 4.7	74	3.9	3.1 - 4.8	28	4.7	4.3 - 5.2	129
b. Never	0.0	†	27	0.0	†	74	3.4	2.8 - 4.2	28	0.7	0.6 - 0.9	129
c. Rarely	10.9	9.6 - 12.2	27	5.3	4.8 - 5.9	74	3.9	3.1 - 4.8	28	6.2	5.8 - 6.7	129
d. Sometimes	48.6	46.5 - 50.7	27	41.5	40.3 - 42.8	74	42.0	40.0 - 44.0	28	43.2	42.2 - 44.1	129
e. Always or almost always	33.5	31.5 - 35.5	27	49.0	47.7 - 50.3	74	46.8	44.8 - 48.9	28	45.2	44.2 - 46.1	129

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2022 School Health Profiles Report
Weighted Principal Survey Results

30. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
52.8	50.7 - 54.9	27	15.6	14.7 - 16.5	74	14.2	12.8 - 15.7	28	23.4	22.6 - 24.2	129

VERMONT

2022 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Chocolate candy	3.9	3.2 - 4.9	26	0.0	†	74	0.0	†	28	0.8	0.7 - 1.0	128
b. Other kinds of candy	3.8	3.0 - 4.7	27	3.9	3.5 - 4.4	74	0.0	†	28	3.1	2.7 - 3.4	129
c. Salty snacks that are not low in fat (e.g., regular potato chips)	11.3	10.0 - 12.7	27	3.8	3.3 - 4.3	74	3.9	3.1 - 4.8	28	5.4	5.0 - 5.9	129
d. Low sodium or "no added salt" pretzels, crackers, or chips	41.5	39.4 - 43.6	27	13.0	12.2 - 13.9	74	10.7	9.5 - 12.1	28	18.7	18.0 - 19.5	129
e. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	18.9	17.3 - 20.6	27	5.0	4.5 - 5.5	74	0.0	†	28	6.9	6.5 - 7.4	129
f. Ice cream or frozen yogurt that is not low in fat	15.1	13.6 - 16.7	27	6.5	5.9 - 7.2	74	0.0	†	28	7.0	6.5 - 7.5	129
g. 2% or whole milk (plain or flavored)	26.4	24.6 - 28.3	27	10.2	9.5 - 11.0	74	0.0	†	28	11.6	11.0 - 12.2	129
h. Nonfat or 1% (low-fat) milk (plain)	37.7	35.7 - 39.8	27	10.3	9.5 - 11.1	74	3.4	2.8 - 4.2	28	14.8	14.1 - 15.5	129
i. Water ices or frozen slushes that do not contain juice	11.3	10.0 - 12.7	27	5.1	4.6 - 5.7	74	0.0	†	28	5.4	5.0 - 5.8	129
j. Soda pop or fruit drinks that are not 100% juice	18.9	17.3 - 20.6	27	2.6	2.2 - 3.0	74	0.0	†	28	5.6	5.1 - 6.0	129
k. Sports drinks (e.g., Gatorade)	37.7	35.7 - 39.8	27	8.7	8.1 - 9.5	74	6.8	5.9 - 7.9	28	14.6	14.0 - 15.3	129
l. Energy drinks (e.g., Red Bull, Monster)	7.5	6.5 - 8.7	27	1.4	1.1 - 1.7	74	0.0	†	28	2.4	2.1 - 2.7	129

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2022 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
m. Plain water, with or without carbonation (e.g., Dasani, Aquafina, Smart Water)	52.8	50.7 - 54.9	27	11.4	10.7 - 12.3	74	10.7	9.5 - 12.1	28	20.3	19.5 - 21.1	129
n. Calorie-free, flavored water, with or without carbonation (e.g., Dasani Flavors, Aquafina FlavorSplash)	37.7	35.7 - 39.8	27	10.1	9.4 - 10.9	74	10.7	9.5 - 12.1	28	16.2	15.5 - 16.9	129
o. 100% fruit or vegetable juice	49.0	46.9 - 51.1	27	10.4	9.7 - 11.2	74	7.3	6.3 - 8.5	28	18.2	17.4 - 18.9	129
p. Foods or beverages containing caffeine	30.2	28.3 - 32.2	27	2.6	2.2 - 3.0	74	0.0	†	28	8.0	7.5 - 8.6	129
q. Fruits (not fruit juice)	37.7	35.7 - 39.8	27	9.0	8.3 - 9.8	74	0.0	†	28	13.4	12.7 - 14.0	129
r. Non-fried vegetables (not vegetable juice)	37.7	35.7 - 39.8	27	5.1	4.6 - 5.7	74	0.0	†	28	11.1	10.5 - 11.7	129

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2022 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	23.5	21.7 - 25.4	26	5.4	4.8 - 6.0	71	18.3	16.7 - 20.0	27	12.0	11.4 - 12.7	124
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	46.6	44.4 - 48.7	26	53.8	52.5 - 55.0	73	54.1	52.1 - 56.2	28	52.3	51.3 - 53.3	127
c. Provided information to students or families on the nutrition and caloric content of foods available	62.2	60.1 - 64.3	26	46.2	44.9 - 47.5	71	61.0	58.9 - 63.0	28	52.9	51.9 - 53.8	125
d. Conducted taste tests to determine food preferences for nutritious items	27.4	25.5 - 29.4	26	47.0	45.7 - 48.3	71	31.7	29.8 - 33.7	28	39.5	38.5 - 40.4	125
e. Served locally or regionally grown foods in the cafeteria or classrooms	88.7	87.3 - 90.0	26	89.2	88.4 - 90.0	73	82.9	81.3 - 84.4	28	87.8	87.1 - 88.4	127
f. Planted a school food or vegetable garden	61.8	59.6 - 63.8	26	77.5	76.4 - 78.5	73	60.0	58.0 - 62.0	28	70.4	69.5 - 71.3	127
g. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	92.2	90.9 - 93.3	26	83.2	82.2 - 84.1	73	82.4	80.8 - 83.9	28	84.9	84.2 - 85.6	127
h. Used attractive displays for fruits and vegetables in the cafeteria	77.0	75.1 - 78.7	26	69.2	68.0 - 70.3	72	85.8	84.3 - 87.2	28	74.4	73.6 - 75.3	126
i. Offered a self-serve salad bar to students	69.1	67.1 - 71.1	26	41.3	40.0 - 42.6	72	53.7	51.6 - 55.7	28	49.9	48.9 - 50.9	126

VERMONT

2022 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
j. Provided students with at least 20 minutes to eat lunch after they receive their meal	100.0	†	26	97.3	96.9 - 97.7	72	100.0	†	28	98.5	98.2 - 98.7	126
k. Encouraged students to drink plain water	88.7	87.3 - 90.0	26	95.8	95.3 - 96.3	73	85.8	84.3 - 87.2	28	92.2	91.6 - 92.7	127
l. Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	39.2	37.1 - 41.3	26	47.3	46.0 - 48.6	72	32.7	30.7 - 34.6	28	42.4	41.4 - 43.4	126
m. Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	35.3	33.2 - 37.4	26	49.7	48.4 - 51.0	72	43.9	41.8 - 45.9	28	45.3	44.4 - 46.3	126

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2022 School Health Profiles Report
Weighted Principal Survey Results

33. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	84.3	82.7 - 85.8	26	86.0	85.1 - 86.9	72	75.6	73.8 - 77.3	28	83.4	82.7 - 84.1	126
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	80.4	78.6 - 82.1	26	87.4	86.5 - 88.2	72	75.6	73.8 - 77.3	28	83.3	82.6 - 84.1	126
c. On school buses or other vehicles used to transport students	84.3	82.7 - 85.8	26	87.4	86.5 - 88.2	72	79.0	77.3 - 80.6	28	84.9	84.2 - 85.6	126
d. In school publications (e.g., newsletters, newspapers, web sites, other school publications)	76.5	74.6 - 78.3	26	85.9	85.0 - 86.8	71	79.0	77.3 - 80.6	28	82.4	81.6 - 83.1	125
e. In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	84.3	82.7 - 85.8	26	84.1	83.1 - 85.1	70	79.5	77.8 - 81.1	28	83.1	82.4 - 83.9	124

VERMONT

2022 School Health Profiles Report
Weighted Principal Survey Results

34. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Yes, in all locations	92.5	91.3 - 93.5	27	97.4	96.9 - 97.7	73	100.0	†	28	96.9	96.5 - 97.2	128
b. Yes, in certain locations	3.8	3.0 - 4.7	27	2.6	2.3 - 3.1	73	0.0	†	28	2.3	2.0 - 2.6	128
c. No	3.8	3.0 - 4.7	27	0.0	†	73	0.0	†	28	0.8	0.7 - 1.0	128

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2022 School Health Profiles Report
Weighted Principal Survey Results

34N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
96.2	95.3 - 97.0	27	100.0	†	73	100.0	†	28	99.2	99.0 - 99.3	128

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2022 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that offer a free source of drinking water in the following locations.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	
a. Cafeteria during breakfast	96.1	95.1 - 96.8	26	95.6	95.0 - 96.1	67	92.9	91.8 - 93.9	27	95.1	94.7 - 95.5	120
b. Cafeteria during lunch	96.1	95.1 - 96.8	26	100.0	†	67	92.9	91.8 - 93.9	27	97.6	97.2 - 97.9	120
c. Gymnasium or other indoor physical activity facilities	100.0	†	26	94.6	94.0 - 95.1	73	96.6	95.8 - 97.2	28	96.2	95.8 - 96.5	127
d. Outdoor physical activity facilities or sports fields	96.7	95.9 - 97.3	27	47.8	46.4 - 49.1	69	64.1	62.1 - 66.1	27	62.4	61.4 - 63.3	123
e. Hallways throughout the school	100.0	†	27	100.0	†	74	96.6	95.8 - 97.2	28	99.3	99.1 - 99.4	129

*Among schools with that location.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

VERMONT

2022 School Health Profiles Report
Weighted Principal Survey Results

36. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
100.0	†	27	76.4	75.3 - 77.5	74	96.6	95.8 - 97.2	28	85.8	85.1 - 86.5	129

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

**2022 School Health Profiles Report
Weighted Principal Survey Results**

37. Percentage of schools that have a part-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
35.7	33.7 - 37.8	25	33.2	32.0 - 34.5	73	18.5	16.9 - 20.2	28	30.6	29.7 - 31.5	126

VERMONT

**2022 School Health Profiles Report
Weighted Principal Survey Results**

38. Percentage of schools that have a school-based health center that offers health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
48.1	46.0 - 50.2	27	28.6	27.5 - 29.8	73	29.2	27.4 - 31.2	28	33.0	32.1 - 33.9	128

VERMONT

2022 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. HIV testing	3.8	3.0 - 4.7	27	0.0	†	72	0.0	†	28	0.8	0.7 - 1.0	127
b. HIV treatment (ongoing medical care for persons living with HIV)	3.8	3.0 - 4.7	27	0.0	†	72	3.9	3.1 - 4.8	28	1.7	1.4 - 1.9	127
c. STD testing	3.8	3.0 - 4.7	27	0.0	†	72	0.0	†	28	0.8	0.7 - 1.0	127
d. STD treatment	3.8	3.0 - 4.7	27	0.0	†	72	0.0	†	28	0.8	0.7 - 1.0	127
e. Pregnancy testing	15.1	13.6 - 16.7	27	0.0	†	72	14.6	13.2 - 16.2	28	6.4	6.0 - 6.9	127
f. Provision of condoms	96.7	95.9 - 97.3	27	49.5	48.2 - 50.8	72	89.7	88.4 - 90.9	28	68.5	67.6 - 69.4	127
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	33.5	31.5 - 35.5	27	4.2	3.7 - 4.8	72	29.9	28.0 - 31.9	27	16.0	15.3 - 16.8	126
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	15.1	13.6 - 16.7	27	0.0	†	72	6.8	5.9 - 7.9	28	4.8	4.4 - 5.2	127
i. Prenatal care	7.5	6.5 - 8.7	27	0.0	†	72	3.4	2.8 - 4.2	28	2.4	2.1 - 2.7	127
j. Human papillomavirus (HPV) vaccine administration	0.0	†	27	0.0	†	72	0.0	†	28	0.0	†	127
k. Assessment for alcohol or other drug use, abuse, or dependency	67.4	65.4 - 69.4	27	23.8	22.7 - 24.9	73	54.6	52.5 - 56.7	28	39.9	38.9 - 40.8	128

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT
2022 School Health Profiles Report
Weighted Principal Survey Results

39. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
l. Tobacco-use cessation (e.g., individual or group counseling)	55.7	53.6 - 57.7	27	18.5	17.6 - 19.5	73	55.1	53.0 - 57.1	28	34.4	33.5 - 35.3	128
m. Daily medication administration for students with chronic health conditions (e.g., asthma, diabetes)	96.7	95.9 - 97.3	27	95.7	95.2 - 96.2	72	96.6	95.8 - 97.2	28	96.1	95.7 - 96.5	127
n. Stock rescue or "as needed" medication for any student experiencing a health emergency (e.g., asthma episode, severe allergic reaction)	85.8	84.3 - 87.2	27	90.1	89.3 - 90.8	72	93.2	92.1 - 94.1	28	89.8	89.2 - 90.4	127
o. Case management for students with chronic health conditions (e.g., asthma, diabetes)	96.2	95.3 - 97.0	27	84.2	83.2 - 85.1	71	89.7	88.4 - 90.9	28	88.1	87.4 - 88.7	126

VERMONT

2022 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. HIV testing	61.8	59.6 - 63.8	26	34.5	33.3 - 35.7	72	76.1	74.3 - 77.8	28	49.3	48.3 - 50.3	126
b. HIV treatment (ongoing medical care for persons living with HIV)	61.8	59.6 - 63.8	26	33.3	32.1 - 34.5	72	76.1	74.3 - 77.8	28	48.6	47.6 - 49.6	126
c. nPEP (non-occupational post-exposure prophylaxis for HIV—a short course of medication given within 72 hours of exposure to infectious bodily fluids from a person known to be HIV positive)	57.8	55.7 - 59.9	26	33.3	32.1 - 34.5	72	69.2	67.3 - 71.1	28	46.3	45.3 - 47.2	126
d. PrEP (pre-exposure prophylaxis for HIV—medication taken daily to prevent HIV infection for those at substantial risk for HIV)	57.8	55.7 - 59.9	26	33.3	32.1 - 34.5	72	65.8	63.8 - 67.7	28	45.5	44.6 - 46.5	126
e. STD testing	65.2	63.1 - 67.2	26	41.4	40.1 - 42.7	72	79.5	77.8 - 81.1	28	54.7	53.7 - 55.6	126
f. STD treatment	65.2	63.1 - 67.2	26	40.6	39.3 - 41.8	71	79.5	77.8 - 81.1	28	54.3	53.3 - 55.3	125
g. Pregnancy testing	73.0	71.1 - 74.9	26	41.2	39.9 - 42.5	72	79.5	77.8 - 81.1	28	56.2	55.3 - 57.2	126
h. Provision of condoms	73.5	71.6 - 75.4	26	38.5	37.2 - 39.7	72	79.5	77.8 - 81.1	28	54.8	53.8 - 55.8	126
i. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	61.8	59.6 - 63.8	26	33.1	31.9 - 34.3	72	72.6	70.8 - 74.4	28	47.7	46.8 - 48.7	126
j. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	61.8	59.6 - 63.8	26	33.6	32.3 - 34.8	71	79.5	77.8 - 81.1	28	49.6	48.6 - 50.6	125

VERMONT

**2022 School Health Profiles Report
Weighted Principal Survey Results**

40. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
k. Prenatal care	65.7	63.6 - 67.7	26	32.3	31.1 - 33.6	71	82.3	80.7 - 83.8	27	50.1	49.1 - 51.1	124
l. Human papillomavirus (HPV) vaccine administration	57.8	55.7 - 59.9	26	38.9	37.7 - 40.2	72	79.5	77.8 - 81.1	28	51.7	50.7 - 52.7	126
m. Alcohol or other drug abuse treatment	80.4	78.6 - 82.1	26	53.3	52.0 - 54.5	73	96.6	95.8 - 97.2	28	68.3	67.4 - 69.2	127
n. Tobacco-use cessation (e.g., individual or group counseling)	84.3	82.7 - 85.8	26	55.2	53.9 - 56.5	72	96.6	95.8 - 97.2	28	70.4	69.5 - 71.3	126

VERMONT

2022 School Health Profiles Report
Weighted Principal Survey Results

41. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
71.9	69.9 - 73.9	25	65.2	63.9 - 66.4	70	68.3	66.3 - 70.2	28	67.3	66.4 - 68.2	123

VERMONT

2022 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Asthma	88.7	87.3 - 90.0	27	94.4	93.7 - 94.9	72	100.0	†	28	94.3	93.8 - 94.8	127
b. Food allergies	88.7	87.3 - 90.0	27	97.2	96.7 - 97.6	72	100.0	†	28	95.9	95.5 - 96.3	127
c. Diabetes	88.7	87.3 - 90.0	27	94.4	93.7 - 94.9	72	100.0	†	28	94.3	93.8 - 94.8	127
d. Epilepsy or seizure disorder	88.7	87.3 - 90.0	27	91.5	90.8 - 92.2	72	100.0	†	28	92.7	92.2 - 93.2	127
e. Obesity	29.7	27.8 - 31.7	27	36.2	35.0 - 37.5	72	47.3	45.2 - 49.4	28	37.2	36.2 - 38.1	127
f. Hypertension/high blood pressure	68.0	65.9 - 70.0	25	61.9	60.6 - 63.1	71	79.0	77.3 - 80.6	28	66.9	66.0 - 67.8	124
g. Oral health condition (e.g., abscess, tooth decay)	36.3	34.3 - 38.4	27	54.9	53.6 - 56.2	71	69.6	67.6 - 71.5	27	53.8	52.8 - 54.8	125

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2022 School Health Profiles Report
Weighted Principal Survey Results

43. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Asthma	69.1	67.1 - 71.1	26	62.6	61.3 - 63.8	72	82.4	80.8 - 83.9	28	68.2	67.3 - 69.1	126
b. Food allergies	71.9	69.9 - 73.9	25	63.3	62.0 - 64.5	71	79.0	77.3 - 80.6	28	68.5	67.6 - 69.4	124
c. Diabetes	69.1	67.1 - 71.1	26	62.6	61.3 - 63.8	72	78.3	76.5 - 79.9	27	67.3	66.3 - 68.2	125
d. Epilepsy or seizure disorder	69.1	67.1 - 71.1	26	63.8	62.5 - 65.1	69	78.3	76.5 - 79.9	27	68.1	67.1 - 69.0	122
e. Obesity	53.9	51.8 - 56.1	26	50.4	49.1 - 51.7	72	76.1	74.3 - 77.8	28	56.7	55.7 - 57.6	126
f. Hypertension/high blood pressure	65.2	63.1 - 67.2	26	59.2	57.9 - 60.4	71	79.5	77.8 - 81.1	28	64.9	63.9 - 65.8	125
g. Oral health condition (e.g., abscess, tooth decay)	73.0	71.1 - 74.9	26	64.7	63.4 - 65.9	71	86.3	84.9 - 87.7	28	71.2	70.3 - 72.1	125

VERMONT

2022 School Health Profiles Report
Weighted Principal Survey Results

44. Percentage of schools in which any staff received professional development on each of the following topics during the past two years.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Basic sexual health overview including community-specific information about STD, HIV, and unplanned pregnancy rates and prevention strategies	67.9	65.8 - 69.9	25	50.5	49.2 - 51.7	73	61.0	58.9 - 63.0	28	56.3	55.3 - 57.3	126
b. Sexual health services that adolescents should receive	59.7	57.5 - 61.8	25	46.6	45.4 - 47.9	73	61.0	58.9 - 63.0	28	52.4	51.4 - 53.4	126
c. Laws and policies related to adolescent sexual health services, such as minor consent for sexual health services	71.9	69.9 - 73.9	25	48.8	47.5 - 50.1	72	64.4	62.4 - 66.3	28	57.0	56.0 - 57.9	125
d. Importance of maintaining student confidentiality for sexual health services	79.6	77.8 - 81.3	25	55.5	54.2 - 56.7	72	74.6	72.8 - 76.4	28	64.6	63.7 - 65.6	125
e. How to create or use a student referral guide for sexual health services	27.6	25.7 - 29.6	25	22.3	21.2 - 23.4	72	46.3	44.3 - 48.4	28	28.6	27.7 - 29.5	125
f. How to make successful referrals of students to sexual health services	31.6	29.6 - 33.7	25	25.0	23.9 - 26.1	72	42.9	40.9 - 45.0	28	30.2	29.4 - 31.2	125
g. Best practices for adolescent sexual health services provision, such as making services youth-friendly	59.7	57.5 - 61.8	25	37.3	36.1 - 38.6	72	53.2	51.1 - 55.2	28	45.4	44.4 - 46.4	125
h. Ensuring sexual health services are inclusive of lesbian, gay, bisexual, and transgender students	59.7	57.5 - 61.8	25	46.3	45.0 - 47.6	71	67.0	65.0 - 68.9	27	53.5	52.5 - 54.5	123

VERMONT
2022 School Health Profiles Report
Weighted Principal Survey Results

45. Percentage of schools that provide the following mental health programs or services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Universal mental health promotion programs (e.g., Positive Behavioral Interventions and Supports, Social-Emotional Learning programs or supports)	88.7	87.3 - 90.0	27	96.0	95.5 - 96.5	74	96.6	95.8 - 97.2	28	94.5	94.1 - 95.0	129
b. Confidential mental health screening to identify students in need of services (e.g., students at risk of mental health disorders, students experiencing trauma)	96.7	95.9 - 97.3	27	84.9	84.0 - 85.8	74	89.7	88.4 - 90.9	28	88.5	87.9 - 89.1	129
c. School-wide trauma-informed practices (i.e., efforts to ensure that all students, including those affected by trauma, are experiencing social, emotional, and educational success)	92.5	91.3 - 93.5	27	93.3	92.6 - 93.9	74	93.2	92.1 - 94.1	28	93.1	92.6 - 93.6	129
d. Cognitive behavioral therapy groups (e.g., for students with depression, anxiety, or other mental health disorders)	59.0	56.9 - 61.0	27	55.4	54.1 - 56.7	74	56.6	54.5 - 58.7	28	56.4	55.5 - 57.4	129
e. Pro-social skills training (e.g., school counseling groups)	70.3	68.3 - 72.2	27	100.0	†	74	100.0	†	28	93.5	93.0 - 94.0	129
f. Small groups for specific issues (e.g., depression, parental divorce)	77.4	75.5 - 79.1	27	86.2	85.3 - 87.1	74	82.0	80.3 - 83.5	28	83.4	82.7 - 84.1	129

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2022 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Provided parents with information to support parent-adolescent communication about sex	38.7	36.6 - 40.8	26	31.0	29.8 - 32.2	74	43.4	41.3 - 45.5	28	35.3	34.3 - 36.2	128
b. Provided parents with information to support parent-adolescent communication about topics other than sex	54.4	52.2 - 56.5	26	59.1	57.9 - 60.4	74	72.2	70.3 - 74.0	28	60.9	59.9 - 61.8	128
c. Provided parents with information about how to monitor their teen (e.g., setting parental expectations, keeping track of their teen, responding when their teen breaks the rules)	42.2	40.1 - 44.3	26	51.0	49.7 - 52.3	72	50.7	48.6 - 52.8	28	49.1	48.1 - 50.0	126
d. Provided parents with information to support one-on-one time between adolescents and their health care providers	30.9	28.9 - 32.9	26	23.4	22.4 - 24.6	72	39.5	37.5 - 41.6	28	28.5	27.6 - 29.4	126
e. Provided parents with information about physical education and physical activity programs	65.7	63.6 - 67.7	26	72.4	71.2 - 73.5	73	71.7	69.8 - 73.5	28	70.8	69.9 - 71.7	127
f. Involved parents as school volunteers in the delivery of health education activities and services	19.6	17.9 - 21.4	26	19.1	18.1 - 20.1	74	14.6	13.2 - 16.2	28	18.2	17.5 - 19.0	128
g. Involved parents as school volunteers in physical education or physical activity programs	19.6	17.9 - 21.4	26	33.4	32.2 - 34.7	73	21.5	19.8 - 23.2	28	27.9	27.1 - 28.8	127
h. Linked parents and families to health services and programs in the community	92.2	90.9 - 93.3	26	86.0	85.1 - 86.9	73	82.4	80.8 - 83.9	28	86.6	85.9 - 87.2	127

VERMONT

**2022 School Health Profiles Report
Weighted Principal Survey Results**

46. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
i. Provided disease-specific education for parents and families of students with chronic health conditions (e.g., asthma, diabetes)	58.3	56.2 - 60.4	26	49.8	48.5 - 51.0	74	75.6	73.8 - 77.3	28	57.0	56.1 - 58.0	128
j. Provided parents with information about before- or after-school programs available in the community	69.1	67.1 - 71.1	26	82.5	81.5 - 83.5	74	89.3	87.9 - 90.5	28	81.1	80.3 - 81.9	128

VERMONT

**2022 School Health Profiles Report
Weighted Principal Survey Results**

47. Percentage of schools that currently implement any of the following school-based positive youth development programs.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Service-learning programs, that is, community service designed to meet specific learning objectives	84.4	82.8 - 85.9	26	30.0	28.9 - 31.2	73	77.6	75.8 - 79.3	28	51.8	50.8 - 52.8	127
b. Mentoring programs, that is, programs in which family or community members serve as role models to students or mentor students	44.2	42.0 - 46.3	25	35.6	34.3 - 36.8	73	48.5	46.4 - 50.6	27	40.1	39.1 - 41.0	125

VERMONT

**2022 School Health Profiles Report
Weighted Principal Survey Results**

48. Percentage of schools that currently connect students to any of the following community-based positive youth development programs.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Service-learning programs, that is, community service designed to meet specific learning objectives	74.1	72.2 - 75.9	27	27.8	26.7 - 29.0	72	64.9	62.9 - 66.8	28	45.9	45.0 - 46.9	127
b. Mentoring programs, that is, programs in which family or community members serve as role models to students or mentor students	55.7	53.6 - 57.7	27	47.1	45.9 - 48.4	72	57.5	55.5 - 59.6	28	51.2	50.3 - 52.2	127

VERMONT

2022 School Health Profiles Report
Weighted Principal Survey Results

49. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
25.9	24.1 - 27.8	27	29.7	28.6 - 30.9	71	14.6	13.2 - 16.2	28	25.6	24.8 - 26.5	126