

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Physical education and physical activity	58.6	57.7 - 59.6	29	49.5	48.9 - 50.0	71	59.3	58.3 - 60.2	27	53.6	53.1 - 54.0	127
b. Nutrition	58.6	57.7 - 59.5	29	45.9	45.3 - 46.5	70	66.7	65.8 - 67.6	27	53.1	52.7 - 53.6	126
c. Tobacco-use prevention	65.5	64.6 - 66.4	29	45.8	45.2 - 46.4	70	63.0	62.0 - 63.9	27	53.8	53.4 - 54.3	126
d. Alcohol- and other drug-use prevention	69.0	68.1 - 69.8	29	46.5	45.9 - 47.1	69	63.0	62.1 - 63.9	27	55.1	54.6 - 55.5	125
e. Chronic health conditions (e.g., asthma, food allergies)	37.9	37.0 - 38.8	29	33.0	32.4 - 33.6	69	48.2	47.2 - 49.1	27	37.3	36.9 - 37.8	125
f. Unintentional injury and violence prevention (safety)	44.9	44.0 - 45.8	29	36.2	35.6 - 36.7	69	44.4	43.5 - 45.4	27	39.9	39.5 - 40.3	125
g. Sexual health, including HIV, other sexually transmitted infection (STI), and pregnancy prevention	69.0	68.1 - 69.8	29	39.2	38.7 - 39.8	69	59.3	58.3 - 60.2	27	50.3	49.8 - 50.7	125

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools that did the following activities during the past year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Reviewed district’s local wellness policy	82.1	81.4 - 82.9	28	79.2	78.7 - 79.6	72	89.7	89.1 - 90.2	29	82.1	81.8 - 82.5	129
b. Helped revise district’s local wellness policy	46.4	45.4 - 47.3	28	49.6	49.0 - 50.2	71	51.7	50.8 - 52.7	29	49.4	48.9 - 49.8	128
c. Communicated to school staff about district’s local wellness policy	53.6	52.7 - 54.6	28	67.1	66.6 - 67.7	71	72.5	71.7 - 73.3	29	65.4	65.0 - 65.9	128
d. Communicated to parents and families about district’s local wellness policy	46.4	45.5 - 47.4	28	58.8	58.2 - 59.4	71	55.3	54.3 - 56.2	29	55.4	54.9 - 55.8	128
e. Communicated to students about district’s local wellness policy	42.9	41.9 - 43.8	28	51.5	50.9 - 52.1	71	41.5	40.6 - 42.4	29	47.4	47.0 - 47.9	128
f. Measured school’s compliance with district’s local wellness policy	46.4	45.5 - 47.4	28	47.5	46.9 - 48.1	71	44.7	43.8 - 45.7	29	46.6	46.2 - 47.1	128
g. Developed an action plan that describes steps to meet requirements of district’s local wellness policy	35.8	34.9 - 36.7	28	34.7	34.1 - 35.3	69	41.3	40.4 - 42.2	29	36.4	36.0 - 36.9	126

VERMONT

**2024 School Health Profiles Report
Weighted Principal Survey Results**

3. Percentage of schools that have one or more than one group (e.g., school health council, committee, team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
75.9	75.1 - 76.7	29	61.0	60.4 - 61.6	68	71.4	70.5 - 72.3	28	66.7	66.3 - 67.1	125

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

4. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Identified student health needs based on a review of relevant data	86.3	85.6 - 87.1	22	82.7	82.1 - 83.3	41	90.0	89.3 - 90.7	20	85.4	85.0 - 85.8	83
b. Used district or school data to improve diversity, equity, inclusion, or accessibility (e.g., staffing, professional development, curriculum)	95.5	95.0 - 95.9	22	97.5	97.2 - 97.7	41	90.0	89.3 - 90.7	20	95.2	95.0 - 95.4	83
c. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	76.1	75.2 - 77.1	21	82.9	82.4 - 83.5	41	70.0	69.0 - 71.0	20	78.2	77.7 - 78.6	82
d. Sought funding or leveraged resources to support health and safety priorities for students and staff	100.0	†	22	83.4	82.8 - 83.9	41	85.0	84.2 - 85.8	20	88.1	87.7 - 88.4	83
e. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	86.4	85.7 - 87.1	22	87.8	87.3 - 88.3	41	79.9	79.0 - 80.8	20	85.6	85.2 - 86.0	83
f. Reviewed health-related curricula or instructional materials	90.5	89.9 - 91.1	21	85.7	85.1 - 86.2	41	80.1	79.2 - 81.0	20	85.6	85.2 - 85.9	82
g. Provided input on or reviewed the school's Emergency Operations Plan (EOP) or similar plan	85.7	84.9 - 86.4	21	90.3	89.8 - 90.8	41	90.0	89.3 - 90.7	20	89.1	88.7 - 89.4	82

*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that use the following types of security staff during the regular school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Security guards (private or school employees/contractors)	27.5	26.7 - 28.3	29	4.4	4.1 - 4.6	72	0.0	†	29	8.5	8.2 - 8.7	130
b. School resource officers (SROs)	34.4	33.6 - 35.3	29	18.6	18.1 - 19.1	72	27.6	26.7 - 28.4	29	24.0	23.6 - 24.4	130
c. Police officers other than SROs (i.e., county or local law enforcement)	10.3	9.8 - 10.9	29	5.7	5.4 - 5.9	71	6.8	6.4 - 7.3	29	6.9	6.7 - 7.2	129

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have taken any of the following actions related to before- or after-school programs.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Included before- or after-school settings as part of the School Improvement Plan	41.4	40.5 - 42.3	29	51.3	50.7 - 51.9	72	65.5	64.6 - 66.4	29	52.3	51.8 - 52.7	130
b. Encouraged before- or after-school program staff or leaders to participate in school health council, committee, or team meetings	62.1	61.2 - 63.0	29	39.1	38.5 - 39.7	72	57.1	56.1 - 58.0	28	48.0	47.6 - 48.4	129
c. Partnered with community-based organizations (e.g., Boys & Girls Clubs, YMCA, 4H Clubs) to provide students with before- or after-school programming	41.5	40.6 - 42.4	29	64.1	63.5 - 64.6	72	48.2	47.2 - 49.1	29	55.7	55.2 - 56.1	130

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity. These clubs sometimes are called Gay/Straight Alliances or Genders and Sexualities Alliances (GSAs).

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
100.0	†	29	60.6	59.9 - 61.2	64	84.5	83.8 - 85.2	26	75.1	74.7 - 75.5	119

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, queer, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	100.0	†	29	97.3	97.1 - 97.4	70	96.5	96.2 - 96.9	29	97.7	97.6 - 97.8	128
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	100.0	†	29	100.0	†	70	100.0	†	29	100.0	†	128
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	96.5	96.2 - 96.8	29	97.1	96.9 - 97.3	70	92.9	92.4 - 93.4	28	96.1	95.9 - 96.2	127
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STI testing and counseling, to LGBTQ youth	89.6	89.1 - 90.2	29	62.8	62.2 - 63.4	70	69.0	68.2 - 69.9	29	70.1	69.7 - 70.5	128
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	96.6	96.2 - 96.9	29	77.5	77.0 - 78.0	70	72.5	71.7 - 73.3	29	80.6	80.3 - 81.0	128

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that have a student-led club specifically focused on creating a safe, welcoming, and accepting school environment for racial and ethnic minority students. These clubs sometimes are called Anti-racism Alliances or racial/ethnic affinity groups.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
93.1	92.6 - 93.5	29	38.0	37.4 - 38.6	65	40.6	39.6 - 41.5	27	51.5	51.0 - 52.0	121

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools that engaged in the following practices related to supporting racial/ethnic minority students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Designated staff member(s) or office for leading and coordinating diversity, equity, and inclusion activities	82.7	82.0 - 83.4	29	69.9	69.3 - 70.4	69	82.7	82.0 - 83.4	29	75.6	75.3 - 76.0	127
b. Provided diversity, equity, and inclusion activities led and coordinated by school staff	93.1	92.6 - 93.6	29	73.9	73.4 - 74.4	69	79.3	78.6 - 80.1	29	79.4	79.1 - 79.8	127
c. Examined relevant data to identify racial/ethnic disparities in disciplinary practices	89.6	89.1 - 90.2	29	73.3	72.8 - 73.8	70	72.4	71.6 - 73.3	29	76.7	76.4 - 77.1	128
d. Encouraged staff to attend professional development on reducing racial/ethnic disparities (e.g., unconscious or implicit bias training, anti-discrimination training)	100.0	†	29	94.3	94.0 - 94.6	69	93.2	92.7 - 93.6	29	95.3	95.1 - 95.5	127
e. Implemented restorative disciplinary practices (e.g., restorative circles, peer mediation)	96.6	96.2 - 96.9	29	97.3	97.1 - 97.4	70	96.6	96.2 - 96.9	29	97.0	96.8 - 97.1	128
f. Facilitated access to providers who have experience in providing social and psychological services to racial/ethnic minority youth	79.3	78.6 - 80.1	29	67.1	66.5 - 67.7	69	62.0	61.1 - 62.9	29	68.7	68.3 - 69.1	127

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

**2024 School Health Profiles Report
Weighted Principal Survey Results**

11. Percentage of schools in which all staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression, during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
90.0	89.5 - 90.6	30	92.9	92.5 - 93.2	71	96.5	96.2 - 96.9	29	93.0	92.8 - 93.2	130

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

12. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
100.0	†	30	100.0	†	71	100.0	†	29	100.0	†	130

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

13. Percentage of schools that have written protocols for the following suicide prevention practices.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Assessing student suicide risk	93.3	92.8 - 93.7	30	92.6	92.3 - 93.0	69	92.8	92.3 - 93.3	28	92.8	92.6 - 93.1	127
b. Notifying parents when a student is at risk for suicide	96.6	96.3 - 96.9	30	94.1	93.8 - 94.4	70	92.8	92.3 - 93.3	28	94.4	94.2 - 94.6	128
c. Referring students at risk for suicide to mental health services	93.3	92.8 - 93.7	30	94.3	94.0 - 94.5	70	92.8	92.3 - 93.3	28	93.7	93.5 - 93.9	128
d. Responding to a suicide attempt at school	96.6	96.3 - 96.9	30	84.1	83.7 - 84.6	70	89.3	88.7 - 89.8	28	88.1	87.8 - 88.4	128
e. Supporting students returning to school after a suicide attempt	93.3	92.8 - 93.7	30	80.0	79.5 - 80.5	70	89.2	88.6 - 89.8	28	85.1	84.7 - 85.4	128
f. Responding to the death of a student or staff member from suicide	86.6	86.0 - 87.2	30	75.7	75.1 - 76.2	70	85.7	85.0 - 86.3	28	80.3	80.0 - 80.7	128

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools that taught a required physical education course in each of the following grades.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Grade 6	§	§	§	100.0	†	66	100.0	†	13	100.0	†	79
b. Grade 7	§	§	§	100.0	†	71	96.5	96.2 - 96.9	29	99.0	98.9 - 99.1	100
c. Grade 8	§	§	§	100.0	†	71	96.5	96.2 - 96.9	29	99.0	98.9 - 99.1	100
d. Grade 9	100.0	†	30	-	-	0	92.6	92.1 - 93.1	27	96.5	96.2 - 96.7	57
e. Grade 10	83.4	82.7 - 84.1	30	§	§	§	88.9	88.3 - 89.5	27	86.0	85.5 - 86.4	57
f. Grade 11	57.2	56.2 - 58.1	28	§	§	§	74.1	73.3 - 75.0	27	65.5	64.9 - 66.2	55
g. Grade 12	42.3	41.4 - 43.3	26	§	§	§	66.7	65.8 - 67.6	27	54.8	54.1 - 55.5	53

*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools in which the following types of staff attended professional development related to physical education or other strategies for integrating more physical activity into the school day during the past year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Physical education teachers or specialists	93.3	92.8 - 93.7	30	94.0	93.7 - 94.3	69	96.5	96.2 - 96.9	29	94.4	94.2 - 94.6	128
b. Classroom teachers	33.3	32.5 - 34.2	30	24.8	24.3 - 25.4	68	20.7	20.0 - 21.5	29	25.9	25.5 - 26.3	127
c. Other school staff	30.0	29.1 - 30.8	30	25.5	24.9 - 26.0	66	24.2	23.4 - 25.0	29	26.2	25.8 - 26.6	125

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

16. Percentage of schools that engage in the following physical education practices.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Provide physical education teachers with a written physical education curriculum that aligns with national standards for physical education	86.7	86.1 - 87.3	30	69.0	68.4 - 69.5	71	65.5	64.6 - 66.4	29	72.2	71.8 - 72.6	130
b. Require physical education teachers to follow a written physical education curriculum	86.7	86.1 - 87.3	30	56.4	55.8 - 57.0	71	79.3	78.5 - 80.0	29	68.3	67.9 - 68.7	130
c. Allow the use of waivers, exemptions, or substitutions for physical education requirements for one grading period or longer	76.7	75.9 - 77.4	30	23.0	22.5 - 23.5	70	41.4	40.5 - 42.3	29	39.3	38.9 - 39.7	129
d. Allow teachers to exclude students from physical education to punish them for inappropriate behavior or failure to complete class work in another class	6.6	6.2 - 7.1	30	7.1	6.8 - 7.5	71	6.9	6.4 - 7.4	29	7.0	6.8 - 7.2	130
e. Require physical education teachers to be certified, licensed, or endorsed by the state in physical education	93.4	92.9 - 93.8	30	100.0	†	71	96.5	96.1 - 96.8	28	97.7	97.6 - 97.9	129
f. Limit physical education class sizes so that they are the same size as other subject areas	76.6	75.8 - 77.4	30	75.5	75.0 - 76.0	71	62.0	61.1 - 62.9	29	72.8	72.4 - 73.2	130
g. Have a dedicated budget for physical education materials and equipment	100.0	†	30	95.9	95.7 - 96.2	71	93.1	92.6 - 93.6	29	96.2	96.1 - 96.4	130
h. Provide adapted physical education (i.e., special courses separate from regular physical education courses) for students with disabilities as appropriate	90.0	89.4 - 90.5	30	78.9	78.5 - 79.4	71	79.3	78.6 - 80.1	29	81.5	81.2 - 81.9	130
i. Include students with disabilities in regular physical education courses as appropriate	100.0	†	30	100.0	†	70	100.0	†	29	100.0	†	129

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

**2024 School Health Profiles Report
Weighted Principal Survey Results**

17. Percentage of schools in which students participate in physical activity in classrooms during the school day outside of physical education.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
66.7	65.8 - 67.5	30	86.9	86.5 - 87.3	71	72.4	71.6 - 73.2	29	79.2	78.8 - 79.5	130

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

18. Percentage of schools that offer opportunities for all students to be physically active during the school day, such as recess, lunchtime intramural activities, or physical activity clubs.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
70.0	69.1 - 70.8	30	98.5	98.4 - 98.7	71	93.1	92.6 - 93.6	29	90.9	90.6 - 91.1	130

*Not including physical education and classroom physical activity.
N = Unweighted number of observations

VERMONT

**2024 School Health Profiles Report
Weighted Principal Survey Results**

19. Percentage of schools that offer interscholastic sports to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
86.7	86.0 - 87.3	30	91.6	91.3 - 92.0	70	100.0	†	29	92.4	92.1 - 92.6	129

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

20. Percentage of schools that offer opportunities for students to participate in physical activity through organized physical activities or access to facilities or equipment for physical activity during the following times.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Before the school day	80.1	79.3 - 80.8	30	30.8	30.3 - 31.4	69	31.0	30.2 - 31.9	29	42.2	41.7 - 42.6	128
b. After the school day	96.7	96.3 - 97.0	30	92.8	92.5 - 93.1	69	96.5	96.2 - 96.9	29	94.5	94.3 - 94.7	128

VERMONT

**2024 School Health Profiles Report
Weighted Principal Survey Results**

21. Percentage of schools that have a joint use agreement for shared use of the following school or community facilities.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Physical activity or sports facilities	80.1	79.3 - 80.8	30	66.3	65.7 - 66.8	71	62.0	61.1 - 62.9	29	68.4	68.0 - 68.8	130
b. Kitchen facilities and equipment	36.8	35.9 - 37.7	30	39.3	38.7 - 39.9	71	37.8	36.9 - 38.7	29	38.4	38.0 - 38.8	130
c. Gardens (e.g., herb or vegetable plots)	16.8	16.1 - 17.5	30	45.3	44.7 - 45.9	70	27.6	26.8 - 28.4	29	34.9	34.5 - 35.3	129

VERMONT

**2024 School Health Profiles Report
Weighted Principal Survey Results**

22. Percentage of schools that have a written plan for providing opportunities for students to be physically active before, during, and after school.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
13.3	12.7 - 14.0	30	16.9	16.4 - 17.3	71	13.8	13.2 - 14.5	29	15.4	15.1 - 15.7	130

VERMONT

**2024 School Health Profiles Report
Weighted Principal Survey Results**

23. Percentage of schools that have assessed opportunities available to students to be physically active before, during, or after school.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
53.4	52.5 - 54.3	30	46.0	45.4 - 46.6	71	55.0	54.1 - 56.0	29	49.6	49.2 - 50.1	130

VERMONT

2024 School Health Profiles Report
Weighted Principal Survey Results

24. Percentage of schools that have adopted a policy prohibiting tobacco use.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
100.0	†	30	98.6	98.5 - 98.8	71	100.0	†	29	99.3	99.2 - 99.3	130

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

25A. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	96.7	96.3 - 97.0	30	95.8	95.5 - 96.0	70	100.0	†	29	96.9	96.8 - 97.1	129
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	96.7	96.3 - 97.0	30	95.8	95.5 - 96.0	70	96.5	96.2 - 96.9	29	96.1	96.0 - 96.3	129
c. Cigars	90.0	89.4 - 90.5	30	93.0	92.7 - 93.3	70	86.1	85.5 - 86.8	29	90.8	90.5 - 91.0	129
d. Pipes	90.0	89.4 - 90.5	30	93.0	92.7 - 93.3	70	86.1	85.5 - 86.8	29	90.8	90.5 - 91.0	129
e. Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL or Vuse)	96.7	96.3 - 97.0	30	94.4	94.1 - 94.7	70	96.5	96.2 - 96.9	29	95.4	95.2 - 95.6	129

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

25B. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	96.7	96.3 - 97.0	30	94.3	94.0 - 94.5	70	100.0	†	29	96.1	95.9 - 96.2	129
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	96.7	96.3 - 97.0	30	94.3	94.0 - 94.5	70	96.5	96.2 - 96.9	29	95.3	95.1 - 95.5	129
c. Cigars	90.0	89.4 - 90.5	30	91.5	91.2 - 91.8	70	86.1	85.5 - 86.8	29	90.0	89.7 - 90.2	129
d. Pipes	90.0	89.4 - 90.5	30	91.5	91.2 - 91.8	70	86.1	85.5 - 86.8	29	90.0	89.7 - 90.2	129
e. Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL or Vuse)	96.7	96.3 - 97.0	30	92.9	92.6 - 93.2	70	96.5	96.2 - 96.9	29	94.6	94.4 - 94.8	129

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

25C. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	96.7	96.3 - 97.0	30	94.3	94.0 - 94.5	70	100.0	†	28	96.1	95.9 - 96.2	128
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	96.7	96.3 - 97.0	30	91.4	91.0 - 91.7	70	96.5	96.2 - 96.9	29	93.7	93.5 - 93.9	129
c. Cigars	90.0	89.4 - 90.5	30	91.5	91.2 - 91.8	70	85.6	84.9 - 86.3	28	89.9	89.6 - 90.2	128
d. Pipes	90.0	89.4 - 90.5	30	91.5	91.2 - 91.8	70	86.1	85.5 - 86.8	29	90.0	89.7 - 90.2	129
e. Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL or Vuse)	96.7	96.3 - 97.0	30	92.9	92.6 - 93.2	70	96.5	96.2 - 96.9	29	94.6	94.4 - 94.8	129

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

**2024 School Health Profiles Report
Weighted Principal Survey Results**

26A. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. During school hours	100.0	†	30	98.6	98.5 - 98.8	70	100.0	†	29	99.2	99.2 - 99.3	129
b. During non-school hours	86.7	86.0 - 87.3	30	85.8	85.3 - 86.2	70	93.1	92.6 - 93.5	29	87.6	87.3 - 87.9	129

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

**2024 School Health Profiles Report
Weighted Principal Survey Results**

26B. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	100.0	†	30	95.6	95.4 - 95.9	70	100.0	†	29	97.6	97.5 - 97.7	129
b. During non-school hours	90.0	89.4 - 90.5	30	80.3	79.8 - 80.8	70	82.7	82.0 - 83.4	29	83.0	82.7 - 83.4	129

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

**2024 School Health Profiles Report
Weighted Principal Survey Results**

26C. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	100.0	†	30	95.6	95.4 - 95.9	70	100.0	†	29	97.6	97.5 - 97.7	129
b. During non-school hours	90.0	89.4 - 90.5	30	78.8	78.3 - 79.3	70	82.7	82.0 - 83.4	29	82.2	81.9 - 82.5	129

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

27A. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. In school buildings	100.0	†	30	98.6	98.5 - 98.8	70	100.0	†	29	99.2	99.2 - 99.3	129
b. Outside on school grounds, including parking lots and playing fields	100.0	†	30	98.6	98.5 - 98.8	70	100.0	†	29	99.2	99.2 - 99.3	129
c. On school buses or other vehicles used to transport students	100.0	†	30	97.1	96.9 - 97.3	70	100.0	†	29	98.4	98.3 - 98.5	129
d. At off-campus, school-sponsored events	96.6	96.3 - 96.9	30	95.8	95.5 - 96.0	70	96.5	96.2 - 96.9	29	96.1	96.0 - 96.3	129

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

27B. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. In school buildings	100.0	†	30	97.1	96.9 - 97.3	70	100.0	†	29	98.4	98.3 - 98.5	129
b. Outside on school grounds, including parking lots and playing fields	100.0	†	30	97.1	96.9 - 97.3	70	100.0	†	29	98.4	98.3 - 98.5	129
c. On school buses or other vehicles used to transport students	100.0	†	30	94.3	94.0 - 94.5	70	100.0	†	29	96.8	96.7 - 97.0	129
d. At off-campus, school-sponsored events	93.3	92.8 - 93.7	30	92.8	92.4 - 93.1	70	89.6	89.1 - 90.2	29	92.2	92.0 - 92.4	129

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

27C. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. In school buildings	100.0	†	30	97.1	96.9 - 97.3	69	100.0	†	29	98.4	98.3 - 98.5	128
b. Outside on school grounds, including parking lots and playing fields	100.0	†	30	97.1	96.9 - 97.3	70	100.0	†	29	98.4	98.3 - 98.5	129
c. On school buses or other vehicles used to transport students	100.0	†	30	94.3	94.0 - 94.5	70	96.5	96.2 - 96.9	29	96.1	95.9 - 96.2	129
d. At off-campus, school-sponsored events	86.7	86.0 - 87.3	30	88.6	88.3 - 89.0	70	75.9	75.1 - 76.7	29	85.4	85.0 - 85.7	129

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

**2024 School Health Profiles Report
Weighted Principal Survey Results**

27N. Percentage of schools that follow a policy that mandates a “tobacco-free environment.” A “tobacco-free environment” is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
70.0	69.1 - 70.8	30	66.8	66.2 - 67.4	69	58.5	57.6 - 59.4	29	65.7	65.3 - 66.1	128

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

TOBVAPE. Percentage of schools that follow a policy that mandates a “tobacco-free environment” including prohibiting electronic vapor products. A “tobacco-free environment” is one that prohibits tobacco and EVP use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
70.0	69.1 - 70.8	30	66.8	66.2 - 67.4	69	58.5	57.6 - 59.4	29	65.7	65.3 - 66.1	128

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

28_1. (Never) Percentage of schools that never take the following actions when students are caught using electronic vapor products.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Issue a warning to the student	17.3	16.6 - 18.0	29	22.5	22.0 - 23.0	67	13.7	13.1 - 14.4	29	19.3	19.0 - 19.7	125
b. Confiscate product	0.0	†	29	2.8	2.6 - 3.0	68	0.0	†	29	1.5	1.4 - 1.7	126
c. Notify parents or guardians	0.0	†	30	2.9	2.7 - 3.1	67	0.0	†	29	1.5	1.4 - 1.7	126
d. Develop a behavior contract with the student	0.0	†	30	4.3	4.1 - 4.5	67	6.9	6.4 - 7.4	29	3.9	3.7 - 4.1	126
e. Refer to a school counselor	3.3	3.0 - 3.7	30	2.8	2.6 - 3.0	68	0.0	†	29	2.3	2.2 - 2.4	127
f. Refer to a school administrator	0.0	†	30	2.8	2.6 - 3.0	68	0.0	†	29	1.5	1.4 - 1.6	127
g. Refer to an assistance, education, or cessation program	0.0	†	29	5.6	5.4 - 5.9	68	0.0	†	29	3.1	2.9 - 3.2	126
h. Refer to legal authorities (e.g., school resource officer)	10.0	9.5 - 10.6	30	23.7	23.2 - 24.2	67	17.2	16.6 - 18.0	29	19.0	18.7 - 19.4	126
i. Issue an in-school suspension (half day or full day)	17.2	16.5 - 18.0	29	11.7	11.3 - 12.1	68	0.0	†	29	10.3	10.0 - 10.6	126
j. Issue an after-school or weekend detention	70.0	69.2 - 70.9	30	58.9	58.2 - 59.5	66	20.7	19.9 - 21.4	29	52.8	52.3 - 53.2	125
k. Issue an out-of-school suspension	23.3	22.6 - 24.1	30	26.7	26.2 - 27.3	68	13.8	13.2 - 14.5	29	23.0	22.7 - 23.4	127
l. Expel from school	90.0	89.5 - 90.6	30	88.6	88.2 - 88.9	67	86.2	85.5 - 86.8	29	88.4	88.1 - 88.6	126

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

28_2. (Rarely) Percentage of schools that rarely take the following actions when students are caught using electronic vapor products.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Issue a warning to the student	3.4	3.1 - 3.8	29	2.9	2.7 - 3.1	67	10.3	9.8 - 10.9	29	4.7	4.5 - 4.9	125
b. Confiscate product	0.0	†	29	1.4	1.3 - 1.6	68	0.0	†	29	0.8	0.7 - 0.9	126
c. Notify parents or guardians	0.0	†	30	1.4	1.3 - 1.6	67	0.0	†	29	0.8	0.7 - 0.9	126
d. Develop a behavior contract with the student	20.0	19.3 - 20.7	30	7.4	7.1 - 7.7	67	10.3	9.8 - 10.9	29	11.0	10.7 - 11.3	126
e. Refer to a school counselor	6.6	6.2 - 7.1	30	1.4	1.3 - 1.6	68	6.9	6.4 - 7.4	29	3.9	3.7 - 4.0	127
f. Refer to a school administrator	0.0	†	30	2.8	2.6 - 3.0	68	0.0	†	29	1.5	1.4 - 1.6	127
g. Refer to an assistance, education, or cessation program	10.3	9.8 - 10.9	29	14.4	14.0 - 14.8	68	10.3	9.8 - 10.9	29	12.5	12.2 - 12.8	126
h. Refer to legal authorities (e.g., school resource officer)	40.0	39.1 - 40.9	30	24.1	23.6 - 24.6	67	17.1	16.5 - 17.9	29	26.2	25.8 - 26.6	126
i. Issue an in-school suspension (half day or full day)	17.2	16.5 - 18.0	29	16.2	15.7 - 16.6	68	17.2	16.6 - 18.0	29	16.7	16.3 - 17.0	126
j. Issue an after-school or weekend detention	20.0	19.3 - 20.7	30	16.9	16.5 - 17.4	66	31.1	30.2 - 31.9	29	20.9	20.5 - 21.3	125
k. Issue an out-of-school suspension	30.0	29.1 - 30.8	30	25.0	24.5 - 25.6	68	34.5	33.6 - 35.4	29	28.3	27.9 - 28.7	127
l. Expel from school	10.0	9.4 - 10.5	30	7.2	6.8 - 7.5	67	10.4	9.8 - 10.9	29	8.5	8.3 - 8.8	126

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

28_3. (Sometimes) Percentage of schools that sometimes take the following actions when students are caught using electronic vapor products.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Issue a warning to the student	17.2	16.5 - 17.9	29	6.0	5.7 - 6.3	67	10.4	9.9 - 11.0	29	9.5	9.3 - 9.8	125
b. Confiscate product	0.0	†	29	1.4	1.3 - 1.6	68	0.0	†	29	0.8	0.7 - 0.9	126
c. Notify parents or guardians	0.0	†	30	0.0	†	67	3.5	3.1 - 3.8	29	0.8	0.7 - 0.9	126
d. Develop a behavior contract with the student	43.3	42.4 - 44.2	30	41.9	41.3 - 42.5	67	62.0	61.1 - 62.9	29	46.8	46.4 - 47.3	126
e. Refer to a school counselor	30.0	29.2 - 30.9	30	11.7	11.3 - 12.1	68	55.3	54.3 - 56.2	29	25.7	25.3 - 26.1	127
f. Refer to a school administrator	0.0	†	30	0.0	†	68	10.4	9.8 - 10.9	29	2.3	2.2 - 2.5	127
g. Refer to an assistance, education, or cessation program	24.2	23.4 - 25.0	29	29.4	28.8 - 30.0	68	24.2	23.4 - 25.0	29	27.0	26.7 - 27.4	126
h. Refer to legal authorities (e.g., school resource officer)	36.7	35.8 - 37.6	30	31.5	30.9 - 32.1	67	27.7	26.9 - 28.5	29	31.9	31.4 - 32.3	126
i. Issue an in-school suspension (half day or full day)	48.3	47.4 - 49.3	29	51.3	50.7 - 52.0	68	55.2	54.2 - 56.1	29	51.5	51.1 - 52.0	126
j. Issue an after-school or weekend detention	10.0	9.4 - 10.5	30	19.8	19.4 - 20.3	66	37.9	37.0 - 38.8	29	21.6	21.3 - 22.0	125
k. Issue an out-of-school suspension	40.0	39.1 - 40.9	30	30.8	30.2 - 31.4	68	34.4	33.5 - 35.3	29	33.7	33.3 - 34.2	127
l. Expel from school	0.0	†	30	2.9	2.7 - 3.1	67	3.5	3.1 - 3.8	29	2.3	2.2 - 2.5	126

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

28_4. (Always or almost always) Percentage of schools that always or almost always take the following actions when students are caught using electronic vapor products.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Issue a warning to the student	62.1	61.2 - 63.0	29	68.6	68.0 - 69.2	67	65.6	64.7 - 66.4	29	66.4	66.0 - 66.9	125
b. Confiscate product	100.0	†	29	94.4	94.1 - 94.6	68	100.0	†	29	96.9	96.8 - 97.1	126
c. Notify parents or guardians	100.0	†	30	95.7	95.5 - 95.9	67	96.5	96.2 - 96.9	29	96.9	96.7 - 97.0	126
d. Develop a behavior contract with the student	36.7	35.8 - 37.6	30	46.4	45.7 - 47.0	67	20.8	20.0 - 21.5	29	38.3	37.9 - 38.7	126
e. Refer to a school counselor	60.0	59.1 - 60.9	30	84.1	83.6 - 84.5	68	37.9	37.0 - 38.8	29	68.1	67.7 - 68.5	127
f. Refer to a school administrator	100.0	†	30	94.4	94.1 - 94.6	68	89.6	89.1 - 90.2	29	94.6	94.4 - 94.8	127
g. Refer to an assistance, education, or cessation program	65.5	64.6 - 66.3	29	50.6	50.0 - 51.2	68	65.5	64.6 - 66.4	29	57.3	56.9 - 57.8	126
h. Refer to legal authorities (e.g., school resource officer)	13.3	12.7 - 13.9	30	20.7	20.2 - 21.2	67	37.9	37.0 - 38.8	29	22.9	22.5 - 23.2	126
i. Issue an in-school suspension (half day or full day)	17.2	16.5 - 17.9	29	20.8	20.3 - 21.3	68	27.6	26.8 - 28.4	29	21.5	21.2 - 21.9	126
j. Issue an after-school or weekend detention	0.0	†	30	4.4	4.1 - 4.6	66	10.4	9.9 - 11.0	29	4.7	4.5 - 4.9	125
k. Issue an out-of-school suspension	6.7	6.3 - 7.2	30	17.5	17.0 - 17.9	68	17.3	16.6 - 18.0	29	14.9	14.6 - 15.2	127
l. Expel from school	0.0	†	30	1.4	1.3 - 1.6	67	0.0	†	29	0.8	0.7 - 0.9	126

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

**2024 School Health Profiles Report
Weighted Principal Survey Results**

29. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruits or non-fried vegetables at school celebrations when foods or beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Foods or beverages are not offered at school celebrations	10.0	9.4 - 10.5	30	3.0	2.8 - 3.2	70	3.4	3.1 - 3.8	29	4.7	4.5 - 4.9	129
b. Never	0.0	†	30	0.0	†	70	0.0	†	29	0.0	†	129
c. Rarely	3.3	3.0 - 3.7	30	11.5	11.1 - 11.9	70	6.8	6.4 - 7.3	29	8.6	8.4 - 8.8	129
d. Sometimes	53.3	52.4 - 54.2	30	37.6	37.0 - 38.2	70	31.0	30.2 - 31.9	29	39.7	39.3 - 40.2	129
e. Always or almost always	33.4	32.5 - 34.3	30	47.9	47.3 - 48.5	70	58.7	57.8 - 59.6	29	47.0	46.6 - 47.4	129

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

**2024 School Health Profiles Report
Weighted Principal Survey Results**

30. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
53.3	52.4 - 54.2	30	7.5	7.2 - 7.8	70	34.5	33.6 - 35.4	29	23.9	23.5 - 24.3	129

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Chocolate candy	3.3	3.0 - 3.7	30	0.0	†	70	3.5	3.1 - 3.8	29	1.5	1.4 - 1.6	129
b. Other kinds of candy	6.6	6.2 - 7.1	30	0.0	†	70	6.9	6.5 - 7.4	29	3.1	2.9 - 3.2	129
c. Salty snacks that are not low in fat (e.g., regular potato chips)	13.3	12.7 - 13.9	30	1.5	1.4 - 1.7	70	13.9	13.2 - 14.5	29	6.9	6.7 - 7.2	129
d. Low sodium or "no added salt" pretzels, crackers, or chips	36.6	35.7 - 37.5	30	4.5	4.3 - 4.8	70	17.3	16.7 - 18.1	29	14.7	14.4 - 15.0	129
e. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	19.9	19.2 - 20.7	30	1.5	1.4 - 1.7	70	6.9	6.5 - 7.4	29	6.9	6.7 - 7.1	129
f. Ice cream or frozen yogurt that is not low in fat	23.3	22.6 - 24.1	30	3.0	2.8 - 3.2	70	10.4	9.9 - 11.0	29	9.3	9.0 - 9.5	129
g. 2% or whole milk (plain or flavored)	27.6	26.7 - 28.4	29	3.0	2.8 - 3.2	70	3.5	3.1 - 3.8	29	8.6	8.3 - 8.8	128
h. Nonfat or 1% (low-fat) milk (plain)	34.4	33.6 - 35.3	29	3.0	2.8 - 3.2	70	10.4	9.9 - 11.0	29	11.6	11.4 - 11.9	128
i. Water ices or frozen slushes that do not contain juice	17.2	16.5 - 18.0	29	3.0	2.8 - 3.2	70	6.9	6.4 - 7.4	29	7.0	6.8 - 7.3	128
j. Soda pop or fruit drinks that are not 100% juice	17.2	16.5 - 18.0	29	0.0	†	70	6.9	6.4 - 7.4	29	5.4	5.2 - 5.6	128
k. Sports drinks (e.g., Gatorade)	34.4	33.6 - 35.3	29	4.5	4.3 - 4.8	70	13.8	13.1 - 14.4	29	13.2	12.9 - 13.5	128
l. Energy drinks (e.g., Red Bull, Monster)	3.4	3.1 - 3.8	29	0.0	†	70	0.0	†	29	0.8	0.7 - 0.8	128

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
m. Plain water, with or without carbonation (e.g., Dasani, Aquafina, Smart Water)	49.9	49.0 - 50.8	30	6.0	5.7 - 6.3	70	24.1	23.3 - 24.9	29	20.0	19.7 - 20.4	129
n. Calorie-free, flavored water, with or without carbonation (e.g., Dasani Flavors, Aquafina FlavorSplash)	43.2	42.3 - 44.1	30	3.0	2.8 - 3.2	70	17.2	16.5 - 17.9	29	15.3	15.0 - 15.6	129
o. 100% fruit or vegetable juice	41.3	40.4 - 42.2	29	4.5	4.3 - 4.8	70	13.8	13.1 - 14.4	29	14.7	14.4 - 15.1	128
p. Foods or beverages containing caffeine	17.2	16.5 - 18.0	29	0.0	†	70	3.4	3.1 - 3.8	29	4.6	4.4 - 4.8	128
q. Fruits (not fruit juice)	31.0	30.1 - 31.9	29	3.0	2.8 - 3.2	70	3.5	3.1 - 3.8	29	9.3	9.1 - 9.6	128
r. Non-fried vegetables (not vegetable juice)	31.0	30.2 - 31.9	29	3.0	2.8 - 3.2	70	3.5	3.1 - 3.8	29	9.3	9.1 - 9.6	128

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	13.3	12.7 - 13.9	30	13.2	12.8 - 13.7	68	3.4	3.1 - 3.8	29	11.0	10.8 - 11.3	127
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	50.0	49.1 - 50.9	30	42.6	42.0 - 43.2	70	55.2	54.2 - 56.1	29	47.0	46.6 - 47.5	129
c. Provided information to students or families on the nutrition and caloric content of foods available	70.0	69.1 - 70.8	30	64.8	64.2 - 65.4	68	58.6	57.7 - 59.5	29	64.6	64.2 - 65.0	127
d. Conducted taste tests to determine food preferences for nutritious items	36.7	35.8 - 37.6	30	60.7	60.1 - 61.3	67	44.7	43.8 - 45.7	29	51.5	51.1 - 52.0	126
e. Served locally or regionally grown foods in the cafeteria or classrooms	96.7	96.3 - 97.0	30	89.7	89.4 - 90.1	69	93.1	92.6 - 93.5	29	92.1	91.8 - 92.3	128
f. Planted a school food or vegetable garden	66.6	65.7 - 67.5	30	75.1	74.5 - 75.6	69	62.1	61.2 - 63.0	29	70.2	69.8 - 70.6	128
g. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	100.0	†	30	88.5	88.1 - 88.8	68	93.1	92.6 - 93.5	29	92.2	91.9 - 92.4	127
h. Used attractive displays for fruits and vegetables in the cafeteria	86.7	86.0 - 87.3	30	80.0	79.5 - 80.5	69	96.5	96.2 - 96.9	29	85.2	84.9 - 85.5	128
i. Offered a self-serve salad bar to students	100.0	†	30	71.1	70.6 - 71.7	69	93.1	92.6 - 93.6	29	82.7	82.3 - 83.0	128

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
j. Provided students with at least 20 minutes to eat lunch after they receive their meal	96.6	96.3 - 96.9	30	94.0	93.7 - 94.2	68	93.1	92.6 - 93.6	29	94.4	94.2 - 94.6	127
k. Encouraged students to drink plain water	86.7	86.0 - 87.3	30	95.7	95.4 - 95.9	69	89.7	89.2 - 90.3	29	92.3	92.1 - 92.5	128
l. Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	33.3	32.4 - 34.1	30	44.5	43.9 - 45.1	69	24.1	23.3 - 24.9	29	37.4	37.0 - 37.8	128
m. Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	20.6	19.9 - 21.4	29	44.0	43.4 - 44.6	68	20.7	19.9 - 21.4	29	33.5	33.0 - 33.9	126

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	76.6	75.9 - 77.4	30	79.6	79.1 - 80.1	69	65.5	64.6 - 66.4	29	75.8	75.4 - 76.2	128
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	73.3	72.5 - 74.1	30	76.7	76.2 - 77.2	69	62.0	61.1 - 62.9	29	72.7	72.3 - 73.0	128
c. On school buses or other vehicles used to transport students	80.0	79.2 - 80.7	30	78.1	77.6 - 78.6	69	57.2	56.2 - 58.1	28	74.0	73.6 - 74.4	127
d. In school publications (e.g., newsletters, newspapers, web sites, other school publications)	76.6	75.8 - 77.4	30	76.4	75.9 - 76.9	68	62.1	61.2 - 63.0	29	73.2	72.8 - 73.6	127
e. In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	80.0	79.2 - 80.7	30	75.2	74.7 - 75.7	69	64.3	63.4 - 65.2	28	73.9	73.5 - 74.3	127

VERMONT

**2024 School Health Profiles Report
Weighted Principal Survey Results**

34. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Yes, in all locations	100.0	†	30	97.3	97.1 - 97.4	70	100.0	†	29	98.5	98.4 - 98.6	129
b. Yes, in certain locations	0.0	†	30	1.4	1.2 - 1.5	70	0.0	†	29	0.8	0.7 - 0.8	129
c. No	0.0	†	30	1.4	1.2 - 1.5	70	0.0	†	29	0.8	0.7 - 0.8	129

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

**2024 School Health Profiles Report
Weighted Principal Survey Results**

34N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
100.0	†	30	98.6	98.5 - 98.8	70	100.0	†	29	99.2	99.2 - 99.3	129

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that offer a free source of drinking water in the following locations.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cafeteria during breakfast	96.6	96.2 - 96.9	29	95.7	95.5 - 95.9	67	96.5	96.2 - 96.9	29	96.1	95.9 - 96.3	125
b. Cafeteria during lunch	96.6	96.2 - 96.9	29	95.7	95.5 - 95.9	67	96.5	96.2 - 96.9	29	96.1	95.9 - 96.3	125
c. Gymnasium or other indoor physical activity facilities	96.6	96.2 - 96.9	29	92.4	92.1 - 92.8	67	96.5	96.2 - 96.9	29	94.3	94.1 - 94.5	125
d. Outdoor physical activity facilities or sports fields	82.7	82.0 - 83.4	29	44.7	44.1 - 45.3	65	62.1	61.2 - 63.0	29	57.5	57.1 - 58.0	123
e. Hallways throughout the school	100.0	†	30	100.0	†	69	100.0	†	29	100.0	†	128

*Among schools with that location.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

VERMONT

**2024 School Health Profiles Report
Weighted Principal Survey Results**

36. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
96.7	96.3 - 97.0	30	84.7	84.3 - 85.1	69	89.7	89.1 - 90.2	29	88.6	88.3 - 88.8	128

VERMONT

**2024 School Health Profiles Report
Weighted Principal Survey Results**

37. Percentage of schools that have a part-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
30.0	29.1 - 30.8	30	26.6	26.1 - 27.2	68	28.5	27.7 - 29.4	28	27.8	27.4 - 28.2	126

VERMONT

**2024 School Health Profiles Report
Weighted Principal Survey Results**

38. Percentage of schools that have a school-based health center that offers health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
30.0	29.2 - 30.9	30	17.6	17.1 - 18.1	69	41.3	40.4 - 42.2	29	25.7	25.4 - 26.1	128

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. HIV testing	7.2	6.7 - 7.7	28	3.0	2.8 - 3.3	69	0.0	†	29	3.3	3.1 - 3.4	126
b. HIV treatment (ongoing medical care for persons living with HIV)	7.2	6.7 - 7.7	28	4.6	4.3 - 4.8	69	3.4	3.1 - 3.8	29	4.9	4.7 - 5.1	126
c. STI testing	7.2	6.7 - 7.7	28	4.6	4.3 - 4.8	69	6.9	6.4 - 7.4	29	5.7	5.5 - 5.9	126
d. STI treatment	7.2	6.7 - 7.7	28	4.6	4.3 - 4.8	69	6.9	6.4 - 7.4	29	5.7	5.5 - 5.9	126
e. Pregnancy testing	21.4	20.6 - 22.2	28	4.6	4.3 - 4.8	69	27.6	26.7 - 28.4	29	13.4	13.1 - 13.7	126
f. Provision of condoms	96.6	96.2 - 96.9	29	81.5	81.1 - 82.0	69	86.2	85.5 - 86.8	29	85.9	85.6 - 86.2	127
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	38.0	37.1 - 38.9	29	15.0	14.5 - 15.4	69	41.3	40.4 - 42.2	29	26.0	25.6 - 26.4	127
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	10.7	10.2 - 11.3	28	3.0	2.8 - 3.3	69	10.4	9.8 - 10.9	29	6.4	6.2 - 6.6	126
i. Prenatal care	3.7	3.3 - 4.1	27	1.5	1.4 - 1.7	69	3.5	3.1 - 3.8	29	2.4	2.3 - 2.6	125
j. Human papillomavirus (HPV) vaccine administration	3.6	3.3 - 4.0	28	1.5	1.4 - 1.7	69	6.9	6.4 - 7.4	29	3.2	3.0 - 3.4	126
k. Assessment for alcohol or other drug use, abuse, or dependency	75.0	74.2 - 75.8	28	36.0	35.4 - 36.6	69	65.4	64.5 - 66.3	29	51.2	50.7 - 51.6	126

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
l. Tobacco-use cessation (e.g., individual or group counseling)	67.9	67.0 - 68.8	28	30.2	29.6 - 30.7	69	62.0	61.1 - 62.9	29	45.6	45.2 - 46.0	126
m. Daily medication administration for students with chronic health conditions (e.g., asthma, diabetes)	100.0	†	29	87.5	87.1 - 87.9	69	96.5	96.2 - 96.9	29	92.3	92.1 - 92.5	127
n. Stock rescue or "as needed" medication for any student experiencing a health emergency (e.g., asthma episode, severe allergic reaction, opioid overdose)	96.4	96.1 - 96.8	28	87.1	86.7 - 87.5	69	100.0	†	29	92.1	91.8 - 92.3	126
o. Case management for students with chronic health conditions (e.g., asthma, diabetes)	96.6	96.2 - 96.9	29	87.2	86.8 - 87.6	69	86.1	85.5 - 86.8	29	89.1	88.8 - 89.3	127

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. HIV testing	75.0	74.1 - 75.8	28	47.1	46.5 - 47.7	68	75.9	75.1 - 76.7	29	59.8	59.4 - 60.2	125
b. HIV treatment (ongoing medical care for persons living with HIV)	75.0	74.1 - 75.8	28	47.1	46.5 - 47.7	68	75.9	75.1 - 76.7	29	59.8	59.4 - 60.2	125
c. HIV PEP (post-exposure prophylaxis for HIV—a course of medication given within 72 hours of possible exposure to HIV)	75.0	74.1 - 75.8	28	47.1	46.5 - 47.7	68	72.4	71.6 - 73.2	29	59.0	58.6 - 59.4	125
d. PrEP (pre-exposure prophylaxis for HIV—medication taken to prevent HIV infection for those at risk for HIV)	75.0	74.1 - 75.8	28	47.1	46.5 - 47.7	68	72.4	71.6 - 73.2	29	59.0	58.6 - 59.4	125
e. STI testing	78.6	77.8 - 79.4	28	48.7	48.0 - 49.3	68	79.3	78.6 - 80.1	29	62.2	61.8 - 62.7	125
f. STI treatment	78.6	77.8 - 79.4	28	48.7	48.0 - 49.3	68	79.3	78.6 - 80.1	29	62.2	61.8 - 62.7	125
g. Pregnancy testing	78.6	77.8 - 79.4	28	50.2	49.6 - 50.8	68	79.3	78.6 - 80.1	29	63.1	62.6 - 63.5	125
h. Provision of condoms	71.5	70.6 - 72.3	28	54.4	53.8 - 55.0	68	79.3	78.5 - 80.0	29	63.8	63.4 - 64.3	125
i. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	71.5	70.6 - 72.3	28	42.9	42.3 - 43.5	68	71.5	70.6 - 72.3	28	55.6	55.1 - 56.0	124
j. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	78.6	77.8 - 79.4	28	51.7	51.1 - 52.3	68	79.3	78.6 - 80.1	29	63.9	63.5 - 64.4	125

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
k. Prenatal care	78.6	77.8 - 79.4	28	46.4	45.8 - 47.0	67	71.5	70.6 - 72.3	28	59.2	58.8 - 59.7	123
l. Human papillomavirus (HPV) vaccine administration	78.6	77.8 - 79.4	28	52.4	51.8 - 53.0	67	75.9	75.1 - 76.7	29	63.6	63.2 - 64.0	124
m. Other vaccine administration (e.g., COVID-19, influenza)	82.1	81.4 - 82.9	28	64.8	64.2 - 65.4	68	82.8	82.0 - 83.4	29	72.7	72.3 - 73.1	125
n. Alcohol or other drug abuse treatment	85.7	85.0 - 86.4	28	66.6	66.1 - 67.2	68	85.7	85.1 - 86.4	28	75.1	74.7 - 75.5	124
o. Tobacco-use cessation (e.g., individual or group counseling)	82.1	81.4 - 82.9	28	63.6	63.0 - 64.1	68	82.8	82.0 - 83.4	29	72.0	71.6 - 72.4	125

VERMONT

**2024 School Health Profiles Report
Weighted Principal Survey Results**

41. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
72.4	71.6 - 73.2	29	69.6	69.1 - 70.2	69	79.3	78.5 - 80.0	29	72.4	72.0 - 72.8	127

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Asthma	100.0	†	28	98.6	98.5 - 98.8	70	96.6	96.2 - 96.9	29	98.5	98.4 - 98.6	127
b. Food allergies	96.4	96.1 - 96.8	28	98.6	98.5 - 98.7	69	96.5	96.1 - 96.8	28	97.7	97.5 - 97.8	125
c. Diabetes	100.0	†	28	97.2	97.0 - 97.4	69	96.6	96.2 - 96.9	29	97.7	97.5 - 97.8	126
d. Epilepsy or seizure disorder	100.0	†	28	94.4	94.2 - 94.7	69	96.5	96.1 - 96.8	28	96.1	95.9 - 96.3	125
e. Obesity	25.0	24.2 - 25.9	28	37.9	37.3 - 38.4	69	41.3	40.4 - 42.2	29	35.8	35.4 - 36.3	126
f. Hypertension/high blood pressure	62.9	61.9 - 63.8	27	70.0	69.5 - 70.6	69	75.8	75.0 - 76.6	29	69.8	69.4 - 70.2	125
g. Oral health condition (e.g., abscess, tooth decay)	49.9	49.0 - 50.9	28	69.6	69.1 - 70.2	69	82.8	82.1 - 83.5	29	68.3	67.9 - 68.7	126

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Asthma	82.1	81.4 - 82.9	28	62.4	61.8 - 63.0	69	75.1	74.2 - 75.9	28	69.5	69.1 - 69.9	125
b. Food allergies	78.6	77.8 - 79.4	28	62.4	61.8 - 63.0	69	75.1	74.2 - 75.9	28	68.7	68.3 - 69.2	125
c. Diabetes	82.1	81.4 - 82.9	28	63.3	62.7 - 63.9	68	75.1	74.2 - 75.9	28	70.1	69.7 - 70.5	124
d. Epilepsy or seizure disorder	78.5	77.7 - 79.3	28	61.9	61.3 - 62.5	68	75.1	74.2 - 75.9	28	68.5	68.1 - 68.9	124
e. Obesity	67.9	67.0 - 68.7	28	56.0	55.4 - 56.6	68	64.3	63.4 - 65.2	28	60.5	60.1 - 60.9	124
f. Hypertension/high blood pressure	75.0	74.1 - 75.8	28	61.0	60.4 - 61.6	69	71.5	70.7 - 72.4	28	66.4	66.0 - 66.8	125
g. Oral health condition (e.g., abscess, tooth decay)	75.0	74.1 - 75.8	28	70.8	70.2 - 71.3	69	82.2	81.5 - 83.0	28	74.2	73.8 - 74.6	125

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools in which any staff received professional development on each of the following topics during the past two years.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Basic sexual health overview including community-specific information about STI, HIV, and unplanned pregnancy rates and prevention strategies	79.3	78.6 - 80.1	29	65.8	65.2 - 66.4	67	65.5	64.6 - 66.4	29	68.8	68.4 - 69.2	125
b. Sexual health services that adolescents should receive	78.6	77.8 - 79.4	28	59.9	59.3 - 60.5	67	72.4	71.6 - 73.2	29	66.9	66.5 - 67.4	124
c. Laws and policies related to adolescent sexual health services, such as minor consent for sexual health services	75.0	74.2 - 75.8	28	57.1	56.5 - 57.7	67	75.9	75.1 - 76.7	29	65.4	65.0 - 65.8	124
d. Importance of maintaining student confidentiality for sexual health services	82.2	81.5 - 82.9	28	70.7	70.1 - 71.2	68	89.7	89.1 - 90.2	29	77.6	77.2 - 77.9	125
e. How to create or use a student referral guide for sexual health services	67.9	67.0 - 68.8	28	39.9	39.3 - 40.4	68	44.8	43.9 - 45.8	29	47.2	46.7 - 47.6	125
f. How to make successful referrals of students to sexual health services	67.9	67.0 - 68.8	28	42.8	42.2 - 43.4	68	48.3	47.3 - 49.2	29	49.6	49.1 - 50.0	125
g. Best practices for adolescent sexual health services provision, such as making services youth-friendly	78.6	77.9 - 79.4	28	46.5	45.9 - 47.1	67	62.1	61.2 - 63.0	29	57.2	56.8 - 57.6	124
h. Ensuring sexual health services are inclusive of lesbian, gay, bisexual, transgender, queer, and questioning (LGBTQ) students	82.2	81.5 - 82.9	28	59.8	59.2 - 60.4	67	72.4	71.6 - 73.3	29	67.7	67.3 - 68.1	124

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

45. Percentage of schools that provide the following mental health programs or services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	
a. Universal mental health promotion programs (e.g., Positive Behavioral Interventions and Supports, Social-Emotional Learning programs or supports)	93.3	92.8 - 93.7	30	96.9	96.7 - 97.1	68	100.0	†	29	96.8	96.6 - 96.9	127
b. Confidential mental health screening to identify students in need of services (e.g., students at risk of mental health disorders, students experiencing trauma)	83.3	82.6 - 84.0	30	88.4	88.0 - 88.8	68	82.8	82.0 - 83.4	29	86.0	85.7 - 86.3	127
c. School-wide trauma-informed practices (i.e., efforts to ensure that all students, including those affected by trauma, are experiencing social, emotional, and educational success)	90.0	89.4 - 90.5	30	94.4	94.1 - 94.6	68	93.1	92.6 - 93.6	29	93.1	92.8 - 93.3	127
d. Small, topic-focused counseling or therapeutic groups (e.g., cognitive behavioral therapy [CBT], pro-social skills, stress management)	90.0	89.5 - 90.6	30	86.4	86.0 - 86.9	67	86.2	85.6 - 86.9	29	87.2	86.9 - 87.5	126
e. Multitiered systems of support (MTSS) (i.e., providing comprehensive differentiated supports to support students' mental and behavioral health)	100.0	†	30	98.6	98.4 - 98.7	68	96.5	96.2 - 96.9	29	98.5	98.3 - 98.6	127

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

**2024 School Health Profiles Report
Weighted Principal Survey Results**

46. Percentage of schools with set opportunities for students to check in on their emotions and connect with their peers and teacher.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
100.0	†	29	98.5	98.3 - 98.6	69	100.0	†	29	99.2	99.1 - 99.2	127

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

47. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Provided parents with information to support parent-adolescent communication about sex	46.5	45.6 - 47.4	28	33.6	33.0 - 34.1	69	41.4	40.5 - 42.3	29	38.1	37.7 - 38.6	126
b. Provided parents with information to support parent-adolescent communication about mental and emotional health	85.6	84.9 - 86.3	28	75.3	74.8 - 75.8	69	72.4	71.6 - 73.2	29	76.9	76.5 - 77.3	126
c. Provided parents with information to support parent-adolescent communication about other topics (e.g., substance use)	89.3	88.7 - 89.8	28	70.1	69.6 - 70.7	69	75.9	75.1 - 76.7	29	75.6	75.2 - 76.0	126
d. Provided parents with information about how to monitor their teen (e.g., setting parental expectations, keeping track of their teen, responding when their teen breaks the rules)	49.9	49.0 - 50.9	28	53.7	53.1 - 54.3	69	62.0	61.1 - 62.9	29	54.8	54.3 - 55.2	126
e. Provided parents with information to support one-on-one time between adolescents and their health care providers	39.3	38.3 - 40.2	28	23.3	22.8 - 23.8	69	51.7	50.8 - 52.7	29	33.2	32.8 - 33.6	126
f. Provided parents with information about physical education and physical activity programs	78.5	77.7 - 79.3	28	66.7	66.1 - 67.3	69	75.9	75.1 - 76.7	29	71.4	71.0 - 71.8	126
g. Involved parents as school volunteers in physical education or physical activity programs	42.9	41.9 - 43.8	28	51.6	51.0 - 52.2	69	46.5	45.5 - 47.4	28	48.6	48.1 - 49.0	125
h. Linked parents and families to health services and programs in the community	89.3	88.7 - 89.8	28	82.9	82.5 - 83.4	69	89.6	89.1 - 90.2	29	85.8	85.5 - 86.1	126

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

47. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
i. Provided disease-specific education for parents and families of students with chronic health conditions (e.g., asthma, diabetes)	64.2	63.3 - 65.1	28	58.0	57.4 - 58.6	69	62.9	62.0 - 63.8	27	60.4	60.0 - 60.9	124
j. Provided parents with information about before- or after-school programs available in the community	92.9	92.4 - 93.4	28	87.1	86.7 - 87.5	69	86.2	85.6 - 86.9	29	88.2	87.9 - 88.4	126
k. Provided parents with access to information about relevant portions of school Emergency Operations Plans (EOPs) or similar plans (e.g., reunification plans, upcoming drills, emergency communication methods)	85.6	84.9 - 86.3	28	80.0	79.5 - 80.5	69	85.7	85.0 - 86.3	28	82.5	82.1 - 82.8	125

VERMONT

2024 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools that currently implement any of the following school-based positive youth development programs.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Service-learning programs, that is, community service designed to meet specific learning objectives	78.6	77.8 - 79.4	28	34.7	34.1 - 35.3	69	75.8	75.0 - 76.6	29	53.6	53.1 - 54.0	126
b. Mentoring programs, that is, programs in which family or community members serve as role models to students or mentor students	53.6	52.7 - 54.6	28	38.1	37.5 - 38.7	69	62.0	61.1 - 62.9	29	46.9	46.5 - 47.4	126

VERMONT

**2024 School Health Profiles Report
Weighted Principal Survey Results**

49. Percentage of schools that currently connect students to any of the following community-based positive youth development programs.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Service-learning programs, that is, community service designed to meet specific learning objectives	71.4	70.6 - 72.3	28	27.2	26.7 - 27.7	69	41.4	40.5 - 42.3	29	40.0	39.6 - 40.5	126
b. Mentoring programs, that is, programs in which family or community members serve as role models to students or mentor students	66.7	65.8 - 67.6	27	43.8	43.2 - 44.4	69	51.8	50.9 - 52.7	29	50.5	50.0 - 50.9	125

VERMONT

2024 Healthy Schools Composite Measures Weighted Principal Results

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N
School Nutrition Environment and Services												
NUT_COMP1: Percentage of schools that do not sell the following less healthy foods and beverages:	56.7	55.8 - 57.6	30	94.0	93.7 - 94.3	70	75.8	75.0 - 76.6	29	81.5	81.1 - 81.8	129
<ul style="list-style-type: none"> • soda pop or fruit drinks, • sports drinks, • baked goods, • salty snacks, • candy, • ice cream or frozen yogurt, and • energy drinks. 												

VERMONT

2024 Healthy Schools Composite Measures Weighted Principal Results

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N
School Nutrition Environment and Services												
NUT_COMP2: Percentage of schools that have a supportive nutrition environment including items related to	6.6	6.2 - 7.1	30	11.0	10.6 - 11.3	70	0.0	†	29	7.6	7.3 - 7.8	129
<ul style="list-style-type: none"> • school celebrations that support health, • competitive foods and beverages sold at school, • promoting healthy options in the cafeteria, • promoting farm to school strategies, • access to drinking water, • prohibiting the use of food as a reward, • prohibiting less nutritious foods and beverages from being sold for fundraising purposes, and • prohibiting advertisements. 												

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations.

VERMONT

2024 Healthy Schools Composite Measures Weighted Principal Results

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N
Management of Chronic Conditions												
CHC_COMP: Percentage of schools that have policies and practices that support students with chronic health conditions including items related to	46.4	45.4 - 47.3	28	43.2	42.6 - 43.8	68	50.0	49.1 - 50.9	28	45.4	45.0 - 45.9	124
<ul style="list-style-type: none"> • registered school nurses, • school-based health centers, • health services, • identifying and tracking students with chronic health conditions, • referrals, and • providing disease-specific education and support to parents and families. 												

VERMONT

2024 Healthy Schools Composite Measures Weighted Principal Results

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Conf.	N	Percent	95% Conf.	N	Percent	95% Conf.	N	Percent	95% Conf.	N
		Interval			Interval			Interval			Interval	
Physical Activity												
PA_COMP: Percentage of schools that have implemented a Comprehensive School Physical Activity Program (CSPAP) including items related to	28.6	27.7 - 29.4	28	25.7	25.2 - 26.2	66	22.3	21.5 - 23.1	27	25.6	25.2 - 26.0	121
<ul style="list-style-type: none"> • physical education, • physical activity during the school day (i.e., classroom physical activity and recess), • physical activity before or after the school day, • professional development for school staff, and • family and community engagement. 												