

The Vermont Department of Health would like to acknowledge the work and effort of all the schools, teachers and students who participate in the Youth Risk Behavior Survey each year.

#### THANK YOU! COLCHESTER SD SCHOOLS

High School COLCHESTER HIGH SCHOOL

Middle School COLCHESTER MIDDLE SCHOOL

Copies of the questionnaires, state-wide reports, data briefs, and additional sub-state reports are available online.

Visit the Vermont Department of Health YRBS website at:

https://www.HealthVermont.gov/yrbs

#### **Table of Contents**

About the YRBS	
Methodology	
Using the YRBS	
How Accurate are the Results?	4
Understanding and Interpreting the Results	6
High School Results	
Demographics	
Unintentional Injuries and Prevention	11
Violence and Bullying	14
Mental Health	17
Lifetime Substance Use	19
Current Substance Use	22
Other Substance Use Behaviors and Experiences	
Perceptions Around Substance Use	27
Sexual Health	3
Weight	
Physical Activity	35
Nutrition	36
Social Determinants of Health	
Protective Factors	
Middle School Results	
Demographics	
Unintentional Injuries and Prevention	
Violence and Bullying	
Mental Health	
Lifetime Substance Use	
Current Substance Use	
Perceptions Around Substance Use	
Sexual Health	
Physical Activity	
Nutrition	
Social Determinants of Health	
Protective Factors	63



#### About the YRBS

The Youth Risk Behavior Survey (YRBS) is a national school-based survey that monitors the health-risk behaviors that contribute to the leading causes of death and disability among youth and young adults. These include:

- Behaviors that contribute to unintentional injuries
- Violence
- Alcohol and other drug use
- Tobacco use
- Unhealthy dietary behaviors
- Inadequate physical activity
- Sexual health behaviors related to pregnancy and STDs

The YRBS also measures other high priority health-related behaviors and protective factors. These include:

- Prevalence of obesity
- Attitudes and perceptions related to substance use
- Food and housing insecurity
- Youth assets
- Academic achievement

#### About the YRBS

In Vermont, the Department of Health works with the Agency of Education and the Centers for Disease Control and Prevention (CDC) to administer the YRBS. It is typically conducted every two years during the spring semester. The YRBS was first administered in 1993 among students in grades 8 through 12. Since 2011, Vermont has conducted two separate surveys: a high school survey of students in grades 9 through 12, and a middle school survey of students in grades 6 through 8.

The middle school and high school surveys differ. The middle school survey is shorter and focuses more on lifetime behaviors and includes questions on fighting, bullying, suicidality, substance use, attitudes and perceptions about substance use, sexual activity, nutrition, physical activity, youth assets, and other factors related to health equity. The high school survey includes questions on these topics as well as more in-depth questions on current behaviors such as driving behaviors and self-reported height and weight.

Copies of the Vermont high school and middle school surveys as well as previous surveys can be found online at: https://www.HealthVermont.gov/yrbs



#### Methodology

The YRBS is a biennial school-based survey. In Vermont, students in all public schools and select independent schools across the state are invited to participate in the YRBS. Historically, this has always taken place in the Spring semester. However, due to the COVID-19 pandemic and remote learning, the 2021 survey was delayed and administered during the fall of 2021.

Survey procedures were designed to protect the privacy of students. The YRBS is confidential, anonymous, and optional for students. All students are read a standard set of directions and asked to complete the self-administered survey. Completion of the survey depends on a student's ability to read and complete the questionnaire independently or with the use of computer assisted technology (e.g., screen readers). Thus, students with very limited reading skills or significant intellectual or learning disabilities, may not be adequately represented in this data. Students can decline participation at any time or skip any questions they do not wish to answer. In addition, to protect students' anonymity, data is suppressed when less than 50 students respond to a question or less than 5 students answer a question in a particular way.

In 2019, Vermont began administering a web-based version of the YRBS. Students complete the YRBS online using a unique, random login code to access the survey online. No survey logic or skip patterns are used to ensure that all students complete the survey in approximately the same time frame, regardless of how they answer a question.

#### Using the YRBS

#### Engaging students, schools, and communities

The YRBS can detect changes in risk behaviors over time and identify differences among ages, grades, and genders. With these data, school and community organizations can focus prevention efforts and determine whether school policies and community programs are having the intended effect on student behaviors.

Think of the YRBS as a tool for starting discussions, for educating the community, for planning and evaluating programs, and for comparing Vermont students with other students nationwide.

**Start the Conversation:** Use the YRBS to begin a conversation with teens about the personal choices they make or about the health of their community. Ask them if the results accurately reflect what they see happening around them. How do they explain the results? From their perspective, what is or is not working? How would they promote healthy behaviors?

Increase Awareness: The YRBS provides an opportunity to break through "denial" and make community members aware of the risks that their young people face. It can also dispel myths and correct misinformation about the "average teenager." The YRBS can accentuate the positive and celebrate the fact that many students are abstaining from behaviors that endanger their health and their ability to succeed.

**Plan and Evaluate Programs:** The YRBS can serve as the basis of a community needs assessment. It can help identify strengths and weaknesses in communities and can inform strategies to address those weaknesses.



**Remember to Look at the Positive Side:** In most cases, the majority of adolescents are NOT engaging in risky behaviors. Although most of the charts examine the prevalence of risk behaviors, please do not forget about the percentage of adolescents who are NOT engaging in these behaviors.

Participate in Getting to 'Y': Getting to Y provides an opportunity for students to take a lead in bringing meaning to their own Youth Risk Behavior Survey data and taking steps to strengthen their school and community based on their findings. Schools and districts across the state form teams to analyze local level data, identify areas of strength and concern, and create a preliminary action plan. Through the Getting to 'Y' program, students attend a training day where they learn tools and strategies to examine data, explore root causes, and create next action steps. In addition, teams plan and host a community dialogue event to share their executive summary with the school and community.

For more information on upcoming Getting to Y trainings, newsletters, and resources visit Getting to Y at <a href="http://www.upforlearning.org/initiatives/getting-to-y">http://www.upforlearning.org/initiatives/getting-to-y</a>

#### How Accurate are the Results?

Research indicates data of this nature may be gathered as credibly from adolescents as from adults. The anonymous survey design and survey environment encourages students to be honest and forthright.

Numerous precautions are taken to ensure the reliability and validity of the results. The CDC runs over 100 consistency checks on the data to exclude careless, invalid, or logically inconsistent answers. These internal reliability checks help identify the small percentage of students who falsify their answers.

The CDC also weights data, a mathematical procedure that makes data representative of the population from which it was drawn.

The results in this report are weighted by sex, grade, and race/ethnicity in order to compensate for absenteeism and incomplete surveys. The weighting allows the results to be fully representative of middle school students in grades 6 through 8 (middle school survey) and high school students grades 9 through 12 (high school survey). Weighting permits us to draw inferences about the school-based student population in Vermont.

More information on survey reliability including "Do students tell the truth" is available on the Vermont Department of Health YRBS webpage at: https://www.HealthVermont.gov/yrbs



#### Understanding and Interpreting the Results

#### Statistical Differences

Throughout this report, statistically significant differences are noted. Statistical significance is calculated by comparing the 95% confidence intervals of two or more values. If the confidence intervals overlap, the percentages are not different. In other words, the two groups are not statistically different from one another. If the confidence intervals do not overlap, there is a statistical difference between the two groups.

A 95% confidence interval is a range of values and can vary due to the size of a particular population or how consistently students responded to an item. Sometimes, when comparing the responses of two or more groups, the overall percent may look very different, but the two numbers are not statistically different. Other times, the two values may be very close but differ statistically.

While this report notes statistical differences, we encourage you to consider meaningful differences: does the disparity merit a targeted intervention, show a real change in health, or otherwise mean something important to the community (statistics aside).

#### **Data Suppression**

For some questions, not enough students respond to be able to report an estimate. In those instances, a dot (.) indicating "too few students" is noted in the table. Reportable estimates include a numerator of at least 5 students and denominator of 50 or more students.

#### **Subgroup Comparisons**

Some subgroups have a higher prevalence of many health-risk behaviors that might place them at risk for unnecessary or premature mortality, morbidity and social problems.

To draw as many statistically meaningful comparisons among groups as possible, some populations have been grouped together. When included, all American Indian/Alaska Native, Asian, Black or African American, Native Hawaiian/Other Pacific Islander, or Hispanic /Latino students were grouped into a "BIPOC" category to compare to white, non-Hispanic students. Similarly, all lesbian, gay, bisexual, or other non-heterosexual sexual orientation and transgender students were grouped into a "LGBTQ+" category to compare to heterosexual/cisgender students.



#### **Key Terms and Statistical Differences**

Each table includes the overall statewide and supervisory union prevalence rates (%). Prevalence rates by subpopulations are included at the local level. Overall statistical comparisons between the statewide and supervisory union rates as well as statistical differences within a supervisory union by subpopulations are indicated within each table. These are noted using the following key terms and statistical differences:

VT All students in Vermont

SU All students in COLCHESTER SD

M Male students

F Female students

WnH White, non-Hispanic students

**BIPOC** American Indian/Alaska Native, Asian, Black or African American, Native Hawaiian/Other Pacific Islander, or Hispanic /Latino students

Het/Cis Heterosexual and cisgender students

**LGBTQ+** Transgender, lesbian, gay, bisexual, other sexual orientation, and questioning or unsure if they are transgender students

IEP Currently have an IEP or 504 Plan

**noIEP** Do not have an IEP or 504 Plan

- . Too few students to report
- Significant difference between groups
- # Significantly increases/decreases with each grade level
- + Older (11th/12th grade) students are significantly different from younger (9th/10th grade) students



### 2023 VERMONT YOUTH RISK BEHAVIOR SURVEY REPORT

HIGH SCHOOL RESULTS



### Demographics

COLCHESTER SD	N
Overall	490

Sex	N	%
Male	229	48
Female	258	52

Year in School	N	%
9th grade	159	26
10th grade	135	25
11th grade	101	21
12th grade	92	28

Note: Students are not required to answer questions on the YRBS. Therefore, totals by specific demographics may not equal the overall total. N = Unweighted number of students; % = Weighted percent



### Demographics

Sexual Orientation / Gender Identity	N	%
LGBTQ+	121	26
Heterosexual/Cisgender	358	74

Race / Ethnicity	N	%	
BIPOC	92	19	
White, non-Hispanic	395	81	

IEP Status	N	%
Currently have an IEP or 504 Plan	88	21
No IEP or 504 Plan	345	79

Note: Students are not required to answer questions on the YRBS. Therefore, totals by specific demographics may not equal the overall total. N = Unweighted number of students; % = Weighted percent



### Inintentional Injuries and Prevention

	VT	SU/SD	F	M	9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th	LGBTQ	HetCis	BIPOC	WnH	IEP	nolEP
Rarely or never wore a helmet when they rode a bicycle or skateboard or rollerbladed, among those who rode a bicycle or skateboard or rollerbladed, past year	42	36 *	35	38	32	34	35	45	39	36	38	36	39	34
Had a concussion from playing a sport or being physically active, past year	18	19	17	22	18	19	21	18	12	22 *	16	20	20	19

	VT	SU/SD		F	M		9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th	LGBTQ	HetCis	ВІРОС	WnH		IEP	nolEP	
Had at least one sunburn, past year	72	75		80	69	*	73	79	75	70	74	75	49	78	*	73	75	
Most of the time or always wear sunscreen when outside for at least one hour	32	37	*	46	27	*	36	39	43	31	40	37	27	38	*	30	39	*

<sup>+ =</sup> Older students significantly different



<sup>. =</sup> Too few students to report; from younger students

<sup>\* =</sup> Statistical differences between groups;

<sup># =</sup> Significantly increases/decreases with each grade level;

### Inintentional Injuries and Prevention

	VT	SU/SD		F	M	9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th		LGBTQ	HetCis	ВІРОС	WnH	IEP	nolEP
Were asked by a doctor, dentist, or nurse if they smoked, among those who saw a provider in the past year	49	41	*	40	43	30	44	45	46	+	41	41	40	42	43	40

	VT	SU/SD		F	M	9	th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th		LGBTQ	HetCis	ВІРОС	WnH	IEP	nolEP
Texted or e-mailed while driving a car or other vehicle, among students who drive, past 30 days	38	46	*	47	45			27	58	66	+	38	48		46		47
Drove a car or other vehicle when they had been drinking alcohol, among students who drive, past 30 days	7	7		5	9					12		7	6		6		7
Drove a car or other vehicle when they had been using marijuana, among students who drive, past 30 days	12	14		10	18 *			8	18	19	+	18	12		14		10

<sup>+ =</sup> Older students significantly different



<sup>. =</sup> Too few students to report; from younger students

<sup>\* =</sup> Statistical differences between groups;

<sup># =</sup> Significantly increases/decreases with each grade level;

### **Jnintentional Injuries and Prevention**

	VT	SU/SD	F	M	9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th		LGBTQ	HetCis	BIPOC	WnH	IEP	nolEP	
Rode with a driver who had been drinking alcohol, past 30 days	19	17	17	16	16	20	10	20		18	16	12	17	10	18	*
Rode in a car or other vehicle driven by someone who had been using marijuana, past 30 days	22	23	24	23	15	23	25	30	+	24	23	18	24	27	21	

<sup>+ =</sup> Older students significantly different



<sup>. =</sup> Too few students to report; from younger students

<sup>\* =</sup> Statistical differences between groups;

<sup># =</sup> Significantly increases/decreases with each grade level;

### iolence and Bullying

	VT	SU/SD		F	M		9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th		LGBTQ	HetCis	BIPOC	WnH	IEP	nolEP	
Were in a physical fight, past year	16	12	*	9	17	*	15	12	12	9		15	12	20	11 *	17	11	
Were threatened or injured with a weapon on school property, past year	9	10		10	10		13	6	12	7		15	8 *	11	10	14	8	*
Carried a weapon on school property, past 30 days	5	3	*	3	4					5	+	5	3		4	6	2	*

	VT	SU/SD		F	M		9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th		LGBTQ	HetCis		BIPOC	WnH	IEP	nolEP	
Were bullied, past 30 days	21	18	*	24	10	*	25	18	17	11	+	27	14	*	13	19	22	16	
Bullied someone else, past 30 days	13	10	*	10	10		11	11	11	5		12	9		9	10	12	7	
Were electronically bullied, past year	18	18		24	12	*	21	20	19	13		29	15	*	18	19	25	16	*

<sup>+ =</sup> Older students significantly different



<sup>. =</sup> Too few students to report; from younger students

<sup>\* =</sup> Statistical differences between groups;

<sup># =</sup> Significantly increases/decreases with each grade level;

### iolence and Bullying

	VT	SU/SD		F	M		9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th		LGBTQ	HetCis	ВІРОС	WnH		IEP	nolEP	
Did not go to school because they felt unsafe at school or on their way to or from school, past 30 days	10	10		13	6	*	12	10	9	8		16	7 *	15	9	*	14	9	
Ever saw someone get physically attacked, beaten, stabbed, or shot in their neighborhood	17	12	*	9	14	*	14	14	6	11	+	13	11	19	11	*	18	10	*

<sup>+ =</sup> Older students significantly different



<sup>. =</sup> Too few students to report; from younger students

<sup>\* =</sup> Statistical differences between groups;

<sup># =</sup> Significantly increases/decreases with each grade level;

### iolence and Bullying

	VT	SU/SD	F	M		9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th		LGBTQ	HetCis	ВІРОС	WnH	IEP	nolEP
Report someone has ever done sexual things to them that they did not want	23	21	32	9	*	19	22	27	17		38	15 *	19	22	24	17
Reported someone they were dating or going out with did sexual things that they did not want, among students who dated or went out with someone, past year	14	12	20	4	*	19	13	10	7	+	21	9 *	15	12	13	9
Experienced physical dating violence, among students who dated or went out with someone, past year	9	9	11	7		9	10	11			17	6 *	12	9	15	6 '

<sup>+ =</sup> Older students significantly different



<sup>. =</sup> Too few students to report; from younger students

<sup>\* =</sup> Statistical differences between groups; # =

<sup># =</sup> Significantly increases/decreases with each grade level;

#### **Jental Health**

	VT	SU/SD	F	M		9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th	LGBTQ	HetCis	BIPOC	WnH	IEP	nolEP	
Reported that their mental health was most of the time or always not good, past 30 days	34	35	48	19	*	35	38	35	29	61	25	30	35	50	30	*
Most of the time or always bothered by feeling nervous, anxious, or on edge, past year	36	38	55	19	*	35	41	40	36	63	29	29	39 *	56	31	*
Felt sad or hopeless, past year	29	30	38	21	*	31	35	31	21 +	53	22	26	30	43	26	*

	VT	SU/SD	F	M		9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th		LGBTQ	HetCis		ВІРОС	WnH	IEP	nolEP	
Purposely hurt themselves without wanting to die, past year	23	21	29	13	*	20	27	23	16		44	14	*	17	22	32	18	*
Made a plan about how they would attempt suicide, past year	14	12	15	9	*	12	16	10	9		29	7	*	12	12	19	10	*
Attempted suicide, past year	7	6	8	3	*	9	7	5		+	15	3	*	8	5	9	5	

<sup>+ =</sup> Older students significantly different



<sup>. =</sup> Too few students to report; from younger students

<sup>\* =</sup> Statistical differences between groups;

<sup># =</sup> Significantly increases/decreases with each grade level;

#### Jental Health

	VT	SU/SD	F	M	9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th	LGBTQ	HetCis	ВІРОС	WnH	IEP	nolEP	
Most of the time or always get the kind of help they need, among those who felt sad, angry, hopeless, or anxious	31	28	27	29	29	29	19	36	16	33 *	24	29	35	26	*
Would most likely talk to a teacher, counselor or other adult in their school or an adult outside of school who is not a family member about their feelings, among students who felt sad, angry, or anxious		7	8	4	5	9		9	7	6		7	13	5	*

<sup>+ =</sup> Older students significantly different



<sup>. =</sup> Too few students to report; from younger students

<sup>\* =</sup> Statistical differences between groups;

<sup># =</sup> Significantly increases/decreases with each grade level;

#### ifetime Substance Use

	VT	SU/SD	F	M	9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th		LGBTQ	HetCis	BIPOC	WnH	IEP	nolEP
Ever drank alcohol	49	52	55	48	39	55	48	66	+	55	52	39	54 *	47	52
Ever smoked a cigarette	18	16	15	17	8	16	17	22	+	21	14 *	15	16	22	13 *
Ever tried an electronic vapor product	32	36 *	37	34	18	39	45	42	+	39	36	30	37	40	33
Ever tried marijuana	35	37	36	39	19	37	43	51	+	45	35 *	29	39 *	40	35

<sup>+ =</sup> Older students significantly different



<sup>. =</sup> Too few students to report; from younger students

<sup>\* =</sup> Statistical differences between groups;

<sup># =</sup> Significantly increases/decreases with each grade level;

#### ifetime Substance Use

	VT	SU/SD		F	M	9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th	LGBTQ	HetCis	ВІРОС	WnH	IEP	nolEP	
Had their first drink of alcohol before age 13 years	14	9	*	11	7	10	9	9	7	16	7 *	14	8	13	7	*
Smoked a cigarette before age 13 years	7	5		5	6	6	4	6		7	5	7	5	8	4	*
First tried an electronic vapor product before age 13	7	7		8	6	6	8	11		10	6	6	7	10	6	
Tried marijuana for the first time before age 13 years	6	4	*	3	4	4	4			4	4	5	4	7	3	*

<sup>+ =</sup> Older students significantly different



<sup>. =</sup> Too few students to report; from younger students

<sup>\* =</sup> Statistical differences between groups;

<sup># =</sup> Significantly increases/decreases with each grade level;

#### ∟ifetime Substance Use

	VT	SU/SD		F	M	9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th		LGBTQ	HetCis	BIPOC	WnH		IEP	nolEP	
Ever misused a prescription pain medicine	9	8		8	7	11	11		•	+	14	6 *	14	7	*	12	6	*
Ever used cocaine	3	2	*								4			1		4		
Ever used inhalants	7	8		8	7	6	10	10			10	6	9	8		11	7	
Ever used heroin	2	1																
Ever used methamphetamines	2	1	*															

<sup>+ =</sup> Older students significantly different



<sup>. =</sup> Too few students to report; from younger students

<sup>\* =</sup> Statistical differences between groups;

<sup># =</sup> Significantly increases/decreases with each grade level;

#### Current Substance Use

	VT	SU/SD	F	M	9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th	LGBTQ	HetCis	BIPOC	WnH		IEP	nolEP
Currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products	18	20	19	21	10	26	20	23	24	19	19	20		23	19
Currently smoked cigarettes	6	5	3	6		4		8	8	4 *	9	4	*	10	3 *
Currently used an electronic vapor product	16	17	18	17	7	25	18	18	19	17	12	18	*	19	16
Currently used smokeless tobacco	3	3		6	3					3		3			3
Currently smoked cigars	4	5		8				8 +	5	4		5		7	4

<sup>+ =</sup> Older students significantly different



<sup>. =</sup> Too few students to report; from younger students

<sup>\* =</sup> Statistical differences between groups;

<sup># =</sup> Significantly increases/decreases with each grade level;

#### urrent Substance Use

	VT	SU/SD		F	M	9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th		LGBTQ	HetCis	BIPOC	WnH		IEP	nolEP
Currently drank alcohol	27	32	*	33	30	15	35	31	45	+	29	33	22	33	*	28	32
Binge drank, past 30 days	13	14		15	14	5	16	16	20	+	13	15	7	15	*	11	15
Currently used marijuana	22	24		23	25	8	24	33	31	+	30	22 *	22	24		30	22
Misused any prescription medication, past 30 days	5	4		4	4	6	5				8	3 *	7	4		4	4

<sup>+ =</sup> Older students significantly different



<sup>. =</sup> Too few students to report; from younger students

<sup>\* =</sup> Statistical differences between groups;

<sup># =</sup> Significantly increases/decreases with each grade level;

#### Current Substance Use

	VT	SU/SD	F	M	9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th	LGBTQ	HetCis	BIPOC	WnH	IEP	nolEP
Usually got electronic vapor products by buying them themselves in a convenience store, supermarket, discount store, or gas station, among students who used EVP, past 30 days	4	9 *						·		·	·	9		
Primarily used EVP because they were curious about them, among students who used EVP, past 30 days	25	24	27	19			•	٠	-	25		24		26
Primarily used EVP because friends or family used them, among students who used EVP, past 30 days	19	19	21	17				·		19		18		16

<sup>+ =</sup> Older students significantly different



<sup>. =</sup> Too few students to report; from younger students

<sup>\* =</sup> Statistical differences between groups;

<sup># =</sup> Significantly increases/decreases with each grade level;

#### Current Substance Use

	VT	SU/SD		F	M	9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th	LGBTQ	HetCis	ВІРОС	WnH	IEP	noIEP
Used an electronic vapor product to vape marijuana, among students who used marijuana, past 30 days	65	70									69		69		69
Usually used marijuana by smoking it in a joint, bong, pipe, or blunt, among students who used marijuana, past 30 days	67	57	*								53		56		52
Usually obtained marijuana they used by buying it from a store or dispensary, among students who used marijuana, past 30 days	3										·				
Usually used marijuana by vaping it, among students who used marijuana, past 30 days	15	20	*						·		23		21		23

<sup>+ =</sup> Older students significantly different



<sup>. =</sup> Too few students to report; from younger students

<sup>\* =</sup> Statistical differences between groups;

<sup># =</sup> Significantly increases/decreases with each grade level;

#### Other Substance Use Behaviors and Experiences

	VT	SU/SD	F	M	9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th	LGBTQ	HetCis	BIPOC	WnH	IEP	nolEP	
Attended school under the influence of alcohol or other illegal drugs, past year	12	11	10	11	4	15	14	10	17	8 *	13	10	15	9	*
Tried to quit using all tobacco products, past year	12	10	9	11	7	10	13	10	15	9 *	12	10	15	9	*
Ever lived with a parent or guardian who was having a problem with alcohol or drug use	27	26	28	23	27	29	21	26	36	23 *	23	26	30	25	

<sup>+ =</sup> Older students significantly different



<sup>. =</sup> Too few students to report; from younger students

<sup>\* =</sup> Statistical differences between groups;

<sup># =</sup> Significantly increases/decreases with each grade level;

### erceptions Around Substance Use

	VT	SU/SD	F	-	M	9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th		LGBTQ	HetCis	BIPOC	WnH		IEP	nolEP
Say if they wanted to get electronic vapor products, it would be sort of easy or very easy for them to get some	60	64	* 5	7	73 *	52	61	73	72	+	64	66	48	66	*	57	66
Say if they wanted to get alcohol, it would be sort of easy or very easy for them to get some	66	67	6	6	69	65	62	76	67	+	65	68	55	69	*	51	71 ,
Say if they wanted to get marijuana, it would be sort of easy or very easy for them to get some	58	55	4	7	63 *	36	50	67	67	+	57	55	45	56	*	49	56

<sup>+ =</sup> Older students significantly different



<sup>. =</sup> Too few students to report; from younger students

<sup>\* =</sup> Statistical differences between groups;

<sup># =</sup> Significantly increases/decreases with each grade level;

### Perceptions Around Substance Use

	VT	SU/SD	F	M	9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th		LGBTQ	HetCis	ВІРОС	WnH		IEP	nolEP
Think it is wrong or very wrong for someone their age to use electronic vapor products	70	66	67	66	79	69	58	59	+	64	67	77	65	*	67	67
Think it is wrong or very wrong for someone their age to drink alcohol	53	49	48	51	64	53	44	34	+	52	47	58	48	*	55	47
Think it is wrong or very wrong for someone their age to use marijuana	55	55	60	51 *	76	57	48	41	+	46	58 *	60	55		47	58 *

<sup>+ =</sup> Older students significantly different



<sup>. =</sup> Too few students to report; from younger students

<sup>\* =</sup> Statistical differences between groups;

<sup># =</sup> Significantly increases/decreases with each grade level;

### Perceptions Around Substance Use

	VT	SU/SD	F	M		9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th		LGBTQ	HetCis	BIPOC	WnH	IEP	nolEP
Responded that their parents or guardians feel it would be wrong or very wrong for them to use electronic vapor products	89	88	92	84	*	92	87	90	82		90	87	91	88	84	89
Responded that their parents or guardians feel it would be wrong or very wrong for them to drink alcohol	67	66	73	59	*	77	70	66	51	+	77	62 *	81	64 *	70	66
Responded that their parents or guardians feel it would be wrong or very wrong for them to use marijuana	75	76	81	70	*	87	78	73	67	+	76	77	80	76	72	77

<sup>+ =</sup> Older students significantly different



<sup>. =</sup> Too few students to report; from younger students

<sup>\* =</sup> Statistical differences between groups;

<sup># =</sup> Significantly increases/decreases with each grade level;

### Perceptions Around Substance Use

	VT	SU/SD	F	M	9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th	LGBTQ	HetCis	ВІРОС	WnH	IEP	noIEP
Think people greatly risk harming themselves, physically or in other ways, if they use electronic vapor product regularly	42	41	42	40	41	44	39	40	36	43	42	40	37	42
Think people greatly risk harming themselves, physically or in other ways, if they have five or more drinks of alcohol once or twice each weekend	35	33	35	30	33	32	33	31	38	30	47	31	* 34	32
Think people greatly risk harming themselves, physically or in other ways, if they use marijuana regularly	24	24	26	22	30	23	22	20	17	26 *	34	23	19	25

<sup>+ =</sup> Older students significantly different



<sup>. =</sup> Too few students to report; from younger students

<sup>\* =</sup> Statistical differences between groups;

<sup># =</sup> Significantly increases/decreases with each grade level;

#### Sexual Health

	VT	SU/SD		F	M		9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th		LGBTQ	HetCis	BIPOC	WnH	IEP	nolEP	
Were ever tested for human immunodeficiency virus (HIV)	8	5	*	6	4		5	6		7		5	5	6	5	10	4	*
Were tested for a sexually transmitted disease (STD), past year	8	7	-	10	4	*		5	9	10	+	10	6		7	10	6	

	VT	SU/SD	F	M	9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th		LGBTQ	HetCis	ВІРОС	WnH	IEP	nolEP	
Ever had sexual intercourse	37	39	40	38	20	37	47	54	+	47	37 *	33	40	39	38	
Had sexual intercourse with four or more persons during their life	8	8	9	7		5	14	10	+	7	8	9	8	13	5	*

<sup>+ =</sup> Older students significantly different



<sup>. =</sup> Too few students to report; from younger students

<sup>\* =</sup> Statistical differences between groups;

<sup># =</sup> Significantly increases/decreases with each grade level;

#### Sexual Health

	VT	SU/SD	F	M	9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th		LGBTQ	HetCis	вірос	WnH	IEP	nolEP
Were currently sexually active, past 3 month	28	31	33	29	15	28	37	43	+	33	30	17	33	35	29

	VT	SU/SD	F	M	9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th	LGBTQ	HetCis	вірос	WnH	IEP	nolEP
Drank alcohol or used drugs before last sexual intercourse, among students who were currently sexually active	20	24	20	29						24		22		20
Used a condom during last sexual intercourse, among students who were currently sexually active	49	54	50	58						63		54		57

<sup>+ =</sup> Older students significantly different



<sup>. =</sup> Too few students to report; from younger students

<sup>\* =</sup> Statistical differences between groups;

<sup># =</sup> Significantly increases/decreases with each grade level;

#### Sexual Health

	VT	SU/SD		F	M	9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th	LGBTQ	HetCis	BIPOC	WnH	IEP	nolEP
Used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse with an opposite-sex partner, among students who were currently sexually active	18	24	*	27	21	·					20	·	24	·	22
Used birth control pills; an IUD or implant; or a shot, patch, or birth control ring before last sexual intercourse with an opposite-sex partner, among students who were currently sexually active	52	67	*	74	59 *	·	·				66		67		71
Did not use any method to prevent pregnancy during last sexual intercourse with an opposite-sex partner, among students who were currently sexually active	7	·			·			·	·		·			·	

<sup>+ =</sup> Older students significantly different



<sup>. =</sup> Too few students to report; from younger students

<sup>\* =</sup> Statistical differences between groups;

<sup># =</sup> Significantly increases/decreases with each grade level;

### Weight

	VT	SU/SD	F	M	9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th		LGBTQ	HetCis	BIPOC	WnH	IEP	nolEP
Are overweight	14	16	15	16	17	17	13	15		24	13 *	20	15	14	16
Are obese	14	12	8	15 *	9	9	15	13	+	12	11	7	12	17	11

	VT	SU/SD		F	M		9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th		LGBTQ	HetCis		ВІРОС	WnH	IEP	nolEP
Described themselves as slightly or very overweight	29	26		27	25		26	24	31	23		39	22	*	29	26	29	26
Were trying to lose weight	39	43	*	54	31	*	44	47	49	30		52	40	*	36	44	38	44
Tried to lose weight or keep from gaining weight by going without eating for 24 hours or more, taking any diet pills, powders, or liquids, vomiting or taking laxatives, smoking cigarettes, or skipping meals	22	23		35	10	*	27	28	25	12	+	34	20	*	19	24	29	21

<sup>+ =</sup> Older students significantly different



<sup>. =</sup> Too few students to report; from younger students

<sup>\* =</sup> Statistical differences between groups;

<sup># =</sup> Significantly increases/decreases with each grade level;

### Physical Activity

	VT	SU/SD	F	M	9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th	LGBTQ	HetCis	BIPOC	WnH	IEP	noIEP	
Did not participate in at least 60 minutes of physical activity on at least 1 day, past week	13	13	15	10	8	15	15	14	25	8 *	12	13	17	11	*
Were physically active at least 60 minutes per day on 5 or more days, past week	52	55	44	66 *	56	54	52	57	33	62 *	48	55	46	58	*
Were physically active at least 60 minutes per day on all 7 days, past week	28	30	18	43 *	31	23	30	36	13	36 *	23	30	22	32	*

<sup>+ =</sup> Older students significantly different



<sup>. =</sup> Too few students to report; from younger students

<sup>\* =</sup> Statistical differences between groups;

<sup># =</sup> Significantly increases/decreases with each grade level;

#### Nutrition

	VT	SU/SD		F	М		9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th	LGBTQ	HetCis	BIPOC	WnH	IEP	nolEP
Did not eat breakfast, past week	14	17	*	20	13	*	13	21	20	12	27	13 *	12	17	22	15
Ate breakfast on 5 or more days, past week	49	48		43	54	*	48	45	45	53	35	52 *	44	48	43	50
Ate breakfast on all 7 days, past week	32	31		24	38	*	32	23	31	38	18	35 *	28	31	29	32

<sup>+ =</sup> Older students significantly different



<sup>. =</sup> Too few students to report; from younger students

<sup>\* =</sup> Statistical differences between groups;

<sup># =</sup> Significantly increases/decreases with each grade level;

#### Nutrition

	VT	SU/SD		F	M		9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th		LGBTQ	HetCis		BIPOC	WnH		IEP	nolEP
Ate 5+ fruits/vegetables every day, past week	19	15	*	12	18	*	17	15	12	17		9	17	*	21	14	*	13	16
Did not eat vegetables, past week	6	6		5	7		8	4	6	6		8	5			7		8	5
Ate vegetables one or more times per day, past week	69	64	*	60	68	*	63	56	66	70	+	62	64		72	62	*	68	63
Ate vegetables two or more times per day, past week	34	29	*	25	35	*	34	26	24	33		27	30		34	29		25	30
Ate vegetables three or more times per day, past week	17	13	*	11	16		12	18	8	14		11	14		19	13		13	13
Did not eat fruit or drink 100% fruit juices, past week	7	6		4	9	*	6	7	6	6		4	6			6		11	5
Ate fruit or drank 100% fruit juices one or more times per day, past week	58	54	*	50	59	*	63	47	49	57		48	57	*	63	53	*	50	55
Ate fruit or drank 100% fruit juices two or more times per day, past week	27	23	*	20	26		27	20	19	27		16	25	*	30	22	*	19	24

<sup>+ =</sup> Older students significantly different



<sup>. =</sup> Too few students to report; from younger students

<sup>\* =</sup> Statistical differences between groups;

<sup># =</sup> Significantly increases/decreases with each grade level;

#### Social Determinants of Health

	VT	SU/SD		F	M	9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th	LGBTQ	HetCis	BIPOC	WnH	IEP	noIEP
Most of the time or always went hungry because there was not enough food in their home, past 30 days	2							•							
Experienced unstable housing, past 30 days	4	2	*		3						2		2		2
Think their family subjective social status is worse than other families	3	2	*		2	4	•	r			2		1		

	VT	SU/SD	F	M	9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th	LGBTQ	HetCis		BIPOC	WnH	IEP	nolEP	
Have a disability or long-term health problem that keeps them from doing everyday activities	7	7	9	5	5	7	7	10	15	4	*	9	7	18	4	*
Currently receive Special Education services through an Individualized Education Plan (IEP) or 504 plan	18	21 *	20	23	12	25	21	26	31	18	*	17	22	100		

<sup>+ =</sup> Older students significantly different



<sup>. =</sup> Too few students to report; from younger students

<sup>\* =</sup> Statistical differences between groups;

<sup># =</sup> Significantly increases/decreases with each grade level;

	VT	SU/SD	F	M	9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th		LGBTQ	HetCis	BIPOC	WnH	IEP	noIEP
Ate dinner at home with at least one parent or other adult family member on four or more days during the previous week	72	72	73	71	80	76	67	64	+	63	75 *	77	71	68	73

<sup>+ =</sup> Older students significantly different



<sup>. =</sup> Too few students to report; from younger students

<sup>\* =</sup> Statistical differences between groups;

<sup># =</sup> Significantly increases/decreases with each grade level;

	VT	SU/SD		F	M		9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th		LGBTQ	HetCis	ВІРОС	WnH	IEP	nolEP	
Strongly agree or agree that their school has clear rules and consequences for behavior	48	62	*	59	67	*	65	65	57	63		53	66 *	64	62	52	65	*
Felt that they were ever treated badly or unfairly in school because of their race or ethnicity	21	19		16	21		21	18	16	20		17	18	55	13 *	21	18	
Reported there is at least one teacher or other adult in their school that they can talk to if they have a problem	69	66		65	66		53	69	65	75	+	56	69 *	63	66	79	62	*
During an average school week, spend 10 or more hours participating in afterschool activities	24	25		21	30	*	28	24	23	27		19	28 *	28	25	13	29	*
Report they are most likely to attend a 4-year college or university, a community college, or technical school after high school	69	73	*	79	67	*	69	73	76	77		70	75	73	74	58	78	*

<sup>+ =</sup> Older students significantly different



<sup>. =</sup> Too few students to report; from younger students

<sup>\* =</sup> Statistical differences between groups;

<sup># =</sup> Significantly increases/decreases with each grade level;

	VT	SU/SD		F	M		9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th	LGBTQ	HetCis	вірос	WnH	IEP	nolEP	
Used social media several times a day	80	83	*	88	77	*	86	83	83	80	83	84	80	84	75	85	*

	VT	SU/SD	F	M	9th	<b>1</b> 0th	<b>11</b> th	<b>12</b> th	LGBTQ	HetCis	ВІ	POC	WnH		IEP	nolEP	
Strongly agree or agree that in their community they feel like they matter to people	54	55	54	57	55	58	52	56	35	62	*	43	57	*	46	58	*

<sup>+ =</sup> Older students significantly different



<sup>. =</sup> Too few students to report; from younger students

<sup>\* =</sup> Statistical differences between groups;

<sup># =</sup> Significantly increases/decreases with each grade level;

### 2023 VERMONT YOUTH RISK BEHAVIOR SURVEY REPORT

MIDDLE SCHOOL RESULTS



### Demographics

	N
Overall	422

Sex	N	%
Male	232	55
Female	185	45

Year in School	N	%
6th grade	126	30
7th grade	147	34
8th grade	148	35

Note: Students are not required to answer questions on the YRBS. Therefore, totals by specific demographics may not equal the overall total. N = Unweighted number of students; % = Weighted percent



### Demographics

Sexual Orientation / Gender Identity	N	%
LGBTQ+	98	25
Heterosexual/Cisgender	294	75

Race / Ethnicity	N	%
BIPOC	84	21
White, non-Hispanic	311	79

Note: Students are not required to answer questions on the YRBS. Therefore, totals by specific demographics may not equal the overall total. N = Unweighted number of students; % = Weighted percent



### **Jnintentional Injuries and Prevention**

	VT	SU/SD	F	M	6th	7th	8th	LGBTQ	HetCis	BIPOC	WnH
Rarely or never wore a bicycle helmet, among students who had ridden a bicycle	27	21 *	22	20	16	20	26	29	20 *	39	18 *
Rarely or never wore a helmet when rollerblading or skateboarding, among students who used rollerblades or rode a skateboard	30	27	30	24	15	33	33		25		23
Had a concussion from playing a sport or being physically active, past year	17	15 *	11	18 *	13	15	16	10	17 *	20	14 *

	VT	SU/SD	F	F	М	6th	7th	8th	LGBTQ	HetCis	BIPOC	WnH	
Had a sunburn, past year	62	62	69	9	56 *	61	60	66	63	64	34	68	*
Most of the time or always wear sunscreen	42	48 *	56	6	42 *	53	50	42	49	48	23	52	*



<sup>\* =</sup> Statistical differences between groups;

<sup># =</sup> Significantly increases/decreases with each grade level

### **Jnintentional Injuries and Prevention**

	VT	SU/SD	F	M	6th	7th	8th	LGBTQ	HetCis	BIPOC	WnH	
Were asked by a doctor, dentist, or nurse if they used a tobacco product among those who saw a provider during the past year	26	26	28	25	21	20	36	23	28	18	28	*

	VT	SU/SD		F	M		6th	7th	8th	LGBTQ	HetCis	BIPOC	WnH	
Do not always wear a seat belt	25	20	*	20	19		15	19	25	24	19 *	26	19	*
Ever rode with a driver who had been drinking alcohol	19	19		24	15 *	+	14	16	25	27	17 *	15	21	*
Ever rode with a driver who had been using marijuana	13	12		13	11		4	11	19 #	19	11 *	15	12	



<sup>\* =</sup> Statistical differences between groups;

### iolence and Bullying

	VT	SU/SD		F	M		6th	7th	8th	ı	LGBTQ	HetCis		BIPOC	WnH	
Were ever bullied on school property	47	42	*	48	36	*	28	43	54	#	55	40	*	38	43	
Were ever electronically bullied	30	33	*	43	26	*	25	34	41	#	43	31	*	29	35	*
Were bullied, past 30 days	27	21	*	23	19		18	25	21		34	17	*	22	21	
Bullied someone else, past 30 days	12	10	*	9	10		6	10	14		10	10		8	10	

	VT	SU/SD	ا	F	M	6th	7th	8th	LGBTQ	HetCis	BIPOC	WnH	
Were ever in a physical fight	40	40	2	24	51 *	39	35	44	39	41	53	37	*
Ever saw someone get physically attacked, beaten, stabbed, or shot in their neighborhood	15	13	* 1	14	12	12	7	19	15	12	18	12	*



### iolence and Bullying/

	VT	SU/SD	F	M		6th	7th	8th	LGBTQ	HetCis	BIPOC	WnH	
Report someone has ever done sexual things to them that they did not want	13	12	22	5	*	5	10	20	# 23	9 *	23	11	*

	VT	SU/SD	F	M	6th	7th	8th	LGBTQ	HetCis	BIPOC	WnH
Did not go to school because they felt unsafe at school or on their way to or from school, past 30 days	12	9 *	11	7 *	8	10	11	19	6 *	13	8



<sup>\* =</sup> Statistical differences between groups;

#### Mental Health

	VT	SU/SD	F	M	(	6th	7th	8th	LGBTQ	HetCis	BIPOC	WnH	
Reported that their mental health was most of the time or always not good during the past 30 days	25	22 *	33	13 *		14	23	27	38	17 *	17	23	*
Have ever done something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose	21	21	33	12 *		15	18	30	40	15 *	24	21	
Felt sad or hopeless, past year	24	22	34	13 *		18	21	27	44	15 *	25	22	

	VT	SU/SD	F	M		6th	7th	8th	LGBTQ	HetCis	BIPOC	WnH
Ever seriously thought about killing themselves	20	21	31	13	*	13	20	29 #	40	15 *	22	21
Ever made a plan about how they would kill themselves	15	15	22	10	*	10	17	18	34	11 *	15	16
Ever tried to kill themselves	7	7	12	3	*	4	5	11	17	4 *	7	7



#### Mental Health

	VT	SU/SD		F	M	6th	7th	8th	LGBTQ	HetCis	BIPOC	WnH	
Most of the time or always get the kind of help they need, among those who felt sad, angry, hopeless, or anxious	41	41		35	47 *	53	41	32 #	31	44 *	33	41	*
Would most likely to talk to a teacher, counselor or other adult in their school or an adult outside of school who is not a family member about their feelings, among those who felt sad, angry, hopeless, or anxious	5	3	*	5				8	8			4	



#### ifetime Substance Use

	VT	SU/SD		F	M		6th	7th	8th	LGBTQ	HetCis	BIPOC	WnH
Ever drank alcohol	19	18		22	15	*	8	16	29 #	26	16	21	18
Ever smoked a cigarette	7	5	*	6	5			4	10	9	5	÷ •	6
Ever tried an electronic vapor product	12	10		12	9			12	16	15	10	11	11
Ever tried a flavored tobacco product	6	4	*	5	3	*			7	10	2		4
Ever tried marijuana	8	7		8	6		•	9	10	11	6	7	7



<sup>\* =</sup> Statistical differences between groups;

#### ifetime Substance Use

	VT	SU/SD	F	М	6th	7th	8th	LGBTQ	HetCis	BI	POC '	WnH
Had their first drink of alcohol before age 11 years	9	10	13	1 9	7	9	14	16	9	*	10	11
Smoked a cigarette before age 11 years	3	3		3			3		3			3
Tried an electronic vapor product for the first time before age 11 years	3	3	5			3	4	7	2	*		4
First tried a flavored tobacco product before age 11	3	3	4				4	6	2	*		2
Tried marijuana for the first time before age 11 years	2	3	3	2			4	6	2	*		3

	VT	SU/SD		F	M	6tl	ı .	7th	8th	LGBTQ	HetCis		BIPOC	WnH	
Ever misused a prescription pain medicine	7	7		6	7	6		6	9	10	6	*	8	6	
Ever used inhalants	6	4	*	6	3 *	-		3	8	10	3	*	7	4	*



#### Current Substance Use

	VT	SU/SD		F	М	6th	7th	8th	LGBTQ	HetCis	BIPOC	WnH
Currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products	7	5	*	5	5		5	7	8	4 *		5
Currently smoked cigarettes	2									•		
Currently used an electronic vapor product	6	4	*	5	3	•	4	6	7	3 *		4
Currently used smokeless tobacco	1											
Currently smoked cigars	1											

	VT	SU/SD	F	M	6th	7th	8th	LGBTQ	HetCis	BIPOC	WnH
Currently drank alcohol	5	5	8	2 *			10	7	4		5
Currently used marijuana	4	4	5	4		7	5	6	4	6	4



#### Current Substance Use

	VT	SU/SD	F	M	6th	7th	8th	LGBTQ	HetCis	BIPOC	WnH
Usually used JUUL or other rechargeable device that uses pods, past 30 days, among students who used EVP	14										
Primary used EVP because they were curious about them, past 30 days, among students who used EVP	29										



<sup>\* =</sup> Statistical differences between groups;

<sup># =</sup> Significantly increases/decreases with each grade level

### Perceptions Around Substance Use

	VT	SU/SD	F	M		6th	7th	8th	LGBTQ	HetCis	BIPOC	WnH
Say if they wanted to get electronic vapor products, it would be sort of easy or very easy for them to get some	24	25	28	22	*	9	28	34	27	25	26	25
Say if they wanted to get alcohol, it would be sort of easy or very easy for them to get some	38	39	44	35	*	28	35	50 #	43	39	31	42 *
Say if they wanted to get marijuana, it would be sort of easy or very easy for them to get some	20	19	20	19		7	17	30 #	26	18 *	19	20

	VT	SU/SD	F	M	6th	7th	8th	LGBTQ	HetCis	BIPOC	WnH
Think it is wrong or very wrong for someone their age to use electronic vapor products	89	90	88	93 *	97	89	87	87	91 *	88	90



<sup>\* =</sup> Statistical differences between groups;

### Perceptions Around Substance Use

	VT	SU/SD	F	M	6th	7th	8th	LGBTQ	HetCis	ВІРОС	WnH
Believe that their parents or guardians feel it would be wrong or very wrong for them to use electronic vapor products	94	92 *					·		٠		
Believe that their parents or guardians feel it would be wrong or very wrong for them to drink alcohol	86	85	86	85	89	84	83	81	86 *	87	84
Believe that their parents or guardians feel it would be wrong or very wrong for them to use marijuana	92	92	94	91 *	95	87	95	90	93	90	92



### Perceptions Around Substance Use

	VT	SU/SD		F	M	6th	7th	8th	LGBTQ	HetCis	BIPOC	WnH	
Think people greatly risk harming themselves, physically or in other ways, if they use electronic vapor products regularly	51	55	*	56	53	56	57	51	52	55	42	57	*
Think people greatly risk harming themselves, physically or in other ways, if they have five or more drinks of alcohol once or twice each weekend	39	43	*	45	41	43	46	40	49	42 *	36	44	*
Think people greatly risk harming themselves, physically or in other ways, if they use marijuana regularly	45	49	*	50	47	56	51	42	45	50	46	48	



<sup>\* =</sup> Statistical differences between groups;

#### Sexual Health

	VT	SU/SD		F	M	6th	7th	8th	LGBTQ	HetCis	BIPOC	WnH
Ever had sexual intercourse	5	8	*	6	9		7	13	6	9 *	9	7
Used a condom during last sexual intercourse, among students who have ever had intercourse	51			-								



<sup>\* =</sup> Statistical differences between groups;

<sup># =</sup> Significantly increases/decreases with each grade level

### Physical Activity

	VT	SU/SD	F	M		6th	7th	8th	LGBTQ	HetCis	BIPOC	WnH	
Did not participate in at least 60 minutes of physical activity on at least 1 day, past week	10	11	12	11		10	16	9	14	9 *	17	11	*
Were physically active at least 60 minutes per day on 5 or more days, past week	59	54 *	50	58	*	49	56	57	28	64 *	54	55	
Were physically active at least 60 minutes per day on all 7 days, past week	34	32	23	39	*	25	37	33	14	38 *	37	31	*

	VT	SU/SD		F	M	6th	7th	8th	LGBTQ	HetCis	BIPOC	WnH	
Played on at least one sports team, past year	69	65	*	67	63	66	61	66	36	76 *	57	67	*



### Physical Activity

	VT	SU/SD		F	M		6th	7th	8th	LGBTQ	HetCis		ВІРОС	WnH	
Walk or ride their bike to school at least once a week when weather permits	23	18	*	15	20	*	16	16	22	10	21	*	10	19	*
Walk or ride their bike to school five days a week when weather permits	11	7	*	5	8	*	6	7	8	6	8			7	



<sup>\* =</sup> Statistical differences between groups;

<sup># =</sup> Significantly increases/decreases with each grade level

#### Nutrition

	VT	SU/SD		F	M		6th	7th	8th	LGBTQ	HetCis	BIPOC	WnH	
Did not eat breakfast, past week	12	9	*	11	7	*	7	10	9	11	8	20	7	*
Ate breakfast on 5 or more days, past week	60	57		51	63	*	67	61	45	48	60 *	50	58	*
Ate breakfast on all 7 days, past week	42	39		32	46	*	51	36	33	33	40 *	29	40	*



#### Social Determinants of Health

	VT	SU/SD	F	M	6th	7th	8th	LGBTQ	HetCis	BIPOC	WnH
Most of the time or always went hungry because there was not enough food in their home, past 30 days	2	2	2			3		5			2
Experienced unstable housing, past 30 days	2	2		2			•		2		2
People in their home most of the time or always speak a language other than English	7	8	8	8	8	6	9	7	8	31	3 *



	VT	SU/SD		F	M	6th	7th	8th	LGBTQ	HetCis	BIPOC	WnH	
Ate dinner at home with at least one of their parents or other adult family member on four or more days, past week	87	83	*	81	84	90	82	78	76	85 *	74	85	*

	VT	SU/SD	F	M	6th	7th	8th	LGBTQ	HetCis	BIPOC	WnH	
Ever felt that they were treated badly or unfairly in school because of their race or ethnicity	25	27	26	27	23	24	32	33	25 *	52	22	*
Have at least one teacher or other adult in their school that they can talk to if they have a problem	65	68	66	69	64	63	75	61	69 *	67	67	
Strongly agree or agree that their school has clear rules and consequences for behavior	56	64 *	53	74 *	68	67	59	61	66	67	64	
Spend 10 or more hours participating in afterschool activities during a typical school week	13	8 *	10	7 *	7	9	9	6	10 *	6	9	



<sup>\* =</sup> Statistical differences between groups;

	VT	SU/SD	F	M		6th	7th	8th	LGBTQ	HetCis	BIPOC	WnH
Do not use social media such as Instagram, TikTok, Snapchat, and Twitter	21	19	14	22	*	30	16	11	# 22	16 *	14	16
Use social media such as Instagram, TikTok, Snapchat, and Twitter several times a day	60	63 *	67	59	*	51	63	72	# 52	68 *	74	63 *

	VT	SU/SD	F	M	6th	7th	8th	LGBTQ	HetCis	BIPOC	WnH
Strongly agree or agree that in their community they feel like they matter to people	56	54	49	59 *	57	54	53	40	59 *	50	55



<sup>\* =</sup> Statistical differences between groups;

<sup># =</sup> Significantly increases/decreases with each grade level