

2023 VERMONT YOUTH RISK BEHAVIOR SURVEY

RUTLAND CITY SD

The Vermont Department of Health would like to acknowledge the work and effort of all the schools, teachers and students who participate in the Youth Risk Behavior Survey each year.

THANK YOU! RUTLAND CITY SD SCHOOLS

High School RUTLAND HIGH SCHOOL

Middle School RUTLAND MIDDLE SCHOOL

Copies of the questionnaires, state-wide reports, data briefs, and additional sub-state reports are available online.

Visit the Vermont Department of Health YRBS website at:
<https://www.HealthVermont.gov/yrbs>

Table of Contents

About the YRBS.....3
Methodology4
Using the YRBS.....4
How Accurate are the Results?.....5
Understanding and Interpreting the Results.....6
High School Results.....8
Demographics.....9
Unintentional Injuries and Prevention..... 10
Violence and Bullying..... 13
Mental Health..... 16
Lifetime Substance Use 18
Current Substance Use..... 21
Other Substance Use Behaviors and Experiences..... 25
Perceptions Around Substance Use 26
Sexual Health..... 30
Weight..... 33
Physical Activity..... 34
Nutrition..... 35
Social Determinants of Health 37
Protective Factors 38
Middle School Results..... 41
Demographics..... 42
Unintentional Injuries and Prevention..... 43
Violence and Bullying..... 45
Mental Health..... 47
Lifetime Substance Use 49
Current Substance Use..... 51
Perceptions Around Substance Use 53
Sexual Health..... 56
Physical Activity..... 57
Nutrition..... 59
Social Determinants of Health 60
Protective Factors 61

About the YRBS

The Youth Risk Behavior Survey (YRBS) is a national school-based survey that monitors the health-risk behaviors that contribute to the leading causes of death and disability among youth and young adults. These include:

- Behaviors that contribute to unintentional injuries
- Violence
- Alcohol and other drug use
- Tobacco use
- Unhealthy dietary behaviors
- Inadequate physical activity
- Sexual health behaviors related to pregnancy and STDs

The YRBS also measures other high priority health-related behaviors and protective factors. These include:

- Prevalence of obesity
- Attitudes and perceptions related to substance use
- Food and housing insecurity
- Youth assets
- Academic achievement

About the YRBS

In Vermont, the Department of Health works with the Agency of Education and the Centers for Disease Control and Prevention (CDC) to administer the YRBS. It is typically conducted every two years during the spring semester. The YRBS was first administered in 1993 among students in grades 8 through 12. Since 2011, Vermont has conducted two separate surveys: a high school survey of students in grades 9 through 12, and a middle school survey of students in grades 6 through 8.

The middle school and high school surveys differ. The middle school survey is shorter and focuses more on lifetime behaviors and includes questions on fighting, bullying, suicidality, substance use, attitudes and perceptions about substance use, sexual activity, nutrition, physical activity, youth assets, and other factors related to health equity. The high school survey includes questions on these topics as well as more in-depth questions on current behaviors such as driving behaviors and self-reported height and weight.

Copies of the Vermont high school and middle school surveys as well as previous surveys can be found online at: <https://www.HealthVermont.gov/yrbs>

Methodology

The YRBS is a biennial school-based survey. In Vermont, students in all public schools and select independent schools across the state are invited to participate in the YRBS. Historically, this has always taken place in the Spring semester. However, due to the COVID-19 pandemic and remote learning, the 2021 survey was delayed and administered during the fall of 2021.

Survey procedures were designed to protect the privacy of students. The YRBS is confidential, anonymous, and optional for students. All students are read a standard set of directions and asked to complete the self-administered survey. Completion of the survey depends on a student's ability to read and complete the questionnaire independently or with the use of computer assisted technology (e.g., screen readers). Thus, students with very limited reading skills or significant intellectual or learning disabilities, may not be adequately represented in this data. Students can decline participation at any time or skip any questions they do not wish to answer. In addition, to protect students' anonymity, data is suppressed when less than 50 students respond to a question or less than 5 students answer a question in a particular way.

In 2019, Vermont began administering a web-based version of the YRBS. Students complete the YRBS online using a unique, random login code to access the survey online. No survey logic or skip patterns are used to ensure that all students complete the survey in approximately the same time frame, regardless of how they answer a question.

Using the YRBS

Engaging students, schools, and communities

The YRBS can detect changes in risk behaviors over time and identify differences among ages, grades, and genders. With these data, school and community organizations can focus prevention efforts and determine whether school policies and community programs are having the intended effect on student behaviors.

Think of the YRBS as a tool for starting discussions, for educating the community, for planning and evaluating programs, and for comparing Vermont students with other students nationwide.

Start the Conversation: Use the YRBS to begin a conversation with teens about the personal choices they make or about the health of their community. Ask them if the results accurately reflect what they see happening around them. How do they explain the results? From their perspective, what is or is not working? How would they promote healthy behaviors?

Increase Awareness: The YRBS provides an opportunity to break through “denial” and make community members aware of the risks that their young people face. It can also dispel myths and correct misinformation about the “average teenager.” The YRBS can accentuate the positive and celebrate the fact that many students are abstaining from behaviors that endanger their health and their ability to succeed.

Plan and Evaluate Programs: The YRBS can serve as the basis of a community needs assessment. It can help identify strengths and weaknesses in communities and can inform strategies to address those weaknesses.

Remember to Look at the Positive Side: In most cases, the majority of adolescents are NOT engaging in risky behaviors. Although most of the charts examine the prevalence of risk behaviors, please do not forget about the percentage of adolescents who are NOT engaging in these behaviors.

Participate in Getting to 'Y': Getting to Y provides an opportunity for students to take a lead in bringing meaning to their own Youth Risk Behavior Survey data and taking steps to strengthen their school and community based on their findings. Schools and districts across the state form teams to analyze local level data, identify areas of strength and concern, and create a preliminary action plan. Through the Getting to 'Y' program, students attend a training day where they learn tools and strategies to examine data, explore root causes, and create next action steps. In addition, teams plan and host a community dialogue event to share their executive summary with the school and community.

For more information on upcoming Getting to Y trainings, newsletters, and resources visit Getting to Y at

<http://www.upforlearning.org/initiatives/getting-to-y>

How Accurate are the Results?

Research indicates data of this nature may be gathered as credibly from adolescents as from adults. The anonymous survey design and survey environment encourages students to be honest and forthright.

Numerous precautions are taken to ensure the reliability and validity of the results. The CDC runs over 100 consistency checks on the data to exclude careless, invalid, or logically inconsistent answers. These internal reliability checks help identify the small percentage of students who falsify their answers.

The CDC also weights data, a mathematical procedure that makes data representative of the population from which it was drawn.

The results in this report are weighted by sex, grade, and race/ethnicity in order to compensate for absenteeism and incomplete surveys. The weighting allows the results to be fully representative of middle school students in grades 6 through 8 (middle school survey) and high school students grades 9 through 12 (high school survey). Weighting permits us to draw inferences about the school-based student population in Vermont.

More information on survey reliability including "Do students tell the truth" is available on the Vermont Department of Health YRBS webpage at:

<https://www.HealthVermont.gov/yrbs>

Understanding and Interpreting the Results

Statistical Differences

Throughout this report, statistically significant differences are noted. Statistical significance is calculated by comparing the 95% confidence intervals of two or more values. If the confidence intervals overlap, the percentages are not different. In other words, the two groups are not statistically different from one another. If the confidence intervals do not overlap, there is a statistical difference between the two groups.

A 95% confidence interval is a range of values and can vary due to the size of a particular population or how consistently students responded to an item. Sometimes, when comparing the responses of two or more groups, the overall percent may look very different, but the two numbers are not statistically different. Other times, the two values may be very close but differ statistically.

While this report notes statistical differences, we encourage you to consider meaningful differences: does the disparity merit a targeted intervention, show a real change in health, or otherwise mean something important to the community (statistics aside).

Data Suppression

For some questions, not enough students respond to be able to report an estimate. In those instances, a dot (.) indicating “too few students” is noted in the table. Reportable estimates include a numerator of at least 5 students and denominator of 50 or more students.

Subgroup Comparisons

Some subgroups have a higher prevalence of many health-risk behaviors that might place them at risk for unnecessary or premature mortality, morbidity and social problems.

To draw as many statistically meaningful comparisons among groups as possible, some populations have been grouped together. When included, all American Indian/Alaska Native, Asian, Black or African American, Native Hawaiian/Other Pacific Islander, or Hispanic /Latino students were grouped into a "BIPOC" category to compare to white, non-Hispanic students. Similarly, all lesbian, gay, bisexual, or other non-heterosexual sexual orientation and transgender students were grouped into a "LGBTQ+" category to compare to heterosexual/cisgender students.

Key Terms and Statistical Differences

Each table includes the overall statewide and supervisory union prevalence rates (%). Prevalence rates by subpopulations are included at the local level. Overall statistical comparisons between the statewide and supervisory union rates as well as statistical differences within a supervisory union by subpopulations are indicated within each table. These are noted using the following key terms and statistical differences:

VT All students in Vermont

SU All students in RUTLAND CITY SD

M Male students

F Female students

WnH White, non-Hispanic students

BIPOC American Indian/Alaska Native, Asian, Black or African American, Native Hawaiian/Other Pacific Islander, or Hispanic /Latino students

Het/Cis Heterosexual and cisgender students

LGBTQ+ Transgender, lesbian, gay, bisexual, other sexual orientation, and questioning or unsure if they are transgender students

IEP Currently have an IEP or 504 Plan

noIEP Do not have an IEP or 504 Plan

. Too few students to report

***** Significant difference between groups

Significantly increases/decreases with each grade level

+ Older (11th/12th grade) students are significantly different from younger (9th/10th grade) students

2023 VERMONT YOUTH RISK BEHAVIOR SURVEY REPORT

HIGH SCHOOL RESULTS

Demographics

RUTLAND CITY SD	N
Overall	279

Sex	N	%
Male	149	55
Female	128	45

Year in School	N	%
9th grade	98	29
10th grade	93	28
11th grade	69	31
12th grade	19	12

Note: Students are not required to answer questions on the YRBS. Therefore, totals by specific demographics may not equal the overall total.
N = Unweighted number of students; % = Weighted percent

Unintentional Injuries and Prevention

	VT	SU/SD		F	M	9-10	11-12
Rarely or never wore a helmet when they rode a bicycle or skateboard or rollerbladed, among those who rode a bicycle or skateboard or rollerbladed, past year	42	51 *		45	54	51	.
Had a concussion from playing a sport or being physically active, past year	18	13 *		15	12	16	10

	VT	SU/SD		F	M	9-10	11-12
Had at least one sunburn, past year	72	69		71	67	68	70
Most of the time or always wear sunscreen when outside for at least one hour	32	31		47	15 *	26	36

. = Too few students to report; * = Statistical differences between groups; + = Older students significantly different from younger students

Unintentional Injuries and Prevention

	VT	SU/SD	F	M	9-10	11-12
Were asked by a doctor, dentist, or nurse if they smoked, among those who saw a provider in the past year	49	50	56	43	48	52

	VT	SU/SD	F	M	9-10	11-12
Texted or e-mailed while driving a car or other vehicle, among students who drive, past 30 days	38	35	39	31	22	44 +
Drove a car or other vehicle when they had been drinking alcohol, among students who drive, past 30 days	7	8	13	.	.	12
Drove a car or other vehicle when they had been using marijuana, among students who drive, past 30 days	12	10	11	10	.	15

. = Too few students to report; * = Statistical differences between groups; + = Older students significantly different from younger students

Unintentional Injuries and Prevention

	VT	SU/SD	F	M	9-10	11-12
Rode with a driver who had been drinking alcohol, past 30 days	19	14	15	13	17	11
Rode in a car or other vehicle driven by someone who had been using marijuana, past 30 days	22	16 *	17	14	16	16

. = Too few students to report; * = Statistical differences between groups; + = Older students significantly different from younger students

Violence and Bullying

	VT	SU/SD	F	M	9-10	11-12
Were in a physical fight, past year	16	15	11	19	19	10
Were threatened or injured with a weapon on school property, past year	9	7	9	5	7	7
Carried a weapon on school property, past 30 days	5	4	.	5	5	.

	VT	SU/SD	F	M	9-10	11-12
Were bullied, past 30 days	21	17	23	11 *	23	11 +
Bullied someone else, past 30 days	13	11	13	10	12	10
Were electronically bullied, past year	18	17	21	13	24	10 +

. = Too few students to report; * = Statistical differences between groups; + = Older students significantly different from younger students

Violence and Bullying

	VT	SU/SD	F	M	9-10	11-12
Did not go to school because they felt unsafe at school or on their way to or from school, past 30 days	10	12	17	7	10	13
Ever saw someone get physically attacked, beaten, stabbed, or shot in their neighborhood	17	24 *	22	26	20	29

. = Too few students to report; * = Statistical differences between groups; + = Older students significantly different from younger students

Violence and Bullying

	VT	SU/SD	F	M		9-10	11-12
Report someone has ever done sexual things to them that they did not want	23	20	33	8	*	18	23
Reported someone they were dating or going out with did sexual things that they did not want, among students who dated or went out with someone, past year	14	12	23	.		10	13
Experienced physical dating violence, among students who dated or went out with someone, past year	9	9	13	6		8	11

. = Too few students to report; * = Statistical differences between groups; + = Older students significantly different from younger students

Mental Health

	VT	SU/SD		F	M	9-10	11-12
Reported that their mental health was most of the time or always not good, past 30 days	34	42 *		50	34	35	49
Most of the time or always bothered by feeling nervous, anxious, or on edge, past year	36	39		49	29 *	33	45
Felt sad or hopeless, past year	29	31		37	24	25	36

	VT	SU/SD		F	M	Row Percent	Row Percent
Purposely hurt themselves without wanting to die, past year	23	20		22	17	21	18
Made a plan about how they would attempt suicide, past year	14	13		14	12	13	14
Attempted suicide, past year	7	4 *		5	3	4	4

. = Too few students to report; * = Statistical differences between groups; + = Older students significantly different from younger students

Mental Health

	VT	SU/SD	F	M		9-10	11-12
Most of the time or always get the kind of help they need, among those who felt sad, angry, hopeless, or anxious	31	32	42	20	*	26	37
Would most likely talk to a teacher, counselor or other adult in their school or an adult outside of school who is not a family member about their feelings, among students who felt sad, angry, or anxious	7	7	6	7		7	7

. = Too few students to report; * = Statistical differences between groups; + = Older students significantly different from younger students

Lifetime Substance Use

	VT	SU/SD		F	M	9-10	11-12	
Ever drank alcohol	49	42	*	42	41	30	56	+
Ever smoked a cigarette	18	18		15	20	12	25	+
Ever tried an electronic vapor product	32	29		26	30	16	42	+
Ever tried marijuana	35	26	*	25	27	19	34	+

. = Too few students to report; * = Statistical differences between groups; + = Older students significantly different from younger students

Lifetime Substance Use

	VT	SU/SD	F	M	9-10	11-12
Had their first drink of alcohol before age 13 years	14	15	15	14	13	17
Smoked a cigarette before age 13 years	7	7	5	8	5	9
First tried an electronic vapor product before age 13	7	7	5	8	6	7
Tried marijuana for the first time before age 13 years	6	4	.	5	4	.

. = Too few students to report; * = Statistical differences between groups; + = Older students significantly different from younger students

Lifetime Substance Use

	VT	SU/SD	F	M	9-10	11-12
Ever misused a prescription pain medicine	9	10	7	11	11	8
Ever used cocaine	3	2
Ever used inhalants	7	6	4	7	5	6
Ever used heroin	2
Ever used methamphetamines	2	3

. = Too few students to report; * = Statistical differences between groups; + = Older students significantly different from younger students

Current Substance Use

	VT	SU/SD	F	M	9-10	11-12
Currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products	18	15	15	13	9	20
Currently smoked cigarettes	6	5	.	6	3	7
Currently used an electronic vapor product	16	12	15	8	8	16
Currently used smokeless tobacco	3
Currently smoked cigars	4	3

. = Too few students to report; * = Statistical differences between groups; + = Older students significantly different from younger students

Current Substance Use

	VT	SU/SD	F	M	9-10	11-12	
Currently drank alcohol	27	23	24	21	13	33	+
Binge drank, past 30 days	13	10	16	6	5	17	+
Currently used marijuana	22	17	16	18	12	23	
Misused any prescription medication, past 30 days	5	6	.	7	7	.	

. = Too few students to report; * = Statistical differences between groups; + = Older students significantly different from younger students

Current Substance Use

	VT	SU/SD	F	M	9-10	11-12
Usually got electronic vapor products by buying them themselves in a convenience store, supermarket, discount store, or gas station, among students who used EVP, past 30 days	4
Primarily used EVP because they were curious about them, among students who used EVP, past 30 days	25	23
Primarily used EVP because friends or family used them, among students who used EVP, past 30 days	19	18

. = Too few students to report; * = Statistical differences between groups; + = Older students significantly different from younger students

Current Substance Use

	VT	SU/SD	F	M	9-10	11-12
Used an electronic vapor product to vape marijuana, among students who used marijuana, past 30 days	65
Usually used marijuana by smoking it in a joint, bong, pipe, or blunt, among students who used marijuana, past 30 days	67
Usually obtained marijuana they used by buying it from a store or dispensary, among students who used marijuana, past 30 days	3
Usually used marijuana by vaping it, among students who used marijuana, past 30 days	15

. = Too few students to report; * = Statistical differences between groups; + = Older students significantly different from younger students

Other Substance Use Behaviors and Experiences

	VT	SU/SD		F	M	9-10	11-12
Attended school under the influence of alcohol or other illegal drugs, past year	12	7 *		7	6	6	9
Tried to quit using all tobacco products, past year	12	11		10	11	6	16 +
Ever lived with a parent or guardian who was having a problem with alcohol or drug use	27	31		30	32	28	35

. = Too few students to report; * = Statistical differences between groups; + = Older students significantly different from younger students

Perceptions Around Substance Use

	VT	SU/SD	F	M	9-10	11-12	
Say if they wanted to get electronic vapor products, it would be sort of easy or very easy for them to get some	60	66	61	70	57	76	+
Say if they wanted to get alcohol, it would be sort of easy or very easy for them to get some	66	67	62	73	64	71	
Say if they wanted to get marijuana, it would be sort of easy or very easy for them to get some	58	57	53	61	53	63	

. = Too few students to report; * = Statistical differences between groups; + = Older students significantly different from younger students

Perceptions Around Substance Use

	VT	SU/SD		F	M	9-10	11-12	
Think it is wrong or very wrong for someone their age to use electronic vapor products	70	76 *		80	73	80	71	
Think it is wrong or very wrong for someone their age to drink alcohol	53	59		57	61	69	47	+
Think it is wrong or very wrong for someone their age to use marijuana	55	63 *		66	61	72	52	+

. = Too few students to report; * = Statistical differences between groups; + = Older students significantly different from younger students

Perceptions Around Substance Use

	VT	SU/SD	F	M	9-10	11-12	
Responded that their parents or guardians feel it would be wrong or very wrong for them to use electronic vapor products	89	88	91	86	89	87	
Responded that their parents or guardians feel it would be wrong or very wrong for them to drink alcohol	67	68	63	73	78	58	+
Responded that their parents or guardians feel it would be wrong or very wrong for them to use marijuana	75	76	76	77	84	67	+

. = Too few students to report; * = Statistical differences between groups; + = Older students significantly different from younger students

Perceptions Around Substance Use

	VT	SU/SD	F	M	9-10	11-12
Think people greatly risk harming themselves, physically or in other ways, if they use electronic vapor product regularly	42	44	47	42	44	44
Think people greatly risk harming themselves, physically or in other ways, if they have five or more drinks of alcohol once or twice each weekend	35	43	*	41	44	42
Think people greatly risk harming themselves, physically or in other ways, if they use marijuana regularly	24	28	31	26	34	22

. = Too few students to report;

* = Statistical differences between groups;

+ = Older students significantly different from younger students

Sexual Health

	VT	SU/SD	F	M	9-10	11-12
Were ever tested for human immunodeficiency virus (HIV)	8	7	6	6	6	7
Were tested for a sexually transmitted disease (STD), past year	8	3 *	4	.	.	4

	VT	SU/SD	F	M	9-10	11-12
Ever had sexual intercourse	37	27 *	26	28	17	38 +
Had sexual intercourse with four or more persons during their life	8	7	6	7	4	10

	VT	SU/SD	F	M	9-10	11-12
Were currently sexually active, past 3 month	28	19 *	21	16	14	24

. = Too few students to report; * = Statistical differences between groups; + = Older students significantly different from younger students

Sexual Health

	VT	SU/SD	F	M	9-10	11-12
Drank alcohol or used drugs before last sexual intercourse, among students who were currently sexually active	20
Used a condom during last sexual intercourse, among students who were currently sexually active	49

. = Too few students to report; * = Statistical differences between groups; + = Older students significantly different from younger students

Sexual Health

	VT	SU/SD	F	M	9-10	11-12
Used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse with an opposite-sex partner, among students who were currently sexually active	18
Used birth control pills; an IUD or implant; or a shot, patch, or birth control ring before last sexual intercourse with an opposite-sex partner, among students who were currently sexually active	52
Did not use any method to prevent pregnancy during last sexual intercourse with an opposite-sex partner, among students who were currently sexually active	7

. = Too few students to report; * = Statistical differences between groups; + = Older students significantly different from younger students

Weight

	VT	SU/SD	F	M	9-10	11-12
Are overweight	14	18	16	19	21	14
Are obese	14	14	8	19 *	11	17

	VT	SU/SD	F	M	9-10	11-12
Described themselves as slightly or very overweight	29	30	30	31	32	29
Were trying to lose weight	39	39	47	30 *	43	34
Tried to lose weight or keep from gaining weight by going without eating for 24 hours or more, taking any diet pills, powders, or liquids, vomiting or taking laxatives, smoking cigarettes, or skipping meals	22	21	27	14	21	21

. = Too few students to report; * = Statistical differences between groups; + = Older students significantly different from younger students

Physical Activity

	VT	SU/SD		F	M	9-10	11-12
Did not participate in at least 60 minutes of physical activity on at least 1 day, past week	13	22	*	21	23	21	23
Were physically active at least 60 minutes per day on 5 or more days, past week	52	49		46	52	45	54
Were physically active at least 60 minutes per day on all 7 days, past week	28	25		22	27	27	23

. = Too few students to report;

* = Statistical differences between groups;

+ = Older students significantly different from younger students

	VT	SU/SD	F	M	9-10	11-12
Did not eat breakfast, past week	14	17	17	17	16	18
Ate breakfast on 5 or more days, past week	49	47	43	51	46	48
Ate breakfast on all 7 days, past week	32	31	26	36	28	35

. = Too few students to report;

* = Statistical differences between groups;

+ = Older students significantly different from younger students

Nutrition

	VT	SU/SD	F	M	9-10	11-12
Ate 5+ fruits/vegetables every day, past week	19	15	15	15	15	14
Did not eat vegetables, past week	6	10 *	5	15 *	10	11
Ate vegetables one or more times per day, past week	69	55 *	60	50	58	52
Ate vegetables two or more times per day, past week	34	22 *	24	19	22	21
Ate vegetables three or more times per day, past week	17	10 *	9	10	12	7
Did not eat fruit or drink 100% fruit juices, past week	7	11 *	4	17 *	11	10
Ate fruit or drank 100% fruit juices one or more times per day, past week	58	46 *	48	45	54	38
Ate fruit or drank 100% fruit juices two or more times per day, past week	27	22 *	22	21	26	17

. = Too few students to report; * = Statistical differences between groups; + = Older students significantly different from younger students

Social Determinants of Health

	VT	SU/SD	F	M	9-10	11-12
Most of the time or always went hungry because there was not enough food in their home, past 30 days	2
Experienced unstable housing, past 30 days	4	2	.	3	3	.
Think their family subjective social status is worse than other families	3

	VT	SU/SD	F	M	9-10	11-12
Have a disability or long-term health problem that keeps them from doing everyday activities	7	7	10	4	9	6
Currently receive Special Education services through an Individualized Education Plan (IEP) or 504 plan	18	17	16	18	12	22

. = Too few students to report; * = Statistical differences between groups; + = Older students significantly different from younger students

Protective Factors

	VT	SU/SD	F	M	9-10	11-12
Ate dinner at home with at least one parent or other adult family member on four or more days during the previous week	72	68	72	65	71	65

. = Too few students to report; * = Statistical differences between groups; + = Older students significantly different from younger students

Protective Factors

	VT	SU/SD		F	M		9-10	11-12
Strongly agree or agree that their school has clear rules and consequences for behavior	48	31 *		21	42 *		37	26
Felt that they were ever treated badly or unfairly in school because of their race or ethnicity	21	23		19	26		22	23
Reported there is at least one teacher or other adult in their school that they can talk to if they have a problem	69	54 *		59	48		55	52
During an average school week, spend 10 or more hours participating in afterschool activities	24	24		29	19		23	24
Report they are most likely to attend a 4-year college or university, a community college, or technical school after high school	69	75 *		88	63 *		68	83 +

. = Too few students to report; * = Statistical differences between groups; + = Older students significantly different from younger students

Protective Factors

	VT	SU/SD	F	M	9-10	11-12
Used social media several times a day	80	75	78	72	78	71

	VT	SU/SD	F	M	9-10	11-12
Strongly agree or agree that in their community they feel like they matter to people	54	48	47	49	48	48

. = Too few students to report; * = Statistical differences between groups; + = Older students significantly different from younger students

2023 VERMONT YOUTH RISK BEHAVIOR SURVEY REPORT

MIDDLE SCHOOL RESULTS

Demographics

	N
Overall	184

Sex	N	%
Male	94	53
Female	88	47

Year in School	N	%
6th grade		
7th grade	94	50
8th grade	89	49

Note: Students are not required to answer questions on the YRBS. Therefore, totals by specific demographics may not equal the overall total.
N = Unweighted number of students; % = Weighted percent

Unintentional Injuries and Prevention

	VT	SU/SD		F	M	6th	7th	8th
Rarely or never wore a bicycle helmet, among students who had ridden a bicycle	27	43	*	50	38	.	46	40
Rarely or never wore a helmet when rollerblading or skateboarding, among students who used rollerblades or rode a skateboard	30	59	*
Had a concussion from playing a sport or being physically active, past year	17	15		20	12	.	12	19

	VT	SU/SD		F	M	6th	7th	8th
Had a sunburn, past year	62	52	*	58	47	.	44	59
Most of the time or always wear sunscreen	42	34	*	42	27	*	28	39

. = Too few students to report; * = Statistical differences between groups; # = Significantly increases/decreases with each grade level

Unintentional Injuries and Prevention

	VT	SU/SD		F	M	6th	7th	8th
Were asked by a doctor, dentist, or nurse if they used a tobacco product among those who saw a provider during the past year	26	40	*	35	46	.	33	47

	VT	SU/SD		F	M	6th	7th	8th
Do not always wear a seat belt	25	42	*	47	38	.	43	40
Ever rode with a driver who had been drinking alcohol	19	18		22	15	.	18	19
Ever rode with a driver who had been using marijuana	13	24	*	29	20	*	25	23

. = Too few students to report; * = Statistical differences between groups; # = Significantly increases/decreases with each grade level

Violence and Bullying

	VT	SU/SD		F	M		6th	7th	8th
Were ever bullied on school property	47	55	*	60	51		.	48	62
Were ever electronically bullied	30	36	*	52	23	*	.	39	34
Were bullied, past 30 days	27	32		42	23	*	.	30	33
Bullied someone else, past 30 days	12	15		16	15		.	13	17

	VT	SU/SD		F	M		6th	7th	8th
Were ever in a physical fight	40	48	*	42	54	*	.	49	47
Ever saw someone get physically attacked, beaten, stabbed, or shot in their neighborhood	15	30	*	34	28		.	27	34

. = Too few students to report; * = Statistical differences between groups; # = Significantly increases/decreases with each grade level

Violence and Bullying

	VT	SU/SD		F	M		6th	7th	8th
Report someone has ever done sexual things to them that they did not want	13	22	*	35	11	*	.	18	26

	VT	SU/SD		F	M		6th	7th	8th
Did not go to school because they felt unsafe at school or on their way to or from school, past 30 days	12	22	*	28	17	*	.	22	22

. = Too few students to report; * = Statistical differences between groups; # = Significantly increases/decreases with each grade level

Mental Health

	VT	SU/SD	F	M		6th	7th	8th	
Reported that their mental health was most of the time or always not good during the past 30 days	25	25	43	10	*	.	27	23	
Have ever done something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose	21	28	*	44	14	*	.	26	30
Felt sad or hopeless, past year	24	32	*	48	17	*	.	31	33

	VT	SU/SD	F	M		6th	7th	8th	
Ever seriously thought about killing themselves	20	26	*	43	11	*	.	25	27
Ever made a plan about how they would kill themselves	15	19	*	33	8	*	.	20	19
Ever tried to kill themselves	7	14	*	22	7	*	.	9	19

. = Too few students to report; * = Statistical differences between groups; # = Significantly increases/decreases with each grade level

Mental Health

	VT	SU/SD	F	M	6th	7th	8th
Most of the time or always get the kind of help they need, among those who felt sad, angry, hopeless, or anxious	41	38	28	.	.	36	40
Would most likely to talk to a teacher, counselor or other adult in their school or an adult outside of school who is not a family member about their feelings, among those who felt sad, angry, hopeless, or anxious	5	5	8

. = Too few students to report; * = Statistical differences between groups; # = Significantly increases/decreases with each grade level

Lifetime Substance Use

	VT	SU/SD		F	M		6th	7th	8th
Ever drank alcohol	19	24 *		36	13 *		.	25	22
Ever smoked a cigarette	7	10 *		13	8		.	9	11
Ever tried an electronic vapor product	12	19 *		35	6 *		.	14	25
Ever tried a flavored tobacco product	6	8 *		12	5 *		.	10	7
Ever tried marijuana	8	17 *		27	9 *		.	15	20

. = Too few students to report; * = Statistical differences between groups; # = Significantly increases/decreases with each grade level

Lifetime Substance Use

	VT	SU/SD	F	M		6th	7th	8th
Had their first drink of alcohol before age 11 years	9	12	17	6 *		.	12	12
Smoked a cigarette before age 11 years	3	3
Tried an electronic vapor product for the first time before age 11 years	3	3	7
First tried a flavored tobacco product before age 11	3	3
Tried marijuana for the first time before age 11 years	2

	VT	SU/SD	F	M		6th	7th	8th
Ever misused a prescription pain medicine	7	9	8	10		.	7	11
Ever used inhalants	6	8	13	.		.	6	10

. = Too few students to report; * = Statistical differences between groups; # = Significantly increases/decreases with each grade level

Current Substance Use

	VT	SU/SD	F	M	6th	7th	8th
Currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products	7	9	18	.	.	5	13
Currently smoked cigarettes	2	3	6
Currently used an electronic vapor product	6	8	16	.	.	.	11
Currently used smokeless tobacco	1
Currently smoked cigars	1

	VT	SU/SD	F	M	6th	7th	8th
Currently drank alcohol	5	7	14	.	.	6	9
Currently used marijuana	4	9	16	.	.	5	12

. = Too few students to report; * = Statistical differences between groups; # = Significantly increases/decreases with each grade level

Current Substance Use

	VT	SU/SD	F	M	6th	7th	8th
Usually used JUUL or other rechargeable device that uses pods, past 30 days, among students who used EVP	14
Primary used EVP because they were curious about them, past 30 days, among students who used EVP	29

. = Too few students to report; * = Statistical differences between groups; # = Significantly increases/decreases with each grade level

Perceptions Around Substance Use

	VT	SU/SD		F	M		6th	7th	8th
Say if they wanted to get electronic vapor products, it would be sort of easy or very easy for them to get some	24	32	*	41	24	*	.	27	36
Say if they wanted to get alcohol, it would be sort of easy or very easy for them to get some	38	31	*	36	27		.	26	36
Say if they wanted to get marijuana, it would be sort of easy or very easy for them to get some	20	31	*	34	29		.	29	34

	VT	SU/SD		F	M		6th	7th	8th
Think it is wrong or very wrong for someone their age to use electronic vapor products	89	86		75	94	*	.	90	82

. = Too few students to report; * = Statistical differences between groups; # = Significantly increases/decreases with each grade level

Perceptions Around Substance Use

	VT	SU/SD	F	M	6th	7th	8th
Believe that their parents or guardians feel it would be wrong or very wrong for them to use electronic vapor products	94	92
Believe that their parents or guardians feel it would be wrong or very wrong for them to drink alcohol	86	89	85	92	.	89	89
Believe that their parents or guardians feel it would be wrong or very wrong for them to use marijuana	92	89	80	97 *	.	92	87

. = Too few students to report; * = Statistical differences between groups; # = Significantly increases/decreases with each grade level

Perceptions Around Substance Use

	VT	SU/SD		F	M		6th	7th	8th
Think people greatly risk harming themselves, physically or in other ways, if they use electronic vapor products regularly	51	43	*	34	51	*	.	43	43
Think people greatly risk harming themselves, physically or in other ways, if they have five or more drinks of alcohol once or twice each weekend	39	36		28	43	*	.	32	39
Think people greatly risk harming themselves, physically or in other ways, if they use marijuana regularly	45	31	*	30	33		.	32	30

. = Too few students to report; * = Statistical differences between groups; # = Significantly increases/decreases with each grade level

Sexual Health

	VT	SU/SD		F	M		6th	7th	8th
Ever had sexual intercourse	5	9 *		14	5 *		.	7	11
Used a condom during last sexual intercourse, among students who have ever had intercourse	51

. = Too few students to report; * = Statistical differences between groups; # = Significantly increases/decreases with each grade level

Physical Activity

	VT	SU/SD		F	M		6th	7th	8th
Did not participate in at least 60 minutes of physical activity on at least 1 day, past week	10	17	*	18	16		.	22	13
Were physically active at least 60 minutes per day on 5 or more days, past week	59	43	*	32	53	*	.	39	45
Were physically active at least 60 minutes per day on all 7 days, past week	34	27	*	17	36	*	.	27	26

	VT	SU/SD		F	M		6th	7th	8th
Played on at least one sports team, past year	69	54	*	54	56		.	49	58

. = Too few students to report; * = Statistical differences between groups; # = Significantly increases/decreases with each grade level

Physical Activity

	VT	SU/SD		F	M	6th	7th	8th
Walk or ride their bike to school at least once a week when weather permits	23	34	*	37	33	.	39	31
Walk or ride their bike to school five days a week when weather permits	11	19	*	19	19	.	24	14

. = Too few students to report; * = Statistical differences between groups; # = Significantly increases/decreases with each grade level

Nutrition

	VT	SU/SD		F	M		6th	7th	8th
Did not eat breakfast, past week	12	26	*	36	17	*	.	27	25
Ate breakfast on 5 or more days, past week	60	44	*	24	62	*	.	48	41
Ate breakfast on all 7 days, past week	42	32	*	13	49	*	.	39	25

. = Too few students to report; * = Statistical differences between groups; # = Significantly increases/decreases with each grade level

Social Determinants of Health

	VT	SU/SD	F	M	6th	7th	8th
Most of the time or always went hungry because there was not enough food in their home, past 30 days	2	3	6	.	.	5	.
Experienced unstable housing, past 30 days	2
People in their home most of the time or always speak a language other than English	7	4 *	.	5	.	.	.

. = Too few students to report; * = Statistical differences between groups; # = Significantly increases/decreases with each grade level

Protective Factors

	VT	SU/SD		F	M	6th	7th	8th
Ate dinner at home with at least one of their parents or other adult family member on four or more days, past week	87	77	*	74	81	.	78	77

	VT	SU/SD		F	M	6th	7th	8th
Ever felt that they were treated badly or unfairly in school because of their race or ethnicity	25	36	*	41	33	.	35	38
Have at least one teacher or other adult in their school that they can talk to if they have a problem	65	62		63	62	.	51	72
Strongly agree or agree that their school has clear rules and consequences for behavior	56	49	*	42	55	*	55	43
Spend 10 or more hours participating in afterschool activities during a typical school week	13	11		12	11	.	9	13

. = Too few students to report;

* = Statistical differences between groups;

= Significantly increases/decreases with each grade level

Protective Factors

	VT	SU/SD		F	M		6th	7th	8th
Do not use social media such as Instagram, TikTok, Snapchat, and Twitter	21	14	*	9	19	*	.	15	13
Use social media such as Instagram, TikTok, Snapchat, and Twitter several times a day	60	71	*	82	61	*	.	68	73

	VT	SU/SD		F	M		6th	7th	8th
Strongly agree or agree that in their community they feel like they matter to people	56	51		44	58	*	.	52	50

. = Too few students to report; * = Statistical differences between groups; # = Significantly increases/decreases with each grade level